GULF SEAL

digicon inc.
HOUSTON, TEXAS

MARINE LOG

Date NOV. 8. 1975

Type Coverage 36 Fold

Area ATLANTIC CONT. RISE

Shot Point Spacing 328'

Party No. 511

TIME	LINE	SHOT POINTS	D I R	TOTAL SHOT POINTS	MILES	OTHER TIMES				Chargeable TIME	REMARKS
						TRAVEL	LINE CHANGE	DOWN	SURV.		
0140 0001											ENROUTE LINE 10
							(Note)				
0745 0140							CHANGE OUT TRACE 9, 13, 17, HALF 29 DUE TO WEAK RESPONSE				LAYING CABLE
0757 0745											CABLE OUT ENROUTE LINE 10
2400 0957	10	1319 2768	N/W	1450	90.09		(Note) TRACE #9 REV. STARTED OF LINE HIGH. SP 2783 WAS CORRECTED- ALSO TRACE NO# 36 INTERMITTENT				STARTED LINE 10
2400											END OF DAY ALL EQUIPMENT LOOK GOOD-
				1450	90.09						TOTALS

22

66

ACC. MILES PROSPECT 1506.56

ACC. MILES FOR MONTH 248.70

Steve Vic Dance Lyn.
PARTY MANAGER

M/V GULF SEAL

digicon inc.
HOUSTON, TEXAS

Date NOV. 9, 1975

Type Coverage 6fold

MARINE LOG

Area ATLANTIC CONT. RISE

Shot Point Spacing 328'

Party No. 511

TIME	LINE	SHOT POINTS	DIR	TOTAL SHOT POINTS	MILES	OTHER TIMES: TRAVEL	OTHER TIMES: LINE CHANGE	OTHER TIMES: DOWN	OTHER TIMES: SURV.	Chargeable TIME	REMARKS
0701 0001	10	1318 6440	N/W	679	42.19		(NOTE)				CONTINUE LINE 10
							THRCE #36 WILL BE				
							OPEN FOR REMAINDER				
							OF THIS LINE - PULL				
							AMPS - (ALSO 10, 11, 14, 15 - WEAK)				
1726 0701							(NOTE)				STOP COMPRESSOR
							PORT COMPRESSOR				TROUBLE -
							DOWN HOLD TO CHANGE				
1722 1726							OUT - REDUCTION GEAR				ENROUTE LINE
							TOP - SHAFT - ALSO				10 -
							PILOT SHAFT BEARING				
							LOWER SHAFT.				
1932 1922	10	6440A 658A	N/W	OVER LAPS	—		(JUST CHANGED THIS PTO)				RESTARTED LINE 10
2400 1932	10	639 659	N/W	481	29.88		(UNIT OUT OCT. 20, 1975)				
							NEED TO CHECK THE MAIN				
							SHAFT WITH DIAL INDICATOR				
							THIS PTO SHOULDN'T GO				
							OUT LIKE THIS -				
2400											- END OF DAY -
				1160	72.07						TOTALS

TOTAL MEN 56

TOTAL MEALS 66

ACC. MILES PROSPECT 1874.63

ACC. MILES FOR MONTH 320.77

LINE 10

MISSING Field TAPE
#10564 Sp's 2496-2480

(2)

First Sp FF579/80 = 2479

	SLOI
DATA 10565	17787
Keep 579 -612	
DATA 10566	17786
Keep 613 -646	
DATA 10567	6353
Keep 647 -680	
DATA 10568	17785
Keep 681 -714	
DATA 10569	6354
KILL 715	
Keep 716	
KILL 717	
Keep 718 -719	
KILL 720	
Keep 721 -724	
KILL 725	
Keep 726	
KILL 727	
Keep 728 -748	
DATA 10570	17784
Keep 749 -782	
DATA 10571	17737
Keep 783 -816	
DATA 10572	17736
Keep 817 -850	
DATA 10573	17735
Keep 851 -884	

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer PANKETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	108	101		S/E	58,62,X,54		10708	10	RPM: 750-775
	107	3			58,52,56,52		B		HDG: 296°
	6	5			18,19,X,16				TB: 4° Port
	5	7			17,16,X,16				SOB-KB: 5,9
	4	9							
	3	111							
	2	3				20.12			
	101	115	0029			66'			LSP#101 LF#116

STOP SHOOTING DUE TO SHALLOW WATER

END OF LINE

&

COMPLETE

DATE: 10 Nov 1975

PAGE 2 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 /124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30' in.³ of guns 1700³

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	158	001		S/E	5860,X,6,		10705	10	RPM: 750 - 775
	7	3			5,6,5,3852		A		HDG: 298°
	6	5			18,18,X,17				TB: 3 Port
	5	7			17,16,X,16				SOB-KTS: 5, 9
	4	9							
	3	011							
	2	3							
	1	5							
✓	150	7							
	9	9							
	8	021							
	7	3							
	6	5							
	5	7							
	4	9							
✓	3	031			T/C				LSP# 143 LF# 035
	2	3					10706		FSP# 143 FF# 035
	1	5					B		
✓	140	7	0008			90'			
	9	9							
	8	041							
	7	3							
	6	5							
	5	7							
	4	9							
	3	051							
	2	3							
✓	1	5							
✓	130	7							
	9	9							
	8	061							
	7	3							
	6	5			T/C				LSP# 126 LF# 066
	5	7					10707		FSP# 125 FF# 067
	4	9					A		
	3	071							
	2	3							
	1	5							
✓	120	7	0016			84'			
	9	9							
	8	081							
	7	3							
	6	5							
	5	7							
	4	9							
	3	091							
	2	3							
	1	5							
✓	110	7			T/C				LSP# 110 LF# 098
	109	099					10708		FSP# 109 LF# 099

DATE: 10 NOV 1975

PAGE 1 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer _____ gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	208	901		SE	60,60 V		10701	10	SPD-RPM: 775-775
	7	3			54,56,54,		A		HDG: 297°
	6	5			56, 52.				TB: 20 PORT
	5	7			18, 18, X, 16				SOB-KTS: 6.0
	4	9			17, 16, X, 16				
	3	911			T/C				LSP 207 LF#904
	2	3					10702		FSP 206 FF#905
	1	5					B		
	200	7	2035			92'			PICKING UP SCREW
	9	9							NOISE
	8	921							
	7	3							
	6	5							
	5	7							
	4	9							
	3	931							
	2	3							
	1	5			T/C				LSP 191 LF#936
	190	7	2301		T/C		10703		FSP 190 FF#937
	9	9					'A'		
	8	941							
	7	3							
	6	5							
	5	7							
	4	9							
	3	951							
	2	3							
	1	5							
	180	7	2346			90'			
	9	9							
	8	961							
	7	3							
	6	5							
	5	7			T/C				LSP 175 LF#968
	4	9			T/C		10704		FSP 174 FF#969
	3	971					'B'		
	2	3							
	1	5							
	170	7	2352						
	9	9							
	8	981							
	7	3							
	6	5							
	5	7							
	4	9							
	3	991							
	2	3							
	1	5							
	160	7	2357		T/	180			LSP 159 LF#999
	159	999			T/C	54.8			FSP 158 FF#000

END OF DAY

DATE: 9 NOV 1975

PAGE 24 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONTL RISE Record filter 8 - 18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	258	801		S/E	60, 64, X,	90	10699	10	RPM: 775 - 775
	7	3			58, 59, 57,	27.43	B		HDG: 299°
	6	5			62.				TB: 2° PORT
	5	7							SOB-KTS: 6.1
	4	9			T/C				LSP 255 LF# 808
	3	811					10699		FSP 254 FF# 809
	2	3			18, 20, X, 18		A		
	1	5			18, 17, X, 16				
	250	7	2308						
	9	9							
	8	821							
	7	3							
	6	5							
	5	7							
	4	9							
	3	831							
	2	3							
	1	5							
	240	7	2314			80			
	9	9			T/C	24.3			LSP 239 LF# 840
	8	841					10700		FSP 238 FF# 841
	7	3					B		
	6	5							
	5	7							
	4	9							
	3	851							
	2	3							
	1	5							
	230	7	2319						
	9	9							
	8	861							
	7	3							
	6	5							
	5	7							
	4	9							
	3	871			T/C				LSP 223 LF# 872
	2	3					10701		FSP 222 FF# 873
	1	5					'A'		
	220	7	2324			84'			
	9	9				25.6			
	8	881							
	7	3							
	6	5							
	5	7							
	4	9							
	3	891							
	2	3							
	1	5							
	210	7	2330						
	209	899							

DATE: 9 Nov 1975

PAGE 23 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONTL RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	304	701		3/E	60,64,X,56,		10695	10	RPM: 775-775
	7	3			58,54,58,		A		HDG: 298°
	6	5			54.				TB: 2° PORT
	5	7							SOB÷ KTS: 6.1
	4	9			T/C				LSP 304 LF# 710
	3	711					10696		FSP 303 FF# 701
	2	3			18,20,X,17		D		
	301	5			18,16,X,16				
	300	7	2241			115			
	9	9				35.06			
	8	721							
	7	3							
	6	5							
	5	7							
	4	9							
	3	731							
	2	3							
	1	5							
	290	7	2246						
	9	9							
	8	741			T/C				LSP 288 LF# 742
	7	3					10697		FSP 287 FF# 743
	6	5					A		
	5	7							
	4	9							
	3	751							
	2	3							
	1	5							
	280	7	2252			95'			
	9	9				28.9			
	8	761							
	7	3							
	6	5							
	5	7							
	4	9							
	3	771							
	2	3			T/C				LSP 272 LF# 774
	1	5					10698		FSP 271 FF# 775
	270	7	2258				B		
	9	9							
	8	781							
	7	3							
	6	5							
	5	7							
	4	9							
	3	791							
	2	3							
	1	5							
	260	7	2303						
	259	799							

DATE: 9 NOV 1975

PAGE 22 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	358	601		YE	60,64,X,54,	126	10692	10	SPD-RPM: 775-775
	7	3			53,56,60,	38.41	'B'		HDG: 297°
	6	5			56.				TB: 2° PORT
	5	7			18,20,X,18				SOB-KTS: 6.0
	4	9			16,17,X,17				
	3	611			T				LSP 353 LF# 612
	2	3			T/C		10693		FSP 352 FF# 613
	1	5					A		
✓	350	7	2213						
	9	9							
	8	621							
	7	3							
	6	5							
	5	7							
	4	9							
	3	631							
	2	3							
	1	5							
✓	340	7	2220			124			
	9	9				37.8			
	8	641							
	7	3							
	6	5			T				LSP 336 LF# 646
	5	7			T/C		10694		FSP 335 FF# 647
	4	9					B		
	3	651							
	2	3							
	1	5							
✓	330	7	2225						
	9	9							PICKING UP SCREW NOISE
	8	661							
	7	3							
	6	5							
	5	7							
	4	9							
	3	671							
	2	3							
	1	5							
✓	320	7	2230		T				LSP 320 LF# 678
	9	9			T/C		10695		FSP 319 FF# 679
	8	681					A		
	7	3							
	6	5							
	5	7							
	4	9							
	3	691							
	2	3							
	1	5							
✓	310	7	2236						
	309	699							

DATE: Nov 1995

PAGE 21 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	408	501		SE	60,64,X,58		10688	10	RPM: 775-775
	7	3			57,56,60,56		B		HDG: 300°
	6	5			18,20,X,18				TB: 2° PORT
	5	7			17,17,X,17				SOB-KB: 6.0
	4	9			T/C				LSP 404 LF# 510
	3	511			T/C		10689		FSP 403 FF# 511
	2	3			T/C		A		LSP 402 LF# 514
	1	5			T/C		10690		FSP 401 FF# 515
	400	7	2147			125	B		TAPE CHANGE DUE
	9	9				38.10			TO EXCESS PARITY
	8	521							
	7	3							
	6	5							
	5	7							
	4	9							
	3	531							
	2	3							
	1	5							
	390	7	2153						
	9	9							
	8	541							
	7	3							
	6	5							
	5	7			T/C				LSP 385 LF# 548
	4	9			T/C		10691		FSP 384 FF# 549
	3	551							FILE# 548 WAS A
	2	3							SHORT FILE
	1	5							
	380	7	2158			108			
	9	9				32.9			
	8	561							
	7	3							
	6	5							
	5	7							
	4	9							
	3	571							
	2	3							
	1	5							
	370	7							
	9	9			T/C				LSP 369 LF# 580
	8	581			T/C		10692		FSP 368 FF# 581
	7	3							
	6	5							
	5	7							
	4	9							
	3	591							
	2	3							
	1	5							
	360	7	2208						
	359	599							

DATE: Nov 1975

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 | Type instrument DFS III | Offset distance 1140

Area ATLANTIC CONT'L. RISE | Record filter 9-18/124 | Group interval 328/164

State Offshore East Coast | Sample rate 8ms | Fold coverage 36

Observer MILLER | gun depth 30' | in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	458	401		S/E	60,64,X,54		10685	10	RPM: 775-775
	7	3			57,53,58,52		A		HDG: 300°
	6	5			18,20,X,16				TB: 2° PORT
	5	7			17,16,X,16				SOB-KTS: 5.8
	4	9			T/C				LSP 456 LF# 406
	3	411					10686		FSP 455 FF# 407
	2	3					B		
	1	5							
	450	7	2119						
	9	9							
	8	421							
	7	3							
	6	5							
	5	7							
	4	9							
	3	431							
	2	3							
	1	5							
	440	7	2125			124			
	9	9			T/C	37.8			LSP 439 LF# 440
	8	441					10687		FSP 438 FF# 441
	7	3					A		
	6	5							
	5	7							
	4	9							
	3	461							
	2	3							
	1	5							
	430	7	2130						
	9	9							
	8	461							
	7	3							
	6	5							
	5	7							
	4	9							
	3	481							
	2	3			T/C				LSP 422 LF# 474
	1	5					10688		FSP 421 FF# 475
	420	7	2136				B		
	9	9							
	8	481							
	7	3							
	6	5							
	5	7							
	4	9							
	3	491							
	2	3							
	1	5							
	410	7	2141						
	409	499							

DATE: Nov 1975

PAGE 19 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	508	301			60,64,X,56	113	10682		SPD-RPM: 765-775
	7	3			58,56,60,54	34.4	B		HDG: 300°
	6	5			18,20,X,17				TB: 0°
	5	7			18,17,X,16				SOB-KTS: 5.7
	4	9							
	3	311			T/C				LSP 507 LF#304
	2	3					10683		FSP 506 FF#305
	501	5					A		
	500	7	2052			123			
	9	9				37.5			
	8	321							
	7	3							
	6	5							
	5	7							
	4	9							
	3	331							
	2	3							
	1	5							
	490	7	2058		T/C				LSP 490 LF#338
	9	339					10684		FSP 489 FF#339
	8	341					B		
	7	3							
	6	5							
	5	7							
	4	9							
	3	351							
	2	3							
	1	5							
	480	7	2103			126			
	9	9				38.4			
	8	361							
	7	3							
	6	5							
	5	7							
	4	9							
	3	371			T/C				LSP 473 LF#372
	2	3					10685		FSP 472 FF#373
	1	5					A		
	470	7	2109						
	9	9							
	8	381							
	7	3							
	6	5							
	5	7							
	4	9							
	3	391							
	2	3							
	1	5							
	460	7	2114			108			
	459	399				32.9			

DATE: Nov 1975

PAGE 18 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2MS Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	558	201		S/E	60,62,X,	148	10679	10	RPM's 775-775
	7	3			58,59,54,	45.12	A		HEADING 298°
	6	5			62,60.				T.B. 3° PORT
	5	7			18,19,X,18				S.O.B. 6.7
	4	9			18,16,X,18				
	3	211			T/C				LSP 556 LF#202
	2	3					10680		FSP 557 FF#203
	1	5					B		
	550	7	2024						
	9	9							
	8	221							
	7	3							
	6	5							
	5	7							
	4	9							
	3	231							
	2	3							
	1	5			T/C				LSP 541 LF#236
	540	7	2029		T/C	135-	10681		FSP 540 FF#237
	9	9				41.15	A		
	8	241							
	7	3							
	6	5							
	5	7							
	4	9							
	3	251							
	2	3							
	1	5							
	530	7	2035						
	9	9							
	8	261							
	7	3							
	6	5							
	5	7							
	4	9			T/C				LSP 524 LF#270
	3	271			T/C		10682		FSP 523 FF#271
	2	3					B		
	1	5							
	520	7	2041						
	9	9							
	8	281							
	7	9							
	6	5							
	5	7							
	4	9							
	3	291							
	2	3							
	1	5							
	510	7	2047						
	9	9							

DATE: 11/9/75

PAGE 17 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2 MS Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	608	101		S/E	62,64,X,56,		10677	10	R.P.M.'s 775-775
	7	3			58,56,60,		A		HEADING 297°
	6	5			64.				T.B. 3° PORT
	5	7			19,20,X,17				S.O.B. 5.8
	4	9			18,17,X,20				
	3	111							
	2	3							
	1	5							
✓	600	7	1955			150			
	9	9				45.7			
	8	121							
	7	3							
	6	5							
	5	7							
	4	9							
	3	131							
✓	2	3			T/C				LSP 592 LF# 134
	1	5					10678		FSP 591 FF# 135
✓	590	7	2002				B		
	9	9							
	8	141							
	7	3							
	6	5							
	5	7							
	4	9							
	3	151							
	2	3							
	1	5							
✓	580	7	2007			145			
	9	9				44.2			
	8	161							
	7	3							
	6	5							
✓	5	7			T/C				LSP 575 LF# 168
	4	9					10679		FSP 574 FF# 169
	3	171					A		PARITY - F# 169
	2	3							
	1	5							
✓	570	7	2012						
	9	9							
	8	181							
	7	3							
	6	5							
	5	7							
	4	9							
	3	191							
	2	3							
	1	5							
✓	560	7	2018						
	9	9							

DATE: 11/9/75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
A	658	001	1922	S/E	60,64,V,54,	132'	10674	10	SPD-RAM: 775-775
	7	3			56,52,56,	40.2	B		HDG: 301
	6	5			56				TB: 2° PORT
	5	7			18, 20, X, 16				SOB-KTS: 6.0
	4	9			17, 16, X, 15				
	3	011							NOTE * SP's * 658-640
	2	3							ARE "A" - SHOTS.
	1	5							
	650	7	1926			132'			TRACES 10, 11, H, 4, 15
	9	9				40.2			ARE WEAK.
	8	021							
	7	3							
	6	5							
	5	7							
	4	9							
	3	031							
	2	3			T/C				LSP 642 LF#033
	1	5					10675		FSP 648 FF#034
A	640	7	1932			150'	A'		
	9	9				45.7			
	8	041							
	7	3							
	6	5							
	5	7							
	4	9							
	3	051							
	2	3							
	1	5							
	630	7	1938						
	9	9							
	8	061							
	7	3							
	6	5			T/C				LSP 626 LF#066
	5	7					10676		FSP 625 FF#067
	4	9					B'		
	3	071							
	2	3							
	1	5							
	620	7	1944			136			
	9	9				41.4			
	8	081							
	7	3							
	6	5							
	5	7							
	4	9							
	3	091							
	2	3							
	1	5							
	610	7	1949		T/C				LSP 609 LF#100
	9	9					10677		FSP 608 FF#101

DATE: 9 NOV 1975

PAGE 15 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 MS Fold coverage 36

Observer PALMETT gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	668	201		S/E	60.59X~~60.54~~		10672	10	SPD*RPM: 725
	7	3			56.53.54		B		HDG: 302°
	6	5			18,18,X,18				TB: 1° PT.
	5	7			16,17,X,16				SOB*KTS: 5.2
	4	9							
	3	211							
	2	3							
	1	5							
✓	660	7	06:48			126			
	9	9				38.4			
	8	221							
	7	3							
	6	5							
	5	7			T/C				LSP# 655 LF# 228
	4	9					10673		FSP# 654 FF# 229
	3	231					A		
	2	3							
	1	5							
✓	650	7							
	9	9							
	8	241							
	7	3							
	6	5							
	5	7							
	4	9							
	3	251							
	2	3							
	1	5							
✓	640	257	0701			6139'			LSP# 640 LF# 258
						45.7			

STOP SHOOTING

COMPRESSOR

TROUBLE

DATE: 9 Nov 1975

PAGE 14 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L. RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWLETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	718	101		5/E	62,60,X,54		10669	10	SPD-RPM: 725
	7	3			56,54,52,52		A		HDG: 303
	6	5			19,18,X,16				TB: 0°
	5	7			17,16,X,16				SOB-KTS: 5.4
	4	9							
	3	111							
	2	3							
	1	5							
✓	710	7							
	9	9							
	8	121							
	7	3							
	6	5			T/C				LSP# 706 LF# 126
	5	7					10670		FSP# 705 FF# 127
	4	9					B		
	3	131							
	2	133							
	1	5							
✓	700	137	0624			174			
	9	9				53.04			
	8	141							
	7	3							
	6	5							
	5	7							
	4	9							
	3	151							
	2	3							
	1	5							
✓	690	7							
	9	9			T/C				LSP# 689 LF# 160
	8	161					10671		FSP# 688 FF# 161
	7	3					A		
	6	5							
	5	7							
	4	9							
	3	171							
	2	3							
	1	5							
✓	680	7	0636			162			
	9	9				49.3			
	8	181							
	7	3							
	6	5							
	5	7							
	4	9							
	3	191							
	2	3			T/C				LSP# 672 LF# 194
	1	5					10672		FSP# 671 FF# 195
✓	670	7					B		
	9	199							

DATE: 9 Nov 1975

PAGE 13 of _____

506-3-68

digicon inc. # 511

OBSERVERS MARINE REPORT

Client USGS 75 | Type instrument DFS III | Offset distance 1140

Area ATLANTIC CONTL RISE | Record filter 8-18 / 124 | Group interval 328/164

State OFFSHORE EAST COAST | Sample rate 2MS | Fold coverage 36

Observer PAWKETT | gun depth 30' | in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	768	001		9/E	61.60.X.54		10666	10	SPD+RPM: 750-225
	7	3			56.54.56.55		B		HDG: 306
	6	5			19,18,X,16				TB: 0°
	5	7			17,16,X,17				SOB-KTS: 5.2
	4	9							
	3	011							
	2	3							
	1	5							
✓	760	7	05:46			234			
	9	9				71.3			
	8	021							
	7	3			T/C				LSP# 757 LF# 024
	6	5					10667		FSP# 756 FF# 025
	5	7					A		
	4	9							
	3	031							
	2	3							
	1	5							
✓	750	7							
	9	9							
	8	041							
	7	3							
	6	5							
	5	7							
	4	9							
	3	051							
	2	3							
	1	5							
✓	740	7	05:59		T/C	216			LSP# 740 LF# 058
	9	9				65.85	10668		LSP# 739 LF# 059
	8	061					B		
	7	3							
	6	5							
	5	7							
	4	9							
	3	071							
	2	3							
	1	5							
✓	730	7							
	9	9							
	8	081							
	7	3							
	6	5							
	5	7							
	4	9							
	3	091			T/C				LSP# 723 LF# 092
	2	3					10669		FSP# 722 FF# 093
	1	5					A		
✓	720	7	0612			180			
	9	099				54.87			

DATE: 9 NOV 1975

PAGE 12 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140'

Area ATLANTIC CONTL. RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer PRAKETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	818	901		S/E	62,60,X,52		10663	10	SPD-RPM: 200 225
	7	3			54,50,56,50		A		HDG: 301°
	6	5			19,18,X,16				TB: 8° Port
	5	7			16,15,X,15				SOB-KTS: 5.1
	4	9							
	3	911							
	2	3							
	1	5							
✓	810	7							
	9	9							
	8	921							
	7	3			T/C				LSP# 807 LF# 924
	6	5					10664		FSP# 806 FF# 925
	5	7					B		
	4	9							
P	3	931							
	2	3							
	1	5							
✓	800	7	0520			240			
	9	9				73.17			
	8	941							
	7	3							
	6	5							
	5	7							
	4	9							
	3	951							
	2	3							
	1	5							
✓	790	7			T/C				LSP# 790 LF 958
	9	9					10665		FSP# 789 FF 959
	8	961					A		
	7	3							
	6	5							
	5	7							
	4	9							
	3	971							
	2	3							
	1	5							
✓	780	7	0533			222'			
	9	9				67.68			
	8	981							
	7	3							
	6	5							
	5	7							
	4	9							
	3	991			T/C				LSP# 773 LF# 992
	2	3					10666		FSP# 774 FF# 993
	1	5					B		
✓	770	7							
	9	999							

DATE: 9 Nov 1975 PAGE 11 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8 - 18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer POWNETT gun depth 30' in.^{3} of guns 1200^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	868	801		9/E	62,58,52		10660	10	SPD-RPM:- 700-725
	7	3			56,54,55,50		B		HDG:- 299°
	6	5			19,18,X,16				TB:- 5° PORT
	5	7			17,16,X,15				SOB-KTS:- 5.3
	4	9							
	3	811							
	2	3							
	1	5							
✓	860	7	0440						
	9	9							
	8	821			T/C				LSP#858 LF#822
	7	3					10661		FSP#857 FF#823
	6	5					A		
	5	7							
	4	9							
	3	831							
	2	3							
	1	5							
✓	850	7							
	9	9							
	8	841							
	7	3							
	6	5							
	5	7							
	4	9							
	3	851							
	2	3							
	1	5			T/C				LSP#841 LF 856
✓	840	7	0454			312	10662		FSP# 840 FF 857
	9	9				95.12	B		
	8	861							
	7	3							
	6	5							
	5	7							
	4	9							
	3	881							
	2	3							
	1	5							
✓	830	7							
	9	9							
	8	881							
	7	3							
	6	5							
	5	7							
	4	9			T/C				LSP# 824 LF# 890
	3	891					10663		FSP# 823 FF# 891
	2	3					A		
	1	5							
✓	820	7	0507			270'			
	9	899				82.3			

DATE: 9 Nov 1975 PAGE 10 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328'/164'

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer PAWLETT gun depth 30' in.^{3} of guns 1000^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	918	701		S/N	60,60,X,52		10657	10	SPD-RPM: 700 725
	7	3			56,52,56,52		A		HDG: 299°
	6	5			18,18,X,16				TB: 5° Port
	5	7			17,16,X,16				SOB: 5.2
	4	9							
	3	711							PARITY ON FILE #707
	2	3							
	1	5							
/	910	7							
	9	9			TC				LSP#909 LF#720
	8	721					10658		FSP#908 FF#720
	7	3					B		
	6	5							
	5	7							
	4	9							
	3	731							
	2	3							
	1	5							
/	900	7	0416			354			
	9	9				107.9			
	8	741							
	7	3							
	6	5							
	5	7							
	4	9							
	3	751							
	2	3			TC				LSP#892 LF#754
	1	5					10659		FSP#841 FF#755
/	890	7					A		
	9	9							
	8	761							
	7	3							
	6	5							
	5	7							
	4	9							
	3	781							
	2	3							
	1	5							
	880	7	0428			3412			
	4	9				104			
	8	781							
	7	3							
	6	5							
	5	7			TC				LSP#875 LF#788
	4	9					10660		FSP#874 FF#784
	3	791					B		
	2	3							
	1	5							
/	870	7							
	9	799							

DATE: 9 Nov 1975

PAGE 9 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS III Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8 - 18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 MS Fold coverage 36

Observer PAN KETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	968	601		S/E	60,56,X,54		10654	10	SPD-RPM: 700 725
	7	3			56,50,56,52		B		HDG: 293°
	6	5			18,17,X,16				TB: 6° Port
	5	7			17,15,X,16				SOB-KB: 5,5
	4	9							
	3	611							
	2	3							
	1	5							
✓	960	7	0334		TC	438'			LSP#960 LF#618
	9	9				133	10655		FSP#961 FF#619
	8	621					A		
	7	3							
	6	5							
	5	7							
	4	9							
	3	631							
	2	3							
	1	5							
✓	950	7							
	9	9							
	8	641							
	7	3							
	6	5							
	5	7							
	4	9							
	3	651			TC				LSP#943 LF#652
	2	3					10656		FSP#942 FF#653
	1	5					B		
✓	940	7	0348			408'			
	9	9				124			
	8	661							
	7	3							
	6	5							
	5	7							
	4	9							PICKING UP CREW IN AREA!
	3	671							
	2	3							
	1	5							
✓	930	7							
	9	9							
	8	681							
	7	3							
	6	5			TC				LSP#926 LF#686
	5	7					10657		FSP#925 FF#687
	4	9					A		
	3	691							
	2	3							
	1	5							
	920	701	0402			390			
	9	9				118			

DATE: 9 NOV 1975

PAGE 8 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS-III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer RAWLETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1018	501		S/E	60,58,X,52		10651	10	SPD-RPM: 700
	7	3			56,56,58,50		H		HDG: 248°
	6	5			18,18,X,16				TB: 9° PORT
	5	7			17,17,X,15				SOB-KB: 5.7 W/T
	4	9							
	3	511							
	2	3							
	1	5			T/C				EOD 1011 LF# 516
	1010	7					10653		FSP 1010 FF# 517
	9	9					B		
	8	521							
	7	3							
	6	5							
	5	7							
	4	9							
	3	531							
	2	3							
	1	5							
	1000	7	0308			828' [redacted]			
	9	9				252			
	8	541							
	7	3							
	6	5							
	5	7							
	4	9			T/C		[redacted]		EOP# 994 LF# 550
	3	551					10653		FSP# 993 FF# 551
	2	3					A		
	1	5							
	990	7							
	9	9							
	8	561							
	7	3							NO FILE# 528 DUE
	6	5							[redacted] TO FILE COUNTER
	5	7							MALFUNCTION
	4	9							
	3	571							
	2	3							
	1	5							
	980	7	0320			528'			
	9	9				160			
	8	581							
	7	3			T/C				EOP# 977 LF# 584
	6	5					10654		FSP# 976 FF# 585
	5	7					B		
	4	9							
	3	591							
	2	3							
	1	5							
	970	7							
	964	599							

DATE: 9 Nov 1975

PAGE 7 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 MS Fold coverage 36

Observer RAWLETT gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1068	401		S/E	58·59·X·54		10648	110	SPD-RPM: 700
	7	3			56·53·53·53		B		HDG: 302°
	6	5			18, 18, X, 16				TB: 5° P.T.
	5	7			17, 16, X, 16				SOB-KTS: 5.5. O.T.
	4	9							
	3	411							COME 10° STB. TO
	2	3			TC				AVOID FISHING BOAT
	1	5					10649		LSP# 1062 LF# 414
	1060	7	02:33			3300'	A		FSP# 1061 FF# 415
	9	9				1006			
	8	421							
	7	3							
	6	5							
	5	7							
	4	9							
	3	431							
	2	3							
	1	5							
	1050	7							
	9	9							
	8	441							
	7	3							
	6	5							
	5	7			TC				LSP# 1045 LF# 448
	4	9					10650		FSP# 1044 FF# 449
	3	451					B		
	2	3							
	1	5							
	1040	7	0245			2760			
	9	9				841			
	8	461							
	7	3							
	6	5							
	5	7							
	4	9							
	3	471							
	2	3							
	1	5							
	1030	7							
	9	9							
	8	481			TC				LSP# 1028 LF# 482
	7	3					10651		FSP# 1029 FF# 483
	6	5	Note*				A		
	5	7	SP# 1027		USING 0 DFS START DELAY				
	4	9	TIME!		ALL DIGITS ON TAPE REEL # INDICATE				
	3	491			REEL NUMBER.				
	2	3							MAX OFFLINE 2800'
	1	5							AT SP# 1020
	1020	7	02:56			1560			
	9	499				475			

DATE: 9 NOV 1975

PAGE 6 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30' in.^{3} of guns 1500^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1118	301		9/E	60,58X,54		10645	[redacted]	SPD-RPM: 700
	7	3			56,52,56X2		A	10	HDG: 304
	6	5			18,18,X,16				TB: 5, PORT
	5	7			17,16,X,16				SOB-KTS: 5.6 w/T
	4	9							
	3	311			TC				LSP#1113 LF#312
	2	3					10646		FSP#1112 FF#313
	1	5					B		
	1110	7							FILE#326 DELAY TIME
	9	9							PRINT IS CORRECT
	8	321							ON TAPE.
	7	3							WAS INCORRECT FOR
	6	5							TAPE#0599 TO THIS
	5	7							FILE
	4	9							
	3	331							
	2	3							
	1	5							
	1106	7	0209			4080			SP#1099 CHANGE TO
	9	9				1243			A 1SEC. DFS START
	8	341							TIME DELAY
	7	3							
	6	5			TC				LSP#1096 LF#346
	5	7					10647		FSP#1095 FF#347
	4	9					A		
	3	351							
	2	3							
	1	5							
	1090	7							
	9	9							
	8	361							
	7	3							
	6	5							
	5	7							
	4	9							
	3	371							
	2	3							
	1	5							
	1080	7	02:21			3588	3588		
	9	9			TC	1093			LSP#1079 LF#380
	8	381					10648		FSP#1078 FF#381
	7	3					B		
	6	5							
	5	7							
	4	9							
	3	391							
	2	3							
	1	5							
	1070	7							
	9	399							

DATE: 9 NOV 1975

PAGE 5 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer LAMBERT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1168	201	51	SE			10642 B	10	SPD-RPM: 200
	7	3							HDG: 301°
	6	5							TB: 5° PORT
	5	7							SOBKTS: 5, 4½/T
	4	9							
	3	211			T				
	2	3			C				LSP# 1164 LF# 210
	1	5					10643		FSP# 1163 FF# 211
✓	1160	7	0193			4480	A		
	9	9				1518			
	8	221							
	7	3							
	6	5							
	5	7							
	4	9							
	3	231							
	2	3							
	1	5							
	1150	7							
	9	9							
	8	241							
✓	7	3			T				LSP# 1147 LF# 244
	6	5			T/C		10644 B		FSP# 1146 FF# 245
	5	7							
	4	9							
	3	251							
	2	3							
	1	5							
✓	1140	7	0145			4860			
	9	9				1481			
	8	261							
	7	3							
	6	5							
	5	7							
	4	9							
	3	271							
	2	3							
	1	5							
✓	1130	7	0151		T				LSP# 1130 LF# 278
	9	9			T/C		10645 A		FSP# 1129 FF# 279
	8	281							
	7	3							PARITY ON FILES #279, #287.
	6	5							
	5	7							
	4	9							
	3	291							
	2	3							
	1	5							
✓	1120	7	0157			4530			
	9	299				1381			

DATE: 9 NOV 1975

PAGE 4 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18 / 124 Group interval 328/164

State Offshore East Coast Sample rate 2 ms Fold coverage 36

Observer Lawkett gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1218	101		SE	60,58,52		10639	10	SPD-RPM: 700
	7	3			58,52,56,54		A		HDG: 300°
	6	5			18,18,X,16				TB: 5 Port
	5	7			18,16,X,16				SOB-Kts: 5.4 w/T
	4	9							
	3	111			T				
	2	3							
	1	5			C				
									LSP# 1215 LF# 108
✓	1210	7					10640		FSP# 1214 FP# 104
	9	9					B		
	8	121							
	7	3							
	6	5							
	5	7							
	4	9							
	3	131							
	2	3							
	1	5							
✓	1200	7	0110			5260			
	9	9				1603			
	8	141			T				LSP# 1198 LF# 142
	7	3			C		10641		FSP# 1197 FP# 143
	6	5					A		
	5	7							
	4	9							
	3	151							
	2	3							
	1	5							
✓	1190	7							
	9	9							
	8	161							
	7	3							
	6	5							
	5	7							
	4	9							
	3	171							
	2	3							
	1	5			T				LSP# 1181 LF# 176
✓	1180	7	0121		C	5124	10642		FSP# 1180 FP# 177
	9	9				1562	B		
	8	181							
	7	3							
	6	5							
	5	7							
	4	9							
	3	191							
	2	3							
	1	5							
✓	1170	7							
	1169	199							

DATE: 9 Nov 1975

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30' in.³ of guns 1700³

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1268	001		SE	60,60,52,		10636	10	SPD-RPM: 700
	7	3			58,56,58,52		B		HDG: 303
	6	5			18,18,X,16				TB: 5 Port
	5	7			18,17,X,16				SOB-KTS: 5,7 w/T
	4	9			T				
	3	011			C				
	2	3							LSP# 1266 LF# 006
	1	5					10637		FSP# 1265 FF# 007
✓	1260	7	0036			5580	A		
	9	9				1701			
	8	021							
	7	3							
	6	5							
	5	7							
	4	9							
	3	031							
	2	3							
	1	5							
✓	1250	7							
	9	9			T				LSP# 1244 LF# 040
	8	041			C		10638		FSP# 1246 FF# 041
	7	3					B		
	6	5							
	5	7							
	4	9							
	3	051			C2				
	2	3							
	1	5							
✓	1240	7	0047			5460			
	9	9				1664			
	8	061							
	7	3			C3				
	6	5							
	5	7							
	4	9							
	3	071							
	2	3							LSP# 1232 LF# 074
	1	5			T		10639		FSP# 1231 FF# 075
✓	1230	7			C				
	9	9							
	8	081							
	7	3							
	6	5							
	5	7							
	4	9							
	3	091							
	2	3							
	1	5							
✓	1220	7	0059			5352			
	1219	099				1631			

DATE: 9 NOV 1975

PAGE 2 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS-III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer PAWKETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1318	901		S/E	60,60,X52		10633	10	SPD-RPM: 700
	7	3			56,52,58,52		'A'		HDG: 301
	6	5			18,18,X,16				TB: 5 PORT
	5	7			17,16,X,16				SOB-LBS: 5,5 WT
	4	9			T				
	3	911			C				2SEC DELAY
	2	3							~~LSP#1314~~ LF#904
	1	5							
✓	1310	7					10634 B		FSP#1316 FF#905
	9	9							
	8	921							
	7	3							TRACE #36 IS DEAD
	6	5							
	5	7							
	4	9							
	3	931							
	2	3							
	1	5							
	1300	7	0013		T/C				LSP#1300 LF#938
	9	9					10635		FSP#1299 FF#939
	8	941					B		
	7	3							
	6	5							
	5	7							
	4	9							
	3	951							
	2	3							
	1	5							
✓	1290	7							
	9	9							
	8	961							
	7	3							
	6	5							
	5	7							
	4	9							
? →	3	971			T/C				LSP#1283 LF#972
	2	3					10636		FSP#1282 FF#973
	1	5					B		
✓	1280	7	0025			5844			
	9	9				1781			
	8	981							
	7	3							
	6	5							
	5	7							
	4	9							
	3	991							
	2	3							
	1	5							
✓	1270	7							
	1269	999							

1778

17663

17664

DATE: 9 NOV 1975

PAGE 1 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS - III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8 - 18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1368	801		SE	61,59,X,54		10630	10	SPD-RPM: 700-700
	7	3			56,51,54,54		B		HDG: 304°
	6	5			19,18,X,16				TB: 7° PORT
	5	7			17,16,X,16				SOB-KTS: 5.2 WT.
	4	9							
	3	811			T/C				CSP 1368 CF# 802
	2	3					10631		FSP 1367 FF# 803
	1	5					'A'		
	1360	7	2238			665			
	9	9				2016			
	8	821							
	7	3							
	6	5							
	5	7							
	4	9							
	3	831							
	2	3							
	1	5			T/C				CSP 1351 CF# 836
	1350	7	2345				10632		FSP 1350 FF# 837
	9	9					'B'		
	8	841							
	7	3							
	6	5							
	5	7							
	4	9							
	3	851							
	2	3							
	1	5							
	1340	7	2350			6500			
	9	9				1981			
	8	861							
	7	3							
	6	5							
	5	7							
	4	9			T/C				CSP 1334 CF# 870
	3	871					10633		FSP 1333 FF# 871
	2	3					A		
	1	5							
	1330	7	2356						
	9	9							
	8	881							
	7	3							
	6	5							
	5	7							
	4	9							
	3	891							
	2	3							
	1	5							
	1320	7	0002						
	1319	899							

DATE: 8 NOV 1975 END OF DAY PAGE 29 of

OBSERVERS MARINE REPORT

digicon inc. # 811

Client USGS 75 Type instrument DFS III Offset distance 1140

Area Alaska Continental Record filter 9-18/12A Group interval 220/110

State GOA Sample rate 2 ms Fold coverage 6

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1418	701		9E	61,59,X,51		1171	10	SHL 1400 700-700
	7	3			56,54,X,49		B		HDG 304
	6	5			19,18,X,16				T 5° Port
	5	7			17,16,X,16				300 KTS 5.9 WAT.
	4	9							
	3	711							
	2	3							
	1	5							
	1410	7	2309						
	9	9							
	8	721							
	7	3							
	6	5							
	5	7							
	4	9							
C	3	731							
	2	3			T/C				LSP 1402 LF# 734
	1	5					1629		FSP 1401 FF# 735
	1400	7	2315			6610	A		
	9	9				2030			
	8	741							
	7	3							
	6	5							
	5	7							
	4	9							
	3	751							
	2	3							
	1	5							
	1390	7	2320						
	9	9							
	8	761							
	7	3							
	6	5							
	5	7							LSP 1385 LF# 741
	4	9			T/C		1630		FSP 1381 FF# 749
	3	771					B		
	2	3							
	1	5							
	1380	7	2326			6700			
	9	9				2042			
	8	781							
	7	3							
	6	5							
	5	7							
	4	9							
	3	791							
	2	3							
	1	5							
	1370	7	2332						
	1369	799							

DATE: Nov 1975

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS - III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8 - 18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer _____ gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1468	601		3/E	60, 60, X,		10625	10	SPD-RPM: 700-700
	7	3			54, 55, 42,		A		HDG: 300
	6	5			46, 44				TB: 5° PORT
	5	7			18, 18, X, 16				50 BKTS: 6.5 WT.
	4	9			17, 13, X, 13				
	3	611							
	2	3							
	1	5							
	1460	7	2239			6900			
	9	9				2103			
	8	621							
	7	3							
	6	5							
	5	7							
	4	9							PARITY - FF#631
✓	3	631			T/C				LSP 1453 LF#632
	2	3					10626		FSP 1452 FF#633
	1	5					B		
	1450	7	2245						
	9	9							
	8	641							
	7	3							
	6	5							
	5	7							
	4	9							
	3	651							
	2	3							
	1	5							
	1440	7	2251			6790			
	9	9				2070			
	8	661							
	7	3							
✓	6	5			T/C				LSP 1436 LF#666
	5	7					10627		FSP 1435 FF#667
	4	9					'A'		
	3	671							
	2	3							
	1	5							
	1430	7	2258						
	9	9							
	8	681							
	7	3							
	6	5							
	5	7							
	4	9							
	3	691							CHANGE FROM 3 SEC TO 2 SEC. DELAY AT SP 1420
	2	3							
	1	5							
	1420	7	2303		T/C	6750			LSP 1419 LF#700
✓	9	699		✓	T/C	2057	10628		FSP 1418 FF#701

DATE: 8 Nov 1975

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8 - 18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1400^{3}IN

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1518	501		S/E	60,58,X,55		10622	10	SPD-RPM: 700-700
	7	3			57,55,56,55		"B"		HDG: 300°
	6	5			18,18,X,17				TB: 3° PORT
	5	7			17,17,X,17				SOB-KTS: 6.1
	4	9							
	3	511							
	2	3							
	1	5							
✓	1510	7	2210						
	9	9							FILLING STBD. STRING
	8	521							TOTAL 3IN - 1350
	7	3							
	6	5							
	5	7							
	4	9							
	3	531			T/C				LSP 1513 LF 532
	2	3					10623		FSP 1512 FF 533
	1	5					"A"		
✓	1500	7	2216			7085			
	9	9				2160			
	8	541							
	7	3							
	6	5							
	5	7							
	4	9							
	3	551							
	2	3							
	1	5							
✓	1490	7	2222						
	9	9							ALL GUN CHECK OK
	8	561							TOTAL 3IN 1700 -
	7	3							
	6	5			T/C				LSP 1486 LF 566
	5	7					10624		FSP 1485 FF 567
	4	9					"B"		
	3	571							RADIO IN USE
	2	3							
	1	5							
✓	1480	7	2228			6950			
	9	9				2118			
	8	581							
	7	3							
	6	5							
	5	7							
	4	9							
	3	591							
	2	3							
	1	5							
	1470	7			T/C				LSP 1470 LF #594
	1469	599					10625		FSP 1469 FF #599

DATE: NOV

PAGE 26 of

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328'/164'

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 6620

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1568	401		S/E	60, 60, X, 55		10619	10	SPD+RPM: 700-
	7	3			55, 50, 50, 55		"A"		HDG: 298°
	6	5			18, 18, X, 17				TB: 7° PORT
	5	7			17, 15, X, 17				SOB-Kts: 6 OUT-
	4	9							
	3	411							
	2	3							
	1	5							
✓	1560	7	2140			7510'			
	9	9				2289			
	8	421							
	7	3							
	6	5							
	5	7							PULLING PORT INBOARD STRING TOTAL 1390 SIN-
	4	9			T/C			↓	LSP 1554 LF 430
	3	431					10620 "B"		FSP 1553 FF 431
	2	3							
	1	5							
✓	1550	7	2146						
	9	9							
	8	441							
	7	3							
	6	5							
	5	7							
	4	9							
	3	451							
	2	3							
	1	5							
✓	1540	7	2152			7210			
	9	9				2216			
	8	461							
	7	3			T/C				LSP 1536 LF 464
	6	5					10621 "A"		FSP 1535 FF 465
	5	7							
	4	9							
	3	471							
	2	3							
	1	5							
	1530	7							
	9	9							
	8	481							
	7	3							PULLING STBD. INBOARD
	6	5							STRING TOTAL 3 IN 1400-
	5	7							
	4	9							
	3	491							
	2	3							
	1	5							
	1520	7	2205		T/C	7200'			LSP 1520 LF 498
	1519	499				2195	10622 "B"		FSP 1519 FF 499

DATE: 11-8-75

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-7s | Type instrument DFS-III | Offset distance 1140

Area Atlantic Cont'l Rise | Record filter 8-18/124 | Group interval 328/164

State Offshore East Coast | Sample rate 2ms | Fold coverage 36

Observer MILLER | gun depth 30' | in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1618	301		5/6	60,60,X,54	7860	10616	10	SPD-RPM: 700-700
	7	3			56,52,57,54	2396	'B'		HDG: 298
	6	5			18,18,X,16				TB: 7° PORT
	5	7			17,16,X,16				SOB: KTS: 5.7 W.T.
	4	9							
	3	311							
	2	3							
	1	5							
	1610	7	2112						
	9	9							
	8	321							
	7	3							
	6	5							
	5	7			T/C				LSP 1605 LF#328
	4	9					10617 'A'		FSP 1604 FF#329
	3	331							
	2	3							
	1	5							
	1600	7	2118			7750			
	9	9				2362			
	8	341							
	7	3							
	6	5							
	5	7							
	4	9							
	3	351							
	2	3							
	1	5							
	1590	7	2123						
	9	9							
	8	361			T/C				LSP 1588 LF#362
	7	3					10618 'B'		FSP 1587 FF#363
	6	5							
	5	7							
	4	9							
	3	371							
	2	3							
	1	5							
	1580	7	2129			7655			
	9	9				2333			
	8	381							
	7	3							
	6	5							
	5	7							
	4	9							
	3	391							
	2	3							STARTED PICKING UP GUNS FOR REPAIRS - SP-1569 -
	1	5			T/C				LSP 1571 LF#396
	1570	1					10619 'A'		FSP 1570 FF#397
	1569	399							

DATE: 8 NOV 1975

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 | Type instrument DFS III | Offset distance 1140

Area ATLANTIC CONT'L RISE | Record filter 8-18 / 124 | Group interval 328/164

State OFFSHORE EAST COAST | Sample rate 2 ms | Fold coverage 36

Observer MILLER | gun depth 30' | in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1668	201		SE	62,60,X,		10613	10	SPD-RPM: 700-700
	7	3			53,56,51,54		A		HDG: 299
	6	5			53.				TB: 7° PORT
	5	7			19,18,X,16				SOB-KTS: 6.0 WT
	4	9			17,16,X,16				
	3	211							
	2	3							
	1	5							
✓	1660	7	2045			8170			
	9	9				2490			
	8	221							
	7	3							
	6	5			T/C				LSP 1656 LF# 226
	5	7					10614		FSP 1655 FF# 227
	4	9					B		
	3	231							
	2	3							
	1	5							
✓	1650	7	2050						
	9	9							
	8	241							
	7	3							
	6	5							
	5	7							
	4	9							
	3	251							
	2	3							
	1	5							
✓	1640	7	2056			8050			
	9	9			T/C	2454			LSP 1639 LF# 260
	8	261					10615		FSP 1638 FF# 261
	7	3					A		PARITY - F# 261
	6	5							
	5	7							
	4	9							
	3	271							
	2	3							
	1	5							
✓	1630	7	2101						
	9	9							
	8	281							
	7	3							
	6	5							
	5	7							
	4	9							
	3	291							
	2	3			T/C				LSP 1622 LF# 294
	1	5					10616		FSP 1621 FF# 295
✓	1620	7	2106				B		
	1619	299							

DATE: 8 NOV 1975

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1718	101		S/E	60,60 V,		10610	10	SPD-RPM: 700-725
	7	3			52,56,50,		B		HDG: 298°
	6	5			56,54.				TB: 7° PORT
	5	7			18,18,X,16				SOB-KTS: 5.7 WT
	4	9			17,15,X,16				
	3	11 1							
	2	3							
	1	5							
V	1710	7	2017						
	9	9							
	8	12 1							
✓	7	3			T/C				LSP 1707 LF# 124
	6	5					10611		FSP 1706 FF# 125
	5	7					A		
	4	9							
	3	13 1							
	2	3							
	1	5							
V	1700	7	2023			8390			
	9	9				2557			
	8	14 1							
	7	3							
	6	5							
	5	7							
	4	9							
	3	15 1							
	2	3							
	1	5							
V	1696	7	2029		T/C				LSP 1690 LF# 158
	9	9					10612		FSP 1689 FF# 159
	8	16 1					B		
	7	3							
	6	5							
	5	7							
	4	9							
	3	17 1							
	2	3							
	1	5							
V	1680	7	2034			8220			
	9	9				2506			
	8	18 1							
	7	3							
	6	5							
	5	7							
	4	9							
✓	3	19 1			T/C				LSP 1673 LF# 192
	2	3					10613		FSP 1672 FF# 193
	1	5					A		PARITY - F# 193
	1670	7							
	1669	19 9							

DATE: 8 NOV 1975

PAGE 22 of ____

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1768	001		S/E	60,58,X,53,		10607	10	SPD-RPM: 725-725
	7	3			56,52,56,53.		'A'		HDG: 303°
	6	5			18,18,X,16				TB: 7° PORT
	5	7			17,16,X,16				SOB: KB 5.8 WT
	4	9							
	3	011							
	2	3							
	1	5							
✓	1760	7	1950			8580			
	9	9				2615			
✓	8	021			T/C				LSP1758 LF#022
	7	3					10608 'B'		FSP1757 FF#023
	6	5							
	5	7							
	4	9							
	3	031							
	2	3							
	1	5							
✓	1750	7	1956						
	9	9							
	8	041							
	7	3							
	6	5							
	5	7							
	4	9							
	3	051							
	2	3							
	1	5			T/C				LSP1741 LF#056
✓	1740	7	2001		T/C		10609 A		FSP1740 FF#057
	9	9							
	8	061							
	7	3							
	6	5							
	5	7							
	4	9							
	3	071			C1				
	2	3							
	1	5							
✓	1730	7	2001						
	9	9							
	8	081			C2				
	7	3							
	6	5							
	5	7							
	4	9			T/C				LSP1724 LF#090
	3	091			T/C		10610 'B'		FSP1723 FF#091
	2	3							
	1	5							
✓	1720	7	2012			8530			
	1719	099				2600			

DATE: 8 NOV

PAGE 21 of

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1818	901		SE	60,60,X,53,	8820	10604	10	SPD-RPM: 73.5-725
	7	3			57,56,54,50	2689	B		HDG: 300°
	6	5			18,18,X,16				TB: 5° PORT
	5	7			17,15,X,15				SOB-KB: 5.6 WT
	4	9							
	3	911							
	2	3							
	1	5							
✓	1810	7	1923						
	9	9			T/C				LSP 1809 LF#920
	8	921					10605 'A'		FSP 1808 FF#921
	7	3							
	6	5							
	5	7							
	4	9							
	3	931							
	2	3							
	1	5							
✓	1800	7	1928			8805			
	9	9				2684			
	8	941							
	7	3							
	6	5							
	5	7							
	4	9							
	3	951							
✓	2	3			T/C				LSP 1792 LF#954
	1	5			T/C		10606 B		FSP 1791 FF#955
✓	1790	7	1934						
	9	9							
	8	961							
	7	3							
	6	5							
	5	7							
	4	9							
	3	971							
	2	3							
	1	5							
✓	1780	7	1939			8760			
	9	9				2670			
	8	981							
	7	3							
	6	5							
✓	5	7			T/C				LSP 1775 LF#988
	4	9			T/C		10607 'A'		FSP 1774 FF#989
	3	991							
	2	3							
	1	5							
✓	1770	7	1945						
	1769	999							

DATE: 8 NOV 1975

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L. RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1868	801		S/E	60, 60, X, 51,		10601	10	SPD-RAM: 725-725
	7	3			55, 51, 53, 49		A		HDG: 303°
	6	5			18, 18, X, 16				TB: 7° PORT
	5	7			17, 16, X, 15				SOB KTS: 5.6
	4	9							
	3	811							
	2	3							
	1	5							
	1860	7	1455		T/C	8950			LSP 1860 LF#818
	9	9				2728	10602		FSP 1859 FF#819
	8	821					'B'		
	7	3							
	6	5							
	5	7							
	4	9							
	3	831							
	2	3							
	1	5							
	1850	7	1901						
	9	9							
	8	841							
	7	3							
	6	5							
	5	7							
	4	9							
	3	851			T/C				LSP 1843 LF#852
	2	3					10603		FSP 1842 FF#853
	1	5					'A'		
	1840	7	1907			8820			
	9	9				2689			
	8	861							
	7	3							
	6	5							
	5	7							
	4	9							PARITY - F#869
	3	871							
	2	3							
	1	5							
	1830	7	1912						
	9	9							
	8	881							
	7	3							
	6	5			T/C				LSP 1826 LF#886
	5	7					10604		FSP 1825 FF#887
	4	9					'B'		
	3	891							
	2	3							
	1	5							
	1820	7	1917						
	1819	899							

DATE: 8 NOV

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 | Type instrument DFS III | Offset distance 1140

Area ATLANTIC CONT'L. RISE | Record filter 8-18/124 | Group interval 328/164

State OFFSHORE EAST COAST | Sample rate 2 MS | Fold coverage 36

Observer MILLER | gun depth 30' | in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1918	701		S/E	60,58,X,53,	9060	10588	10	SPD-RPM: 725-725
	7	3			57,52,56,	2762	B		HDG: 302°
	6	5			52.				TB: 2° PORT
	5	7			18,18,X,16				SOB-KTS: 5.0 WT
	4	9			17,16,X,16				
	3	711							
	2	3							
✓	1	5			T/C				LSP 1911 LF# 716
	1910	7			T/C		10599 A		FSP 1910 FF# 717
	9	9							
	8	721							
	7	3							
	6	5							
✓	5	7							
	4	9							
	3	731							
	2	3							
	1	5							
✓	1900	7	1833			9020			CHANGE FROM 4 SEC.
	9	9				2750			TO 3 SEC. DELAY FIRING
	8	741							OF GUNS TO DFS START
	7	3							AT SP 1900
	6	5							
	5	7							
✓	4	9			T/C				LSP 1894 LF# 750
	3	751			T/C		10600 B		FSP 1893 FF# 751
	2	3							
	1	5							
✓	1890	7	1838						
	9	9							
	8	761							
	7	3							
	6	5							
	5	7							
	4	9							
	3	771							
	2	3							
	1	5							
✓	1880	7	1844			8990			
	9	9				2740			
	8	781							
✓	7	3			T/C				LSP 1877 LF# 784
	6	5			T/C		10601 A		FSP 1876 FF# 785
	5	7							
	4	9							
	3	791							
	2	3							
	1	5							
✓	1870	7	1850						
	1869	799							

DATE: 8 NOV

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2MS Fold coverage 36

Observer _____ gun depth 30' in.^{3} of guns 1700-3/4

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1968	601		S/E	57,60,X,53		10595	10	SPD-RPM: 725-725
	7	3			~~56,52,X,52~~		"A"		HDG: 300°
	6	5			17,18,X,16				TB: 7° PORT
	5	7			17,16,X,16				SOB-KB: 5.0
	4	9							
	3	611							
	2	3			T/C				LSP 1962 LF#614
	1	5					10596		FSP 1961 FF#615
	1960	7	1757			9195	B		
	9	9				2203			
	8	621							
	7	3							
	6	5							
	5	7							
	4	9							
	3	631							
	2	3							
	1	5							
	1950	7	1903						
	9	9							
	8	641							
	7	3							
	6	5							
	5	7			T/C				LSP 1945 LF#648
	4	9					10597		FSP 1944 FF#649
	3	651					'A'		
	2	3							
	1	5							PARITY - F#655
	1940	7	1809			9070			
	9	9				2765			
	8	661							
	7	3							
	6	5							
	5	7							
	4	9							
	3	671							
	2	3							RADIO IN USE
	1	5							
	1930	7	1815						
	9	9							
	8	681			T/C				LSP 1928 LF#662
	7	3					10599		FSP 1927 FF#683
	6	5					B		
	5	7							
	4	9							
	3	691							
	2	3							
	1	5							
	1920	7	1821						
	1919	699							

DATE: 8 NOV 1975

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8-18/129 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2014	501		S/E	50,58,X,	9200	10592	10	SPD RPM: 725-725
	7	3			54,56,46,	2804	B		HDG: 289°
	6	5			56,52				TB: 7° PORT
	5	7			15,18,X,16				SOB-KTS 5.2 W.T.
	4	9			17,14,X,16				
✓	3	511			T/C				LSP 2013 LF# 512
	2	3					10593		FSP 2012 FF# 513
	1	5					A		PARITY ERROR ON FF#
✓	2010	7	1724						513
	9	9							
	8	521							
	7	3							
	6	5							ACKING UP SOME NOISE IN
	5	7							MIDDLE OF CABLE RANDOM
	4	9							?? LOOK LIKE BUOY-
	3	531							TRAVELING DOWN CABLE-
	2	3							
	1	5							
✓	2000	7	1733			9180'			
	9	9				2798			
	8	541							
	7	3							
✓	6	5			T/C				LSP 1996 LF# 546
	5	7					10594		FSP 1995 FF# 547
	4	9					B		
	3	551							
	2	3							
	1	5							
✓	1990	7	1739						
	9	9							
	8	561							
	7	3							
	6	5							
	5	7							
	4	9							
	3	571							
	2	3							
	1	5							
✓	1980	7	1745			9125			
✓	9	9			T/	2792			LSP 1979 LF 580
	8	581			T/C		10595		FSP 1978 FF 581
	7	3					"A"		FILE 581 PARITY ERRORS
	6	5							
	5	7							
	4	9							
	3	591							
	2	3							
	1	5							
✓	1970	7	1751						
	1969	599							

DATE: 8 NOV 1975

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L. RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2068	401		S/E	48, 60, X,		10589	10	SPD: RPM: 225-225
	7	3			52, 54, 48,		A		HDG: 299°
	6	5			54, 52.				TB: 7° PORT
	5	7							SOB·KTS: 5.1
	4	9			T/C				LSP 2064 LF#410
	3	411					10590		FSP 2063 FF#411
	2	3			15, 18, X, 16		B		MISSED FILES ~~40~~ 41
	1	5			16, 15, X, 16				~~40~~ + 412 DUE TO J.O
	2060	7	~~9250~~			9250			MALFUNCTION
	9	9	1658			2820			
	8	421							
	7	3							
	6	5							
	5	7							
	4	9							
	3	431							
	2	3							
	1	5							
	2050	7	1703						
	9	9							
	8	441							
	7	3	4/		T/C				LSP 2047 LF#444
	6	5					10591		FSP 2046 FF#445
	5	7					A		
	4	9							
	3	451							
	2	3							
	1	5							
	2040	7	1709			9230			
	9	9				2814			
	8	461							
	7	3							
	6	5							
	5	7							
	4	9							
	3	471							
	2	3							
	1	5							
	2030	7	1715		T/C				LSP 2030 LF#478
	9	9					10592		FSP 2029 FF#479
	8	481					D		
	7	3							
	6	5							
	5	7							
	4	9							
	3	491							
	2	3							
	1	5							
	2020	7	1721						
	2019	499							

DATE: 8 NOV

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2118	30 1		S/E	48,56,X,		10586	10	SPD-RPM: 725-725
	7	3			52,54,48,		B		HDG: 298°
	6	5			54,50.				TB: 3° PORT
	5	7							SOB-KTS: 5.2 WT
	4	9			T				LSP 2115 LF#306
	3	31 1			C		10587		FSP 2116 FF#309
	2	3			15,17,X,16		A		
	1	5			16,15,X,15				
	2110	7	1626						
	9	9							
	8	32 1							
	7	3							
	6	5							
	5	7							
	4	9							
	3	33 1							
	2	3							
	1	5							
	2100	7	1633			9275			
	9	9				2827			
	8	34 1			T/C				LSP 2098 LF#342
	7	3					10588		FSP 2097 FF#343
	6	5					B'		
	5	7							
	4	9							
	3	35 1							
	2	3							
	1	5							
	2090	7	1639						
	9	9							
	8	36 1							
	7	3							
	6	5							
	5	7							
	4	9							
	3	37 1							
	2	3							
	1	5			T/	9245			LSP 2081 LF#376
	2080	7	1645		C	2830	10589		FSP 2080 FF#377
	9	9					A'		
	8	38 1							
	7	3							
	6	5							
	5	7							
	4	9							
	3	39 1							
	2	3							
	1	5							
	2070	7	1652						
	2069	39 9							

DATE: 8 Nov 1975

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-7S | Type instrument DFS III | Offset distance 1140

Area ATLANTIC CONT'L RISE | Record filter 8-18 / 124 | Group interval 328/164

State OFFSHORE EAST COAST | Sample rate 2ms | Fold coverage 36

Observer MILLER | gun depth 30' | in.³ of guns 1760

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2168	201		S/E	49,56,X		10583	10	SPD-RPM: 72.5-725
	7	3			52,58,49,		A		HDG: 298°
	6	5			54,52.				TB: 5° PORT
	5	7			15,17,X,16				SOB-KTS: 5.3 WT
	4	9			18,15,X,16				
	3	211							
	2	3					10584		
	1	5					B		
	2160	7	1557			9390			
	9	9				2862			
	8	221							
	7	3							
	6	5							
	5	7							
	4	9							
	3	231							
	2	3							
	1	5							
	2150	7	1603		T/C				LSP 2150 LF#238
	9	9					10585		FSP 2149 FF#239
	8	241					A		
	7	3							
	6	5							
	5	7							
	4	9							
	3	251							
	2	3							
	1	5							
	2140	7	1608			9315			
	9	9				2839			
	8	261							
	7	3							
	6	5							
	5	7							
	4	9							
	3	271			T/C				LSP 2132 LF#270
	2	3					10586		FSP 2131 FF#271
	1	5					B		
	2130	7	1613						
	9	9							
	8	281							
	7	3							
	6	5							
	5	7							
	4	9							
	3	291							
	2	3							
	1	5							
	2120	7	1621						
	2119	299							

DATE: 8 NOV 1975

PAGE 13 of ____

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2218	101		SE	48, 56, X,		10590	10	SPD-RPM:
	7	3			52, 54, 46,		B		HDG:
	6	5			52, 52				TB:
	5	7							SOB-LGS: WT
	4	9			T/C				LSP 2218 LF#102
	3	111					10591		FSP 2217 FF#103
	2	3			15, 17, X, 16		A		
	1	5			16, 14, X, 16				
	2210	7							
	9	9							
	8	121							
	7	3							
	6	5							
	5	7							
	4	9							
	3	131							
	2	3							
	1	5			T/C				LSP 2201 LF#136
	2200	7	1533		T/C	9450	10592		FSP 2200 FF#137
	9	9				2881	B		
	8	141							
	7	3							
	6	5							
	5	7							
	4	9							
	3	151							
	2	3							
	1	5							
	2190	7	1539						
	9	9							
	8	161							
	7	3							
	6	5							
	5	7							
	4	9			T/C				LSP 2184 LF#170
	3	171					10593		FSP 2183 FF#171
	2	3					A		
	1	5							
	2180	7	1545			9435			
	9	9				2876			
	8	181							
	7	3							
	6	5							
	5	7							
	4	9							
	3	191							
	2	3							
	1	5							
	2170	7	1551						
	2169	199							

DATE: 8 NOV

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18 / 124 Group interval 328/164

State Offshore East Coast Sample rate 2MS Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2268	001		S/E	50,60,X,		10578	10	SPD-RPM: 725-725
	7	3			50,54,48		B		HDG: 296°
	6	5			54,52				TB: 7° Port
	5	7			15,18,X,15				SOB-Kts: 5.3 W.T
	4	9			16,15,X,16				
	3	011							
	2	3							
	1	5							
	2260	7	1459			9535			
	9	9				2903			
	8	021							
	7	3							
	6	5							
	5	7							
	4	9							
	3	031							
	2	3			T/C				LSP 2252 LF# 034
	1	5					10579		FSP 2251 FF# 035
	2250	7	1505				A'		
	9	9							PARITY ERROR F#
	8	041							037 + 038, 050, 056
	7	3							
	6	5							
	5	7							
	4	9							
	3	051							
	2	3							
	1	5							
	2240	7	1510			9495			
	9	9				2894			
	8	061							
	7	3							
	6	5							
	5	7			T/C				LSP 2235 LF# 068
	4	9					10580		FSP 2234 FF# 069
	3	071					'B'		
	2	3							
	1	5							
	2230	7	1515						
	9	9							
	8	081							
	7	3							
	6	5							
	5	7							
	4	9							
	3	091							
	2	3							
	1	5							
	2220	7	1522			9485			
	2219	099				2891			

DATE: 11-8-75

PAGE 11 of _____

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACR Record filter 8-18/12 Group interval 328/164

State OFF EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2318	901		S/E	50, 60, X,		10574	10	SPD 725-725 RPM
	7	3			54, 56, 46,		B		HDG 296°
	6	5			54, 50.				T.B. 7° PORT
	5	7			15, 18, X, 16				S.B. 5.0 W.T.
	4	9			17, 14, X, 15				
	3	911							TRACE #36 IS WEAK
	2	3							
	1	5							
	2310	7	1430		T/C				LSP 2310 LF#918
	9	9			T/C		10575		FSP 2309 FF#919
	8	921					'A'		
	7	3							
	6	5							
	5	7							
	4	9							
	3	931							
	2	3							
	1	5							
	2300	7	1435			9550 2911			
	9	9							
	8	941							
	7	3							
	6	5							
	5	7							
	4	9							
	3	951			T/C				LSP 2293 LF#952
	2	3			T/C		10576		FSP 2292 FF#953
	1	5					B		
	2290	7	1441						
	9	9							
	8	961							
	7	3							
	6	5							
	5	7							
	4	9							
	3	971							
	2	3							
	1	5			D1 ↑				
	2280	7	1447						
	9	9			↓ D2				
	8	981							
	7	3							
	6	5			T/C				LSP 2276 LF#986
	5	7			T/C		10577		FSP 2275 FF#987
	4	9					'A'		PARITY - F#987-948
	3	991							EARLY CHANGE OF TAPE
	2	3							DUE TO EXCESS
	1	5							PARITY
	2270	7	1453		T/C				LSP 2269 LF#000
	2269	999			T/C		10578		FSP 2268 FF#001

DATE: 11-8-75

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer _____ gun depth 30' in.³ of guns 1

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2368	801		S/E	48,60,X,		10581	16	SPD-RPM: 725-725
	7	3			52,56,46,		'A'		HDG: 296°
	6	5			52,50				TB: N/V
	5	7			15,18,X,16				SOB-Lts: 4.9 WT
	4	9			17,14,X,15				
	3	811							
	2	3							
	1	5			T/C				LSP 2361 LF#816
	2360	7	1400			9600	10572		FSP 2360 FF#817
	9	9				2926	B		
	8	821							
	7	3							
	6	5							
	5	7							
	4	9							
	3	831							
	2	3							
	1	5							
	2350	7	1406						
	9	9							
	8	841							
	7	3							
	6	5							
	5	7							
	4	9			T/C				LSP 2344 LF#850
	3	851					10573		FSP 2343 FF#851
	2	3					'A'		
	1	5							
	2340	7	1412			9590			
	9	9				2923			
	8	861							
	7	3							
	6	5							
	8	7							
	4	9							
	3	871							
	2	3							
	1	5							
	2330	7	1417						
	9	9							
	8	881							
	7	3			T/C				LSP 2327 LF#884
	6	5					10574		FSP 2326 FF#885
	5	7					B		
	4	9							
	3	891							
	2	3							
	1	5							
	2320	7	1423			9570			
	2319	899				2917			

DATE: 8 Nov 75

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 8ms Fold coverage 36

Observer _____ gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2418	701		S/E	48, 56, X,		10568	10	SPD-RPM: 725-725
	7	3			60, 56, 46,		B		HDG: 300°
	6	5			56, 52,				TB: 3° PORT
	5	7			15, 17, X, 18				SOB-KTS 5.3 W.T
	4	9			17, 14, X, 16				
	3	711							
	2	3			T/C				LSP 2412 LF# 714
	1	3			T/C		10569 'A'		FSP 2411 FF# 715
	2410	7							
	9	9							PARITY ERROR-FF#
	8	721							715-717-720-
	7	3							725-727
	6	5							
	5	7							
	4	9							
	3	731							
	2	3							
	1	5							
	2400	7	1338			9630			
	9	9				2935			RADIO MIC USE
	8	741							
	7	3							
	6	5							
	5	7			T/C				LSP 2395 LF# 748
	4	9			T/C		10570 'B'		FSP 2394 FF# 749
	3	751							
	2	3							
	1	5							
	2390	7	1344						
	9	9							
	8	761							PICKING UP SCREW
	7	3							NOISE.
	6	5							
	5	7							
	4	9							
	3	771							
	2	3							
	1	5							
	2380	7	1349			9615			
	9	9				2931			
	8	781			T/C				LSP 2328 LF# 782
	7	3			T/C		10571 'A'		FSP 2377 FF# 783
	6	5							
	5	7							
	4	9							
	3	791							
	2	3							
	1	5							
	2370	7	1355						
	2369	799							

DATE: 11-8-75

PAGE 8 of _____

OBSERVERS MARINE REPORT

digicon inc. # 311

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 328/164

State EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2468	601		S/E	48, 60, X,		10565 'A'	10	SPEED- 7.25-7.25
	7	3			52, 54, 56,				HEAD- 304°
	6	5			50, 50.				T.B. 6° PORT
	5	7			15, 18, X, 16				SOB 5.0 W.T.
	4	9			16, 17, X, 15				
✓	3	611			T/C				LSP 2463 LF# 612
	2	3			T/C		10566 'B'		FSP 2462 FF# 613
	1	5							
✓	2460	7	1304			9745 2971			
	9	9							
	8	621							
	7	3							
	6	5							
	5	7							
	4	9							
	3	631							
	2	3							
	1	5							
✓	2450	7	1310						
	9	9							
	8	641							
	7	3							
✓	6	5			T/C				LSP 2446 LF# 646
	5	7			T/C		10567 'A'		FSP 2445 FF# 647
	4	9							
	3	651							
	2	3							
	1	5							
✓	2440	7	1316			9685 2952			
	9	9							
	8	661							
	7	3							
	6	5							
	5	7							
	4	9							
	3	671							
	2	3							
	1	5							
✓	2430	7	1321						
✓	9	9			T/C				LSP 2429 LF# 680
	8	681			T/C		10568 'B'		FSP 2428 FF# 681
	7	3							
	6	5							
	5	7							
	4	9							
	3	691							
	2	3							
	1	5							
✓	2420	7	1327						
	2419	699							

DATE: 11-8-75

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area A CR Record filter 8-18/124 Group interval 328/164

State EAST COAST Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2518	501		S/E	50, 56, X	9925	10562	10	SPEED - 725-725
	7	3			52, 54, 49,	3025	B		HEAD - 304°
	6	5			56, 52.				T.B. - 5° PORT
	5	7							SOB - 5.0 W.T.
	4	9			T/C				LSP 2514 LF# 510
	3	511			T/C		10563		FSP 2513 FF# 511
	2	3			15, 17, X, 16		A		
	1	5			18, 15, X, 16				
	2510	7							
	9	9							
	8	521							
	7	3							
	6	5							
	5	7							
	4	9							
	3	531							
	2	3							
	1	5							
	2500	7	1238			9855			
	9	9				3004			
	8	541							
	7	3			T/C				LSP 2497 LF# 544
	6	5			T/C		10564		FSP 2496 FF# 545
	5	7					B		
	4	9							
	3	551							
	2	3							
	1	5							
	2490	7	1245						TRACE #36 IS A WEAK TRACE OPEN FOR REMAINDER OF LINE -
	9	9							
	8	561							
	7	3							
	6	5							
	5	7							
	4	9							
	3	571							
	2	3							
	1	5							
	2480	7	1251		T/C	9770			LSP 2440 LF# 574
	9	9			T/C	2998	10565		FSP 2479 FF# 579
	8	581					'A'		
	7	3							
	6	5							
	5	7							
	4	9							
	3	591							
	2	3							
	1	5							
	2470	7	1256						
	9	599							

DATE: 10-8/25

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer _____ gun depth 30' in.³ of guns 1700⁵

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2568	401		S/E			10559	10	SPD-RPM: 725
	7	3					A		HDG: 301
	6	5							TB: 9 PORT
	5	7							SOB-KTS 5.2 WT.
	4	9			T				
	3	411							
	2	3			C		10559		LSP2565 LF 408
	1	5					10560		FSP2564 FF 409
	2560	7	1201			10100	'B'		
	9	9				3079			
	8	421							TURN ON FRONT OF
	7	3							CABLE DUE TO LOBSTER
	6	5							POTS.
	5	7							
	4	9							
	3	431							
	2	3							
	1	5							
	2550	7	1207						
	9	9							
	8	441			T/C				LSP2548 LF#442
	7	3					10561		FSP2547 FF#443
	6	5					'A'		
	5	7							
	4	9							
	3	451							
	2	3							
	1	5							
	2540	7	1214			10005			
	9	9				3050			
	8	461							
	7	3							
	6	5							
	5	7							
	4	9							
	3	471							
	2	3							
	1	5			T/C				LSP2531 LF#476
	2530	7	1220				10562		FSP2530 FF#477
	9	9					'B'		
	8	481							
	7	3							
	6	5							
	5	7							
	4	9							
	3	491							
	2	3							
	1	5							
	2520	7	1226						
	2519	499							

DATE: 10/8/75

PAGE 5 of _____

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 | Type instrument DFS III | Offset distance 1140

Area Atlantic Cont. Rise | Record filter 8-18 / 124 | Group interval 328/164

State Offshore East Coast | Sample rate 2ms | Fold coverage 36

Observer PROKETT | gun depth 30' | in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2618	301		S/E	48,58X52		10556	10	SPD:RPM: 725
	7	3			54,48,54,52		B		HDG 1307
	6	5			15,18,X,16				TB: 7 PORT
	5	7			16,15,X,16				SOB: 5,3 KTS WT.
	4	9			T				
	3	311							
	2	3			C				LSP#2616 LF#306
	1	5					10557		FSP#2615 FF#307
✓	2610	7					A		
	9	9							
	8	321							
	7	3							
	6	5							
	5	7							
	4	9							
	3	331							
	2	3							
	1	5							
✓	2600	7	1138			10284			
	9	9			T/C	3135			LSP#2599 LF#340
	8	341					10558		FSP#2598 FF#341
	7	3							
	6	5							
	5	7							
	4	9							
	3	351							
	2	3							
	1	5							
✓	2590	7							
	9	9							
	8	361							
	7	3							
	6	5							
	5	7							
	4	9							
	3	371							
	2	3			T/C		10559		LSP#2582 LF#374
	1	5					10559		FSP#2581 FF#375
✓	2580	7	1149			10176			
	9	9				3102			
	8	381							
	7	3							
	6	5							
	5	7							
	4	9							
	3	391							
	2	3							
	1	5							
✓	2570	7							
	9	9							

DATE: 11-8-75

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS - III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18/124 Group interval 328/164

State Offshore East Coast Sample rate 2ms Fold coverage 36

Observer PAWLETT gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2668	201		S/E	50,58 X 52		10553	10	SPD-RPM: 730
	7	3			54,48,52,50		A		HDG: 300
	6	5			15,18,X,16				TB: 4° Port
	5	7			16,15,X,15				SOB-KTS: 5,3 WT
	4	9			T				
	3	211			C				
	2	3							LSP# 2667 LF# 204
	1	5					10554		FSP# 2666 FF# 204
✓	2660	7	1102			10668	B		
	9	9				3252			
	8	221							
	7	3							
	6	5							
	5	7							
	4	9							
	3	231							
	2	3							
	1	5							
✓	2650	7			T/C				LSP# 2650 LF# 238
	9	9					10555		FSP# 2649 FF# 239
	8	241					A		
	7	3							
	6	5							
	5	7							
	4	9							
	3	251							
	2	3							
	1	5							
✓	2640	7	1114			10512			
	9	9				3204			
	8	261							
	7	3							
	6	5							
	5	7							
	4	9							
	3	271			T/C				LSP# 2633 LF# 272
	2	3					10556		FSP# 2632 FF# 273
	1	5					A		
✓	2630	7							
	9	9							
	8	281							
	7	3							
	6	5							
	5	7							
	4	9							
	3	291							
	2	3							
	1	5							
✓	2620	7	1126			10380			
	8	9				3164			

DATE: 11-8-75

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/13/124 Group interval 328/164

State OFF EAST COAST Sample rate 2 ms Fold coverage 36

Observer PAWLETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2718	101		S/E	30,60,X,54,		10550	10	SRD-RPMS-725 750
	7	3			56,58,54,30		B		HEADING-303°
	6	5							T.B. - 4° PORT
	5	7			T				S.O.B: 5.2 P/T
	4	9			C				
	3	111							LSP# 2718 LF# 102
	2	3			15,18,X,16		10551		FSP# 2717 FF# 102
	1	5			17,18,X,15		A		
✓	2710	7							
	9	9							
	8	121							
	7	3							
	6	5							
	5	7							
	4	9							
	3	131							
	2	3							
	1	5			T/C				LSP# 2701 LF# 136
✓	2700	7	1038			10980D	10552		FSP# 2700 FF# 137
	9	9				3347	B		
	8	141							SINGLE TRACE PLOTER
	7	3							I.S NOT WORKING ON
	6	5							"B" TRANSPORT
	5	7							
	4	9							
	3	151							
	2	3							
	1	5							
✓	2690	7							
	9	9							
	8	161							
	7	3							
	6	5							
	5	7							
	4	9			T/C				LSP# 2684 LF# 180
	3	171					10553		FSP# 2683 FF# 171
	2	3					A		
	1	5							PARITY ON FILE #171
✓	2680	7	1050			10072			
	9	9				3070			
	8	181							
	7	3							TAPE # 9 WAS REL.
	6	5							FROM 1-SP 2786 - TO SP 2684
	5	7							TAPE #9 IS [redacted] CORRECTED
	4	9							FROM SP 2683
	3	191							
	2	3							
	1	5							
	2670	7							
	9	9							

DATE: 11-8-75

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 MS Fold coverage 36

Observer PAULKETT gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
✓	2768	001	0957	S/E	50 60 X 58	11124	~~10546~~	10	SPD-RPM: 725-750
	7	3			56 ~~48~~ 52,50	3391	B		HDG: 304°
	6	5							TB: 3° PORT
	5	7			15, 18, X, 18				SOB-KTS. 5.2 WT
	4	9			17, 15, X, 15				
	3	011							
	2	3							
	1	5							
✓	2760	7	1002						
	9	9							
	8	021							
	7	3							
	6	5							
	5	7							
	4	9							
	3	031							
	2	3			T/C				LS# 2752 LF# 034
	1	5					10549		FS# 2751 FF# 035
✓	2750	7					A		
	9	9							FILE # OH/CHANGE [redacted]
	8	041							
	7	3							TOA 5 SEC. DELAY
	6	5							
	5	7							
	4	9							
	3	051							
	2	3							
	1	5							
✓	2740	7	1013			11916			
	9	9				3632			
	8	061							
	7	3							
	6	5							
	5	7			T/C				LS# 2735 LF# 068
	4	9					10550		FS# 2734 FF# 069
	3	071					B		
	2	3							
	1	5							
✓	2730	7							SINGLE TRACE PLOTER
	9	9							TO [redacted] OFF.
	8	081							
	7	3							
	6	5							
	5	7							
	4	9							
	3	091							FILE ~~# 093~~ BACK TO 4 SEC. DELAY
	2	3							
	1	5							
✓	2720	7	1025			11640			
	9	9				3548			

DATE: 11-8-75

PAGE 1 of