OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area Atlantic Contl Rise Record filter 8-18 / 124 Group interval 328/164

State Offshore No. Car a Va. Sample rate 2ms Fold coverage 36

Observer M. Harpswell gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
Plot	1451	701		9	59,63,64 V	[redacted]	10861	12-B	RPM: 750
	2	3			58,56,54		A		HDG: 003
	3	5							TB: N/V
	4	7			T		1021		SOB-KTS: 4.0
	5	9			C				
	6	71 1							LSP# 1452 LF# 704
	7	3				[redacted]	10862		FSP# 1453 FF# 705
	8	5					B		
	9	7							
	1460	9	0018			126			
	1	721							
	2	3							PICKING UP [redacted] SCREW
	3	5					1022		NOISE WORKING
	4	7							NEXT TO SHIPPING
	5	9							LANE
	6	731							
	7	3							
	8	5							
	9	7			T/C				LSP# 1469 LF# 738
	1470	9					10863		FSP# 1470 FF# 739
	1	741					A		
	2	3							
	3	5							
	4	7							
	5	9							
	6	751					1023		
	7	3							
	8	5							
	9	7							
	1480	9	0034			120'			
	1	761							
	2	3							
	3	5							
	4	7							
	5	9							
	6	771			Tc				LSP# 1486 LF# 772
	7	3					10864		FSP# 1487 FF# 773
	8	5					B		
	9	7							PARITY ON FILE # 773
	1490	9							THIS FILE NO GOOD
	1	781							
	2	3					1024		
	3	5							
	4	7							
	5	9							
	6	791							
	7	3							
	8	5							
	9	7							
	1500	799	0051			126'			

DATE: 15 NOV

PAGE 1 of

6-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 Type instrument DFS - III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8 - 18 / 124 Group interval 328/164

State Offshore N. Car & Va Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1501	801		S	58,62,63,X		10864	12B	RPM: 750
	2	3			59,57,X,55		B		HDG: 000
	3	5							TB: N/V
	4	7							SOB-KB: 3.7
	5	9			T				
	6	811			C				LSP# 1503 LF# 806
	7	3					10865		FSP# 1504 FF# 807
	8	5					A		
	9	7							
✓	1510	9							
	1	821					6925		
	2	3							
	3	5							
	4	7							
	5	9							
	6	831							
	7	3							
	8	5							
	9	7							
✓	1520	9	0109		T	126'			LSP# 1520 LF# 840
	1	841			C		10866		FSP# 1521 FF# 841
	2	3					B		
	3	5							
	4	7							HOW SHOOTING 1690
	5	9							
	6	851							
	7	3					6926		
	8	5							
	9	7							
✓	1530	9							
	1	861							
	2	3							
	3	5							
	4	7							
	5	9							
	6	871							
	7	3			T				LSP# 1537 LF# 874
	8	5			C		10867		FSP# 1538 FF# 875
	9	7					A		
✓	1540	9	0126			126			
	1	881							
	2	3					6927		
	3	5							
	4	7							
	5	9							
	6	891							
	7	3							
	8	5							
	9	7							
✓	1550	899							

DATE: 11-15-75

PAGE 2 of _____

106-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DES 111 Offset distance 1140

Area ATLANTIC CONTL RISE Record filter 8-18 /124 Group interval 328/164

State Offshore No. Car & Va. Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30' in.^{3} of guns 1690^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1551	901		S	56, 60, 60X		10867	12-B	RPM:- 700
	2	3			57, 56, X48		A		HOG:- 000
	3	5							TB:- N/V
	4	7							SOG-KTS:- 3.2
	5	9			T				
	6	911			C				LSP# 1554 LF# 908
	7	3					10866		FSP# 1555 FF# 909
	8	5					B		
	9	7							
✓	1560	9	0144			126			
	1	921							PICKING UP SCREW
	2	3					6928		NOISES DUE TO
	3	5							BEING SO CLOSE TO
	4	7							SHIPPING LANE
	5	9							
	6	931							
	7	3							
	8	5							
	9	7							
✓	1570	9							
	1	941			T				LSP# 1571 LF# 942
	2	3			C		10869		FSP# 1572 FF# 943
	3	5					A		
	4	7							
	5	9							
	6	951							
	7	3							
	8	5					6929		
	9	7							
✓	1580	9	0201			126			
	1	961							
	2	3							
	3	5							
	4	7							
	5	9							
	6	971							
	7	3							
	8	5			T				LSP# 1588 LF# 926
	9	7			C		10870		FSP# 1589 FF# 927
✓	1590	9					B		
	1	981							
	2	3							
	3	5					6930		
	4	7							
	5	9							
	6	991							
	7	3							
	8	5							
	9	7							
✓	1600	999	0217			126			

DATE: 15 NOV 75

PAGE 3 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18/124 Group interval 328/164

State Offshore No Carolina & Va. Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30 in.^{3} of guns 1690^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1601	001		S	59,60,60X		10870	12B	BPM: 950-775
	2	3			56,57,X49		B		HDG: 002°
	3	5							TB: N/K
	4	7							SOB-KTS 4.2
	5	9			T				
	6	011			C				LSP#1603 LF#010
	7	3					10871		FSP#1606 FF#011
	8	5					A		
	9	7							
✓	1610	9							
	1	021							
	2	3					6931		
	3	5							
	4	7							
	5	9							
	6	031							
	7	3							
	8	5							
	9	7							
✓	1620	9	0232			126			NDW SHOOTING [redacted] 1610^3
	1	041							
	2	3			T				LSP#1622 LF#044
	3	5			C		10872		FSP#1623 FF#045
	4	7					B		
	5	9							
	6	051							
	7	3							
	8	5					6932		
	9	7							
✓	1630	9							
	1	061							
	2	3							C FILE# 064 - SHOOTING
	3	5							1380^3 IN. GUNS PULLING
	4	7							PT. INBOARD STRING
	5	9							ON DECK
	6	071							
	7	3							
	8	5							
	9	7			T				LSP#1639 LF#078
✓	1640	9	02:47		C		10873		FSP#1640 FF#079
	1	081					A		
	2	3							
	3	5							
	4	7					6933		
	5	9							
	6	091							
	7	3							
	8	5							
	9	7							
✓	1650	099							

DATE: 11/15/75

PAGE 4 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 328/164

State N.Car.+VA Sample rate 2 ms Fold coverage 36

Observer PAWKETT gun depth 30 in.^{3} of guns 1390

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1651	101		5	59.60.60.X		10823	12-B	SPEED- 750-775
	2	3			58.57.X.52		A		HEAD- 090°
	3	5							T.B.- N.U.
	4	7							S.O.B.- 1.2
	5	9							
	6	111			T/C				LSP# 1656 LF# 112
	7	3					10874		FSP# 1657 FF# 113
	8	5					B		
	9	7							PICKING UP SCREW
✓	0	9	03:04			126			NOISE!!!
	1661	121							
	2	3							
	3	5					1934		
	4	7							
	5	9							
	6	131							
	7	3							
	8	5							
	9	7							
✓	1670	9							
	1	141							
	2	3							
	3	5			T/C				LSP# 1673 LF# 146
	4	7			T/C		10875		FSP# 1674 FF# 147
	5	9					A		
	6	151							
	7	3							
	8	5							
	9	7							
✓	1680	9	03:20			120			
	1	161					1935		
	2	3							
	3	5							
	4	7							
	5	9							
	6	171							
	7	3							
	8	5							
	9	7							
✓	1690	9			T/C				LSP# 1690 LF# 180
	1	181			T/C		10876		FSP# 1691 FF# 181
	2	3					B		
	3	5							
	4	7							
	5	9					1936		
	6	191							
	7	3							
	8	5							
	9	7							
✓	1700	199	03:36			114'			

DATE: 11/15/73

PAGE 5 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18-/24 Group interval 328/164

State Offshore N.Car. & Va. Sample rate 2ms Fold coverage 36

Observer PAUKETT gun depth 30' in.^{3} of guns 1390

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1701	201		S	59-60-60.X		10876	12-B	RPM: 750-775
	2	3			58-57-X-51		B		HDG: @ 358°
	3	5							TB: @ N.V.
	4	7					6936		SOB-MTS: 4.0
	5	9							
	6	211							
	7	3			T/C				LSP# 1707 LF# 214
	8	5			T/C		10877		FSP# 1708 FF# 215
	9	7					A		
✓	1710	9							@ SP# 1710 - SHOOTING
	1	221							1700 ^{3} IN. GUNS
	2	3							
	3	5							
	4	7					6937		
	5	9							
	6	231							
	7	3							
	8	5							
	9	7							
✓	1720	9	03:52			114'			
	1	241							
	2	3							
	3	5							
	4	7			T/C				LSP# 1724 LF# 248
	5	9			T/C		10878		FSP# 1725 FF# 249
	6	251					B		
	7	3							
	8	5							PICKING UP RANDOM
	9	7							NOISE DUE TO ROUGH
✓	1730	9							SEAS!
	1	261					6938		
	2	3							
	3	5							
	4	7							
	5	9							
	6	271							
	7	3							
	8	5							
	9	7				35M			
✓	1740	9	04:09			114			
	1	281			T/C				LSP# 1741 LF# 282
	2	3			T/C		10879		FSP# 1742 FF# 283
	3	5					A		
	4	7							
	5	9					6939		
	6	291							
	7	3							
	8	5							
	9	7							
✓	1750	249							

DATE: 11/15/75

PAGE 6 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18/124 Group interval 328/164

State Offshore N.C. & Va Sample rate 4ms Fold coverage 36

Observer PAUDETT gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1751	301		S	60·61·60·X		10879	12B	RPM: 750-775
	2	3			58·57·X·50		A		HDG: 358°
	3	5							TB: N.U.
	4	7							SOB-KRS: 4.3
	5	9							
	6	311							
	7	3							
	8	5			T/C				LSP# 1758 LF# 316
	9	7					10880		FSP# 1759 FF# 317
✓	1760	9	04:25			114'	B		
	1	321							
	2	3							
	3	5							
	4	7							
	5	9					6940		@ SP# 1765 - SHOOTING
	6	331							1350^3 IN. GUNS !
	7	3							PULLING STB-INBOARD
	8	5							STRING.
	9	7							
✓	1770	9							
	1	341							
	2	3							
	3	5							
	4	7							
	5	9			T/C				LSP# 1775 LF# 350
	6	351					10881		FSP# 1776 FF# 351
	7	3					A		
	8	5							PARITY - FILE# 354
	9	7							
✓	1780	9	04:41			114'			
	1	361							
	2	3							
	3	5					6941		
	4	7							
	5	9							
	6	371							
	7	3							
	8	5							
	9	7							
✓	1790	9							
	1	381							
	2	3			T/C				LSP# 1792 LF# 384
°	3	5					10882		FSP# 1793 FF# 385
	4	7					B		
	5	9					6942 LIBRARY		
	6	391							**Demuxed**
	7	3							
	8	5							
	9	7							
✓	1800	399	04:56			108'			

DATE: 11/15/75

33m

PAGE 7 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont. Shelf Record filter 8/18/124 Group interval 328/164

State N. Car. & VA. Sample rate 2 m.s Fold coverage 96

Observer Pawlett gun depth 30' in.^{3} of guns 1350

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1801	401		5	60-61-60-X		10882	12-B	RPM 750-775
	2	3			58-57-X-50		B		HEADING 358°
	3	5							T.B N.V.
	4	7							S.O.B 4.2
	5	9							
	6	411							
	7	3							
	8	5							
	9	7			T/C				LSP# 1809 LF# 418
	1810	9			T/C		10883		FSP# 1810 FF# 419
	1	421					A		
	2	3					6993		
	3	5							
	4	7							
	5	9							
	6	431							
	7	3							
	8	5							
	9	7							
	1820	9	05:12			114'			PARITY - FILE# 439
	1	441							
	2	3							
	3	5							
	4	7							
	5	9							
	6	451			T/C				LSP# 1826 LF# 452
	7	3			T/C		10884		FSP# 1827 FF# 453
	8	5					B		
	9	7					6944		PICKING UP SCREW
	1830	9							NOISE!!!
	1	461							
	2	3							
	3	5							
	4	7							
	5	9							
	6	471							
	7	3							
	8	5							
	9	7							
	1840	9	05:29			108'			OSP# 1840 - SHOOTING
	1	481							1700^3 IN. GUNS
	2	3							
	3	5			T/C				LSP# 1843 LF# 486
	4	7			T/C		10885		FSP# 1844 FF# 487
	5	9					A		
	6	491							
	7	3							
	8	5							
	9	7							
	1850	9							

DATE: 11/15/75

PAGE 8 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont. Shelf Record filter 8/18/124 Group interval 328/164

State N. Car. & Va. Sample rate 2 ms Fold coverage 36

Observer Pawlett gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1851	501		S	60.61.60.X		10885	12-B	R.P.M's 750
	2	3			58.58.X.52		A		HEADING 000°
	3	5					6957		T.B. N.U.
	4	7							S.O.B. 3.8
	5	9							
	6	511							
	7	3							
	8	5							
	9	7							
✓	1860	9	05:46		TT	108'			LSP# 1860 LF# 520
	1	521			C		10886		FSP# 1861 FF# 521
	2	3					B		
	3	5							
	4	7					6956		
	5	9							
	6	531							
	7	3							
	8	5							
	9	7							
✓	1870	9							
	1	541							
	2	3							
	3	5							
	4	7							
	5	9							
	6	551							
	7	3			K				LSP# 1877 LF# 554
	8	5					10887		FSP# 1878 FF# 555
	9	7					A		
✓	1880	9	06:03			108			
	1	561					6955		
	2	3							
	3	5							
	4	7							
	5	9							
	6	571							
	7	3							
	8	5							
	9	7							
	1890	9							
	1	581							
	2	3							
	3	5							
	4	7			K				LSP# 1894 LF# 588
	5	9			K		10888		FSP# 1895 FF# 589
	6	591					D		
	7	3							
	8	5					6954		
	9	7							
✓	1900	9	0620			120			

DATE: 11/15/75

PAGE 9 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State Offshore No. Car - & Va Sample rate 2 ms Fold coverage 36

Observer HAWKETT gun depth 30' in.^{3} of guns 1500^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1901	601		5	60,61,~~59~~X		10888	12-B	RPM: 750
	2	3			58,60X56		B		HDG: 000
	3	5							TB: N/V
	4	7							SOB-KTS: 4,1
	5	9							
	6	611							
	7	3							
	8	5							
	9	7							
✓	1910	9							
	1	621			X				LSP# 1911 LF# 622
	2	3					10889		FSP# 1912 FF# 623
	3	5					A		
	4	7					6953		
	5	9							
	6	631							
	7	3							
	8	5							
	9	7							
✓	1920	9	0635			120'			
	1	641							
	2	3							
	3	5							
	4	7							
	5	9							
	6	651							
	7	3							
	8	5			X				LSP# 1928 LF# 656
	9	7					10890		FSP# 1929 FF# 657
✓	1930	9					B		
	1	661					6952		
	2	3							
	3	5							
	4	7							
	5	9							
	6	671							
	7	3							
	8	5							
	9	7							
✓	1940	9	0650			120			
	1	681							
	2	3							
	3	5							
	4	7							
	5	9			X				LSP# 1945 LF# 690
	6	691					10891		FSP# 1946 FF# 691
	7	3					A		
	8	5					6951		
	9	7							
✓	1950	9							

DATE: 11/15/75

PAGE 10 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT SHELF Record filter 8/18/124 Group interval 328/164

State N.CAR. & VA. Sample rate 2ms Fold coverage 36

Observer PALMER gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	1951	701		S	6262X60		10891	12-B	R.P.M. 775 - 775
	2	3			58,56,X55		A		HEADING 002
	3	5							V.B. N/V
	4	7							S.O.B. 4,4
	5	9							
	6	711							
	7	3							PECKING UP SCREW NOISE
	8	5							
	9	7							
V	1960	9	0704			126			
	1	721							
	2	3			T/C				LSP# 1962 LF# 724
	3	5					10892		FSP# 1963 FF# 725
	4	7					B		
	5	9					6950		
	6	731							PARITY ON FILE #930
	7	3							
	8	5							
	9	7							
V	1970	9							
	1	741							
	2	3							
	3	5							
	4	7							
	5	9							
	6	751							
	7	3							
	8	5							
	9	7			T/C				LSP# 1979 LF# 758
V	1980	9	0719			120	10893		FSP# 1980 FF# 759
	1	761					A		
	2	3					6949		
	3	5							
	4	7							
	5	9							
	6	771							
	7	3							
	8	5							
	9	7							
V	1990	9							
	1	781							
	2	3							
	3	5							
	4	7							
	5	9							
	6	791			T/C				LSP# 1996 LF# 792
	7	3					10894		FSP# 1997 FF# 793
	8	5					B		
	9	7					6948		
V	2000	9	0735			114			

35 m

DATE: 11/15/75

PAGE 11 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 328/164

State NCAR+VA. Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2001	801		S	6060X60		10894	12-B	SPEED-775-775
	2	3			52,58,X56		D		HEAD-001
	3	5							T.B.-N/V
	4	7							SOB-4.7
	5	9							
	6	811							
	7	3							
	8	5							
	9	7							
✓	2010	9							
	1	821							
	2	3							
	3	5			TC				LSP# 2013 LF# B26
	4	7					10895		FSP# 2014 FF# B27
	5	9					A		
	6	831							
	7	3					7940		
	8	5							
	9	7							
✓	2020	9	0750			114			
	1	841							
	2	3							
	3	5							
	4	7							
	5	9							
	6	851							
	7	3							
	8	5							
	9	7							
✓	2030	9			TC				LSP# 2030 LF# B60
	1	861					10896		FSP# 2031 FF# B61
	2	3					B		
	3	5					7941		
	4	7							
	5	9							
	6	871							
	7	3							
	8	5							RADIO IN USE
	9	7							
	2040	9	0806						
	1	881							
	2	3							
	3	5							
	4	7							
	5	9							
	6	891							
	7	3			TC				LSP# 2047 LF# 894
	8	5					10897		FSP# 2048 FF# 895
	9	7					A		
✓	2050	899							

DATE: 11/15/75

PAGE 12 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFSIII Offset distance 1140

Area A.C.S. Record filter 8-18/124 Group interval 328/164

State NCAR+VA Sample rate 2ms Fold coverage 36

Observer PAWLETT gun depth 30 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2051	901		9	61,62,59,V		10897	12-B	SPEED~ 775
	2	3			58,59,V57		A		HEAD~000
	3	5					7947		TB- NV
	4	7							SOB- 4.5
	5	9							
	6	911							
	7	3							
	8	5							
	9	7							
V	2060	9	0821			120			
	1	921							
	2	3							
	3	5							
	4	7			V				LSP#2064 LF#928
	5	9			V		10898		FSP#2065 FF#929
	6	931					B		
	7	3					7946		
	8	5							
	9	7							
V	2070	9							
	1	941							
	2	3							
	3	5							
	4	7							
	5	9							
	6	951							
	7	3							
	8	5							
	9	7							
V	2080	9	0835			114			
	1	961			V				LSP#2081 LF#962
	2	3			V		10899		FSP#2082 FF#963
	3	5					A		
	4	7					7945		
	5	9							PARITY ON FILE #969
	6	971							
	7	3							
	8	5							
	9	7							
V	2090	9							
	1	981							
	2	3							
	3	5							
	4	7							
	5	9							
	6	991							
	7	3							
	8	5			V				LSP#2098 LF#996
	9	7			V		[redacted]		FSP#2099 FF#997
V	2100	999	0850			114	10900B		

DATE: 11/15/75

PAGE 13 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFSIII Offset distance 1140

Area ACS Record filter 8-18/124 Group interval 328/164

State NCAR. + VA Sample rate 2 ms Fold coverage 36

Observer PAN KETT gun depth 30 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2101	001	(616)	S	62,61,60		10900	12-B	SPEED - 7.75
	2	3			59,60,X54		B		HEAD 354
	3	5					7944		T.B - NN
	4	7							SOB - 4,8
	5	9							
	6	011							
	7	3							PARITY ON FILE #012, #028
	8	5							
	9	7							
	2110	9							
	1	021							
	2	3							
	3	5							
	4	7							
	5	9			T/C				LSP# 2115 LF# 030
	6	031					10901		FSP# 2116 FF# 031
	7	3					A		
	8	5					7943		
	9	7							
✓	2120	9	0905			114			
	1	041							
	2	3							
	3	5							
	4	7							
	5	9							
	6	051							
	7	3							
	8	5							
	9	7							
✓	2130	9							
	1	061							
	2	9			T/C				LSP# 2132 LF# 064
	3	3					10902		FSP# 2133 FF# 065
	4	7					B		
	5	9					7942		
	6	071							
	7	3							
	8	5							
	9	7							
✓	2140	9	09:20						
	1	081							
	2	3							
	3	5							
	4	7							
	5	9							
	6	091							
	7	3							@SP# 2149 - SHOOTING
	8	5							1350^3 IN. GUNS
	9	7			T/C				LSP# 2149 LF# 098
	2150	099					10903		FSP# 2150 FF# 099
							A		

DATE: 11/15/85

PAGE 14 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACS	Record filter	8-18/124	Group interval	328/164
State	N.CAR. + VA	Sample rate	2 ms	Fold coverage	36
Observer	PANKETT	gun depth	30	in.³ of guns	1350 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2151	101		S	60+61.X.60		10923	12-B	RPM- 775
	2	3			59-58.X.53		A		HEAD 358°
	3	5					7949		T.B N.U.
	4	7							30B 5.1
	5	9							
	6	111							PARITY - FILE # 112
	7	3							
	8	5							
	9	7							
✓	2160	9	09:33			126'			
	1	121							
	2	3							
	3	5							
	4	7							
	5	9							PARITY - FILE # 131
	6	131			T/C				LSP # 2166 LF # 132
	7	3					10904		FSP # 2167 FF # 133
	8	5					B		
	9	9					6945		@ FILE # 135 - SHOOTING
✓	2170	9					7948		1550³ IN. GUNS ! PULLING
	1	141							300³ IN. GUN.
	2	3							
	3	5							
	4	7							
	5	9							
	6	151							
	7	3							
	8	5							
	9	7							
✓	2180	9	09:48			126			
	1	161							
	2	3							
	3	5			T/C				LSP # 2183 LF # 166
	4	7			T/C		10905		FSP # 2184 FF # 167
	5	9					A		
	6	171					6946		@ SP # 2185 - SHOOTING
	7	3							1700³ IN. GUNS
	8	5							
	9	7							
✓	2190	9							
	1	181							
	2	3							
	3	5							
	4	9							
	5	9							
	6	191							
	7	3							
	8	5							LSP # 2200 LF # 200
	9	7			T/C		10906		FSP # 2201 FF # 201
✓	2200	199	1002			126'	B		

DATE: 11/15/75

38m

PAGE 15 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACS Record filter 8-16/124 Group interval 328/164

State N.CAR.+VA Sample rate 2MS Fold coverage 36

Observer PAWKETT gun depth 30 in.^{3} of guns 1200^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2201	201		5	6060 X56		10406	12-B	SPEED 775
	2	3			5960 X56		B		HEAD-000
	3	5					6947		T.B.- N/V
	4	7							90B-5.0
	5	9							
	6	211							
	7	3							
	8	5							
	9	7							
✓	2210	9							[illegible]
	1	221							
	2	3							
	3	5							
	4	7							
	5	9							
	6	231							
	7	3			T/C				LSP# 2217 LF# 234
	8	5					10407		FSP# 2218 FF# 235
	9	7					A		
✓	2220	9	1017			120'	6958		
	1	241							
	2	3							
	3	5							
	4	7							
	5	9							
	6	251							
	7	3							
	8	5							
	9	7							
✓	2230	9							
	1	261							
	2	3							
	3	5							
	4	7			T/C				LSP# 2234 LF# 268
	5	9					10408		FSP# 2235 FF# 269
	6	271					B		
	7	3					6959		
	8	5							
	9	7							
✓	2240	9	1032			126'			
	1	281				38m			
	2	3							
	3	5							
	4	7							
	5	9							
	6	291							
	7	3							
	8	5							
	9	7							
✓	2250	299							

DATE: 11/15/75

PAGE 46 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFSIII Offset distance 1140

Area ACS Record filter 6-18/124 Group interval 3.28/124

State N. CAR. & VA. Sample rate 2 ms Fold coverage 36

Observer PAWKETT gun depth 30 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2251	301		S	60,60 / 59,60 / 61 / 59 T C		10908 B	12-B	SPEED HEAD T.B. 90B LSP# 2251 LF# 302
	2	3							
	3	5							
	4	7							
	5	9							
	6	311					10909 A 6945		FSP# 2252 FF# 304
	7	3							
	8	5							
	9	7							
↓	2260	9	1046			147			
	1	321							
	2	3							
	3	5							
	4	7							
	5	9							
	6	331							
	7	3							
	8	5			T C				LSP# 2268 LF# 336
	9	7					10910 B 6960		FSP# 2269 FF# 337
	2270	9							
	1	341							
	2	3							
	3	5							
	4	7							
	5	9							
	6	351							
	7	3							
	8	5							* ← 356 Demixed to here **
	9	7							
	2280	9	1101			132'			
	1	361							
	2	3							
	3	5							
	4	7							
	5	9			T C				LSP# 2285 LF# 370
	6	371					10911 A 6961		FSP# 2286 FP# 371
	7	3							
	8	5							
	9	7							
↓	2290	9							
	1	381							
	2	3							
	3	5							
	4	7							
	5	9							
	6	391							
	7	3							
	8	5							
	9	7							
↓	2300	399	1115			126			

DATE: 11/15/75

PAGE 17 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFSIII Offset distance 1140

Area ACE Record filter 8-18/124 Group interval 328/164

State N.CAR.+VA. Sample rate 2 ms Fold coverage 36

Observer PANKETT gun depth 30 in.^{3} of guns 1200^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2301	401		S	59,58X57		10911	12-B	SPEED - 775
	2	3			60,59X56		A		HEAD - 000
	3	5							T.B. - N/V
	4	7			T				SOB - 5.0
	5	9			B				
	6	411							LSP# 2302 LF# 404
	7	3					10912		FSP# 2303 FF# 405
	8	5					B		
	9	7					6962		
✓	2310	9							
	1	421							
	2	3							
	3	5							
	4	7							
	5	9							
	6	431							
	7	3							
	8	5							
	9	7			T				LSP# 2319 LF# 438
✓	2320	9	1129		C	126'	10913		FSP# 2320 FF# 439
	1	441					A		
	2	3					6963		
	3	5							
	4	7							
	5	9							
	6	451							
	7	3							
	8	5							
	9	7							
✓	2330	9							
	1	461							
	2	3							
	3	5							
	4	7							
	5	9							
	6	471			T				LSP# 2336 LF# 472
	7	3			C		10914		FSP# 2337 FF# 473
	8	5					B		
	9	7					6964		
✓	2340	9	1143			120			
	1	481							
	2	3							
	3	5							
	4	7							
	5	9							
	6	491							
	7	3							
	8	5							
	9	7							
✓	2350	499							

DATE: 11/15/75

PAGE 18 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #11

Client U S G S-25 Type instrument DFS III Offset distance 1140

Area ACS Record filter B-18/124 Group interval 328/164

State N. CAR & VA Sample rate 2 ms Fold coverage 36

Observer PAWLETT gun depth 30 in.³ of guns 1200³

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2351	501		5	61,60X60		10914	12-B	SPEED- 7.5
	2	3			59,60X57		B		HEAD- 000
	3	5							T.B. N/E
	4	7							SOB 4.2
	5	9							
	6	511			T				
	7	3			C				LSP# 2353 LF# 506
	8	5					10915		FSP# 2354 FF# 507
	9	7					A		
✓	2360	9	1159			109'	6965		
	1	521							
	2	3							
	3	5							
	4	7							
	5	9							
	6	531							
	7	3							
	8	5							
	9	7			T/C				LSP 2369 LF# 538
✓	2370	9	1204				10916		FSP 3270 FF# 539
	1	541					B'		
	2	3					6966		
	3	5							
	4	7							
	5	9							
	6	551							
	7	3							
	8	5							
	9	7							
✓	2380	9	1211			~~108~~ 90'			
	1	561							
	2	3							PICKING UP SCREW NOISE.
	3	5							
	4	7							
	5	9							
	6	571			T/C				LSP 2386 LF# 572
	7	3					10917		FSP 2387 FF# 573
	8	5					A		
	9	7					6967		
✓	2390	9	1216						
	1	581							
	2	3							
	3	5							
	4	7							
	5	9							
	6	591							
	7	3							
	8	5							
	9	7							
✓	2400	599	1225			84'			

DATE: 11/15/75

PAGE 19 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-25 Type instrument DFSTII Offset distance 1140

Area ACS Record filter 8-18/124 Group interval 328/164

State NCAR, & VA. Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30 in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2401	601		9	61,60,60,		10917	12B	SPEED 775-775
	2	3			X,59,60,		A		HEAD 001°
	3	5			X,57				T.B. N/V
	4	7							SOB 4.6
	5	9							
	6	611			T/C				LSP 2402 LF#609
	7	3					10918		FSP 2403 FF#605
	8	5					B		
	9	7					1969		
	2410	9	1231						
	1	621							
	2	3							
	3	5							
	4	7							
	5	9							
	6	631							
	7	3							
	8	5							
	9	7			T/C				LSP 2419 LF#634
	2420	9	1239		T/C	90'	10919		FSP 2420 FF#639
	1	641					A		
	2	3					1969		
	3	5							
	4	7							
	5	9							
	6	651							
	7	3							
	8	5							
	9	7							
	2430	9	1245						
	1	661							
	2	3							
	3	5							
	4	7							
	5	9			T/C				LSP 2435 LF#670
	6	671			T/C		10920		FSP 2436 FF#671
	7	3					B		
	8	5					1970		
	9	7							
	2440	9	1252			90			
	1	681				27m			
	2	3							
	3	5							
	4	7							
	5	9							
	6	691							
	7	3							
	8	5							
	9	7							
	2436	699	1259						

DATE: 11/15/75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 311

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACS Record filter 8-18/124 Group interval 328/124

State NC/Ard VA. Sample rate 2 MS Fold coverage 36

Observer MILLER gun depth 30 in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2451	701			64,64,62,		10920		SPEED 775-776
	2	2			X, 58,52		B		HEAD 002°
	3	3			Y, 52				T B N/V
	4	4							SOB 4.8
	5	5							
	6	711			T/C				LSP 2452 LF# 704
	7	3					10921		FSP 2453 FF# 705
	8	5					'A'		
	9	7					6991		
	2460	9	1307			90'			
	1	721							
	2	3							
	3	5							
	4	7							
	5	9							
	6	731							
	7	3							
	8	5			T/C				LSP 2468 LF# 736
	9	7					10922		FSP 2469 FF# 737
	2470	9	1314				B		
	1	741					6972		
	2	3							
	3	5							
	4	7							
	5	9							
	6	751							
	7	3							
	8	5							
	9	7							PICKING UP SCREW
	2480	9	1319			90'			NOISE
	1	761							
	2	3							
	3	5							
	4	7							
	5	9			T/C				LSP 2495 LF# 770
	6	781					10923		FSP 2486 FF# 771
	7	3					A		
	8	5					6973		
	9	7							
	2490	9	1326						
	1	781							
	2	3							
	3	5							
	4	7							
	5	9							
	6	791							
	7	3							
	8	5							
	9	7							
	2500	799	1333			96'			

DATE: 11/15/75

29M

PAGE 21 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-25 Type instrument DFSII Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 32B/164

State N.C.AR.&VA Sample rate 2 ms Fold coverage 36

Observer MILLER gun depth 30 in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2501	801		S	69,64,62		10923	12B	~~HOG~~ RPM's 775-775
	2	3			X,58,52,		'A'		HOG 003°
	3	5			X,50,				T.B. N/U
	4	7							SOB 4.8'
	5	9							
	6	811			T/C				LSP 2501 LF#802
	7	3					10924		FSP 2502 FF#803
	8	5					B		
	9	7					6974		
✓	2510	9	1339						
	1	821							
	2	3							
	3	5							
	4	7							
	5	9							
	6	831							
	7	3							
✓	8	5			T/C				LSP 2518 LF#836
	9	7					10925		FSP 2519 FF#837
✓	2520	9	1345			96'	'A'		
	1	841					6975		
	2	3							
	3	5							
	4	7							
	5	9							
	6	851							
	7	3							
	8	5							
	9	7							
✓	2530	9	1351						
	1	861							
	2	3							
	3	5							
✓	4	7			T/C				LSP 2534 LF#868
	5	9					10926		FSP 2535 FF#869
	6	871					B		
	7	3					6976		
	8	5							
	9	7							
✓	2540	9	1359						SCREW NOISE
	1	881							
	2	3							
	3	5							
	4	7							
	5	9							
	6	891							
	7	3							
	8	5							
	9	7							
✓	2550	899	1404						

DATE: 11-15-75

PAGE 22 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACS Record filter 8-18/124 Group interval 328/164

State NC Art VA. Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30 in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2551	90 1		5	62,6060,	104	10976	12-B	RPM 775-775
	2	3			V, 5955,		B		HDG 005°
	3	5			X, 51				TB NW
	4	7							SOB 4.9
	5	9							
	6	91 1			T/C				2551 LF#902
	7	3					10977		FSP 2552 FF#903
	8	5					A		
	9	7					6977		
	2560	9	1411			90			
	1	92 1							DECREASED SPEED
	2	3							TO ALLOW SHIP TO
	3	5							PASS.
	4	7							
	5	9							
	6	93 1							
	7	3			T/C				LSP 2567 LF#934
	8	5			T/C		10978		FSP 2568 FF#935
	9	7					'B'		
	2570	9	1419				6978		
	1	94 1							
	2	3							
	3	5							
	4	7							
	5	9							
	6	95 1							
	7	3							
	8	5							
	9	7							
	2580	9	1426						
	1	96 1							
	2	3							
	3	5							
	4	7			T/C				LSP 2584 LF#968
	5	9			T/C		10979		FSP 2585 FF#969
	6	97 1					'A'		
	7	3					6979		
	8	5							
	9	7							
	2590	9	1432						
	1	98 1							
	2	3							
	3	5							
	4	7							
	5	9							
	6	99 1							
	7	3							
	8	5							
	9	7			T/C				LSP 2600 LF#000
	2600	99 9	1434		T/C	99	10930		FSP 2601 FF#001

DATE: 11-15-75

PAGE 23 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-25 Type instrument DFS III Offset distance 1140

Area ACS Record filter 8-18/124 Group interval 328/164

State N.CAR. & VA Sample rate 2 ms Fold coverage 36

Observer _____ gun depth 30 in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
500	2601	001		S	58, 60, 60,		10930	12B	RPM's 775-775
	2	3			X, 51, 53,		B		HDG 002°
	3	5			X, 52		6980		T.B. N/V
	4	7							SOB. 5.0
	5	9							
	6	011							
	7	3							
	8	5							
	9	7							
	2610	9	1444						
	1	021							
	2	3							
	3	5							
	4	7							
	5	9							
	6	031							
	7	3			T/C				LSP 2617 LF#034
	8	5					10931		FSP 2618 FF#035
	9	7					'A'		
	2620	9	1450			104	6981		
	1	041							
	2	3							
	3	5							
	4	7							
	5	9							
	6	051							
	7	3							
	8	5							
	9	7							
	2630	9	1456						
	1	061							
	2	3							
	3	5			T/C				LSP 2633 LF#066
	4	7					10932		FSP 2634 FF#067
	5	9					'B'		
	6	071					6982		
	7	3							
	8	5							
	9	7							
	2640	9	1502						
	1	081							
	2	3							
	3	5							
	4	7							
	5	9							
	6	091							
	7	3							
	8	5							
	9	7			T/C				LSP 2650 LF#100
	2650	099	1509				10933		FSP 2651 FF#101

DATE: 11-15-75

PAGE 21 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-25 Type instrument DFS III Offset distance 1140

Area ACS Record filter 8-18/124 Group interval 328/164

State NC AR. + VA. Sample rate 2 ms Fold coverage 36

Observer _____ gun depth 30 in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2651	101		5	58,60,60,	111'	10933	12B	SPEED - 7.5 - 7.5
	2	3			X, 52, 53,		A		HEAD 006°
	3	5			X, 52		6983		TB - N/O
	4	7							SOB - 5.4
	5	9							
	6	111							
	7	3							
	8	5							
	9	7							
✓	2660	9	1514			111'			
	1	121							
	2	3							
	3	5							
	4	7							
	5	9							
✓	6	131			T/C				LSP2666 LF#132
	7	3					10934		FSP2667 FF#133
	8	5					B		
	9	7					6984		
✓	2670	9	1520						
	1	141							
	2	3							
	3	5							
	4	7							PICKING UP SCREW NOISE
	5	9							
	6	151							
	7	3							
	8	5							
	9	7							
✓	2680	9	1526			126'			
	1	161							
	2	3							
✓	3	5			T/C				LSP2683 LF#166
	4	7					10935		FSP2684 FF#167
	5	9					A		
	6	171					6985		PICKING UP OTHER
	7	3							SEISMIC CREW IN
	8	5							AREA.
	9	7							
✓	2690	9	1533						
	1	181							
	2	3							
	3	5							
	4	7							
	5	9							
	6	191							
	7	3							
	8	5							
	9	7			T/C				LSP2699 LF#198
✓	2700	9	1538				10935		FSP2700 FF#199

DATE: 15 NOV

PAGE 25 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-25 Type instrument DFS III Offset distance 1140'

Area ACR Record filter 8-18/24 Group interval 328/164

State N. Cal + Va. Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2701	201		5	60,62,59	130'	10936	12B	RPM'S 775-775
	2	3			X, 60,58		A		HDG 003°
	3	5			Y, 54		6996		IB. N/V
	4	7							SOB. 5.4
	5	9							
	6	211							
	7	3							
	8	5							
	9	7							
✓	2710	9	1545						
	1	221							
	2	3							
	3	5							
	4	7							
	5	9							
	6	231			T/C				LSP 2716 LF#232
	7	3			T/C		10937		FSP 2717 FF#233
	8	5					'A'		
	9	7					6994		
✓	2720	9	1551			120'			
	1	241							
	2	3							
	3	5							
	4	7							
	5	9							
	6	251							
	7	3							
	8	5							
	9	7							
✓	2730	9	1557						
	1	261							
	2	3							
	3	5			T/C				LSP 2733 LF#266
	4	7			T/C		10934		FSP 2734 FF#267
	5	9					'B'		
	6	271					6993		
	7	3							
	8	5							
	9	7							
✓	2740	9	1603						
	1	281							
	2	3							
	3	5							
	4	7							PARITY - F#287
	5	9							
	6	291							
	7	3							PARITY - F#294, 295
	8	5							296
	9	7			T/C				LSP 2749 LF#298
✓	2750	299	1609		T/C		10939		FSP 2750 FF#299

DATE: ~~11~~ 11-15-75

PAGE 26 of _____

506-3-68

digicon inc. #511

OBSERVERS MARINE REPORT

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 9-18 / 124 Group interval 328/164

State Offshore Va. Sample rate 2ms Fold coverage 36

Observer Miller gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2751	301		5	60,61,59,		10939	12B	RPM: 775-775
	2	3			X, 55, 51,		A		HDG: 006
	3	5			X, 51		6999		TB: NIV
	4	7							SOB-Kts: 5.5
	5	9							
	6	311							
	7	3							
	8	5							
	9	7							
✓	2760	9	1615			126'			
	1	321							
	2	3							
	3	5							
	4	7							
	5	9			T/C				LSP 2765 LF#330
✓	6	331					10940		FSP 2766 FF#331
	7	3					B		
	8	5					6999		
	9	7							
✓	2770	9	1621						
	1	341							
	2	3							
	3	5							
	4	7							
	5	9							
	6	351							
	7	3							
	8	5							
	9	7							
✓	2780	9	1627			130'			
	1	361							
	2	3							
	3	5			T/C				LSP 2783 LF#366
✓	4	7			T/C		10941		FSP 2784 FF#365
	5	9					'A'		
	6	371					6990		
	7	3							
	8	5							
	9	7							
✓	2790	9	1633						
	1	381							
	2	3							
	3	5							
	4	7							
	5	9							
	6	391							
	7	3							
	8	5			T/C				LSP 2798 LF#396
✓	9	7			T/C		10942		FSP 2799 FF#397
✓	2800	399	1639				B		

DATE: 15 NOV

PAGE 27 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 | Type instrument DFS III | Offset distance 1140

Area Atlantic Cont'l Rise | Record filter 8-18/124 | Group interval 368/164

State Offshore Va. | Sample rate 2ms | Fold coverage 36

Observer Miller | gun depth 30' | in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2801	401		S	60,60,60,		10942	12B	RPM: 775 - 775
	2	3			X 58,53,		B		HDG: 005°
	3	5			X, 52.		6991		TB: N/D
	4	7							SOB KTS: 5.6
	5	9							
	6	41 1							
	7	3							
	8	5							
	9	7							
	2810	9	1644						
	1	42 1							PICKING UP SCREW
	2	3							NOISE
	3	5							
	4	7							
	5	9			T/C				LSP 2815 LF#430
	6	43 1					10943		FSP 2816 FF#431
	7	3					A		
	8	5					6992		
	9	7							
	2820	9	1650			130'			
	1	44 1							
	2	3							
	3	5							
	4	7							
	5	9							
	6	45 1							
	7	3							
	8	5							
	9	7							
	2830	9	1656						
	1	46 1			T/C				LSP 2831 LF#462
	2	3					10944		FSP 2832 FF#463
	3	5					B		
	4	7					6993		
	5	9							
	6	47 1							
	7	3							
	8	5							
	9	7							
	2840	9	~~1702~~			132			
	1	48 1							
	2	3							
	3	5							
	4	7							
	5	9							
	6	49 1							IN^3 TO 1620
	7	3							
	8	5			T/C				LSP 2848 LF#496
	9	7					10945		FSP 2849 FF#497
	2850	49 9	1708				A		

DATE: 11-15-75

PAGE 28 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 | Type instrument DFS III | Offset distance 1140'

Area ACR | Record filter 8-18/124 | Group interval 328/164

State NO. CAR. & VA. | Sample rate 2ms | Fold coverage 36

Observer MILLER | gun depth 30' | in.³ of guns 1620 1400

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2851	501		5	60,60,60		D945	12B	RPM'S 775-775
	2	3			X, 55,54,		A'		HDG. 007°
	3	5			X, 56.		7088		T.B. NIV
	4	7							S.O.B 5.7
	5	9							
	6	511							HEAVY SHIP TRAFFIC
	7	3							
	8	5							
	9	7							
	2860	9	1713			138'			
	1	521							
	2	3							TRACE #30 IS WEAK
	3	5							
	4	7			T/C				LSP 2864 LF#528
	5	9					10946		FSP 2865 FF#529
	6	531					'B'		
	7	3					699A		
	8	5							
	9	7							
	2870	9	1719						
	1	541							
	2	3							
	3	6							
	4	7							
	5	9							
	6	551							
	7	3							
	8	5							
	9	7							
	2880	9	1725			144'			
	1	561			T/C				LSP 2881 LF#562
	2	3			T/C		~~10946~~		FSP 2882 FF#563
A	3	5	1726				A		
	4	7					10947		S.P.'S 2883 TO 2918
	5	9					"A"		ARE 'A' SHOTS
	6	571					699S		
	7	3							DECREASING SPEED
	8	5							TO ALLOW SHIP
	9	7							TO PASS
	2890	9	1730						
	1	581							
	2	3							
	3	5							
	4	7							
	5	9							
	6	591							
	7	3			T/C				LSP 2897 LF#594
	8	5			T/C		10949		FSP 2898 FF#595
	9	7					B		
A	2900	599	1736			138'			

DATE: 15 NOV

PAGE 29 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS - 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State OFFSHORE VIRGINIA Sample rate 2 MS Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1620^3/14

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
'A'	2901	601		5	60,60,58		10948	12-B	RPM: 650, 650
	2	3			X,56,54		B		HDG: 006°
	3	5			X 56		6996		TB: 0°
	4	7							SOB-KTS 4.7
	5	9							
	6	611							
	7	3							
	8	5							
	9	7							
✓	2910	9	1743						
	1	621							
	2	3							
	3	5							
✓	4	7			T/C				LSP 2914 LF 628
	5	9				10949 A	10948		FSP 2915 FF 629
	6	631							
	7	3					6997		
'A'	2918	635	1748						LSP 2918 LF# 636
					END OF LINE				

DATE: 15 NOV 1975 PAGE 30 of

506-3-68