OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	32 8/164
State	EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2901	401		N/E	60,64,X,		10779	12-C	RPM'S 775-775
	2900	3	1753		56,57,55,	138	'A'		HDG 203°
	9	5			54,52				T.B. NIV
	8	7				32			SOB 5.6
	7	9							
	6	411							
	5	3			T/C				LSP2895 LF#414
	4	5					10780		FSP2894 FF#415
	3	7					B		
	2	9							
	1	421							
	2890	3	1759						
	9	5							
	8	7					7068		
	7	9							
	6	431							
	5	3							
	4	5							
	3	7							
	2	9							
	1	441							
	2880	3	1805			144			
	9	5				33			
	8	7			T/C				LSP 2878 LF#448
	7	9					10781		FSP 2877 FF#449
	6	451					A		
	5	3							
	4	5							
	3	7					7068		
	2	9							
	1	461							
	2870	3	1810						
	9	5							
	8	7							
	7	9							
	6	471							
	5	3							
	2864	475	1814	132					LSP-2864 LF 476

COMPLETED-LINE 12-C

DATE 11-10-75

PAGE 27 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2 ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	2951	301		N/E	60,64,V,		10776	12-C	RPM'S 775-775
	✓2950	3	1724		56,52,55,	149'	'B'		HDG 204°
	9	5			54,52.	34			T.B. N/V
	8	7							SOB 5.6
	7	9							
	✓ 6	31 1			T/C				LSP2946 LF#312
	5	3					10777		FSP2945 FF#313
	4	5					'A'		
	3	7							SEIS CREW STILL IN
	2	9							AREA-
	1	32 1							
	✓2940	3	1730			146'			
	9	5				33			
	8	7					7064		
	7	9							
	6	33 1							
	5	3							
	4	5							
	3	7							
	2	9							
	1	34 1							Picking Some Leakage
	✓2930	3	1736						SPIKES-XDRS-ON-
	9	5			T/C				LSP2929 LF#346
	✓ 8	1					10774		FSP2928 FF#347
	7	9					'B'		
	6	35 1							
	5	3							
	4	5					7065		
	3	7							
	2	9							
	1	36 1				150'			
	✓2920	3	1741			~~126'~~			
	9	5				34			
	8	7							
	7	9							
	6	37 1							
	5	3							
	4	5							
	3	7							
	✓ 2	9			T/C				LSP2912 LF#380
	1	38 1					10779		FSP2911 FF#381
	✓2910	3	1747				'A'		
	9	5							
	8	7					7066		
	7	9							
	6	39 1							
	5	3							
	4	5							
	3	7							
	2902	39 9							

DATE: 11-10-75

PAGE 26 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 54

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3001	201		N/E	60, 64, 4,		10773	12-e	RPM'S
✓	3000	3	1655		56, 56, 54,	144'	A		HDG
	9	5			52, 52.	33			T.B.
	8	7							S.O.B
	7	9			T/C				LSP 2997 LF#210
	6	211					10774		FSP 8996 FF#211
	5	3					B		
	4	5							
	3	7							
	2	9							
	1	221							
✓	2990	3	1702				7061		
	9	5							
	8	7							PICKING UP SEISMIC
	7	9							CREW IN AREA
	6	231							
	5	3							
	4	5							
	3	7							
	2	9							
	1	241							
✓	2980	3	1704		T/C	144			LSP 2980 LF#244
	9	5				33	10775		FSP 2979 FF#245
	8	7					'A'		
	7	9							
	6	251							
	5	3					7062		
	4	5							
	3	7							
	2	9							
	1	261							
✓	2970	3	1706						
	9	5							
	8	7							
	7	9							
	6	271							
	5	3							
	4	5							
	3	7			T/C				LSP 2963 LF#278
	2	9					10776		FSP 2962 FF#279
	1	281					B'		
✓	2960	3	1718						
	9	5					7063		
	8	7							
	7	9							
	6	291							
	5	3							
	4	5							
	3	7							
	2952	299							

DATE: 11-10-75

PAGE 25 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3051	101		NN/A	60, 64, X,		10770	12-C	RPM'S 775-775
	3050	3	1624		59, 57, 55,		B		HDG 207°
	9	5			54, 52				T.B. N/U
	8	7							SOB 5.2
	7	9			T/C				LSP 3048 LF#108
	6	111					10771		FSP 3049 FF#109
	5	3					'A'		PARITY - F#109
	4	5							
	3	7							
	2	9							
	1	121							
	3040	3	1630			150.			
	9	5				34	7058		
	8	7							
	7	9							
	6	131							
	5	3							
	4	5							
	3	7							
	2	9							
	1	141			T/C				LSP 3031 LF#142
	3030	3					10772		FSP 3030 FF#143
	9	5					B		
	8	7							
	7	9							
	6	151							
	5	3					7059		
	4	5							
	3	7							
	2	9							
	1	161							
	3020	3	1642			147			
	9	5				34			
	8	7							
	7	9							
	6	171							
	5	3							
	4	5			T/C				LSP 3014 LF#176
	3	7					10773		FSP 3013 FF#177
	2	9					A		
	1	181							
	3010	3	1650				7060		
	9	5							
	8	7							
	7	9							
	6	191							
	5	3							
	4	5							
	3	7							
	3002	199							

DATE 11-10-75

PAGE 29 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 54

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	OFF EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3101	001		UW/E	61,64,X,		10767	12-C	RPM's 775-775
	3100	3	1553		60,60,56,	156	A		HDG 209°
	9	5			54,52.	36			T.B. N/U
	8	7							SOB. 5.2
	7	9							
	6	011			T/C				LSP 3099 LF#006
	5	3					10769		FSP 3098 FF#007
	4	5					B		
	3	7							
	2	9							
	1	021							
	3090	3	1559						
	9	5					7055		
	8	7							
	7	9							
	6	031							
	5	3							
	4	5							
	3	7							
	2	9			T/C				LSP 3082 LF#040
	1	041					10769		FSP 3081 FF#041
	3080	3	1606			156	A		
	9	5				36			
	8	7							
	7	9							
	6	051					7056		
	5	3							
	4	5							
	3	7							
	2	9							
	1	061							
	3070	3	1612						
	9	5							
	8	7							
	7	9							
	6	071							
	5	3			T/C				LSP 3065 LF#074
	4	5					10770		FSP 3064 FF#075
	3	7					B'		
	2	9							
	1	081					7057		
	3060	3	1618			156			
	9	5				36			RADIO IN USE
	8	7							
	7	9							
	6	091							
	5	3							
	4	5							
	3	7							
	3052	099							

DATE: 11-10-75

PAGE 23 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/129	Group interval	328/164
State	OFF EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3151	901		N½	60,60,4,		10764	12-C	RPM'S 750-750
	3150	3	1520		60,59,52,		B		HDG 209°
	9	5			54,56.				T.B. N/U
	8	7							S.O.B 4.9
	7	9							
	6	911			T/C				LSP3150 LF#904
	5	3					10765		FSP 3149 FF#905
	4	5					'A'		
	3	7							
	2	9							PICKING UP OTHER
	1	921					7052		SEISMIC CREW IN
	3140	3	1527			170			AREA
	9	5				39			
	8	7							
	7	9							
	6	931							
	5	3							
	4	5							
	3	7			T/C				LSP3133 LF#938
	2	9					10766		FSP 3132 FF#939
	1	941					B		
	3130	3	1534						
	9	5							
	8	7					7053		
	7	9							
	6	951							
	5	3							
	4	5							
	3	7							
	2	9							
	1	961							
	3120	3	1541			168			
	9	5				38			
	8	7							
	7	9							
	6	971			T/C				LSP3116 LF#972
	5	3					10767		FSP 3115 FF#973
	4	5					A		
	3	7							
	2	9					7054		
	1	981							
	3110	3	1547						
	9	5							
	8	7							
	7	9							
	6	991							
	5	3							
	4	5							
	3	7							
	3102	999							

DATE: 11-10-75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 54

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3201	801		N/E	60,60,4,		10761	12-C	RPM'S 750-750
	3200	3			57,58,54	172	A		HDG 206°
	9	5			5554	39			T.B. N/V
	8	7							SOB 5.0
	7	9							SHORT FILE - FF# 802
	6	811			T/C				LSP 3201 LF# 802
	5	3					10762		FSP 3200 FF# 803
	4	5					B		
	3	7							
	2	9							PICKING UP OTHER
	1	821					7049		SEISMIC CREW IN AREA
	3190	3	1455						
	9	5							
	8	7							
	7	9							
	6	831							
	5	3							
	4	5			T/C				LSP 3184 LF# 836
	3	7					10763		FSP 3183 FF# 837
	2	9					A		
	1	841							
	3180	3	1501			166			
	9	5				38	7050		
	8	7							
	7	9							
	6	851							
	5	3							
	4	5							
	3	7							
	2	9							
	1	861							
	3170	3	1507						
	9	5							SHORT FILE - F# 870
	8	7							
	7	9			T/C				LSP 3167 LF# 870
	6	871					10764		FSP 3166 FF# 871
	5	3					'B'		
	4	5							
	3	7					7051		
	2	9							
	1	881							
	3160	3	1514			172			
	9	5				39			
	8	7							
	7	9							
	6	891							
	5	3							
	4	5							
	3	7							
	3152	899							

DATE: 11-10-75

PAGE 21 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client: USGS-75 | Type instrument: DFS III | Offset distance: 1640

Area: ACR | Record filter: 8-18/124 | Group interval: 328/164

State: OFF EAST COAST | Sample rate: 2ms | Fold coverage: 36

Observer: MILLER | gun depth: 30' | in.³ of guns: 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W. D.	Reel No.	Line No.	Remarks
	3251	701		N/E	60,60,X,		10759	12-C	RPM 750-750
	3250	3	1415		54,54,54,		A		HDG 200°
	9	5			54,54,				T.B. N/V
	8	7							SOB 5.3
	7	9					7046		
	6	711							
	5	3							
	4	5							
	3	7							
	2	9							
	1	721							
	3240	3	1421			162			
	9	5				37			
	8	7							
	7	9							
	6	731							
	5	3			T/C				LSP 3235 LF# 734
	4	5					10760		FSP 3234 FF# 735
	3	7					'B'		
	2	9							
	1	741					7047		
	3230	3	1428						
	9	5							
	8	7							
	7	9							
	6	751							
	5	3							
	4	5							
	3	7							
	2	9							
	1	761							
	3220	3	1434			170			
	9	5				39			
	8	7			T/C				LSP 3218 LF# 768
	7	9					10761		FSP 3217 FF# 769
	6	771					'A'		
	5	3							
	4	5					7048		
	3	7							
	2	9							
	1	781							
	3210	3	1441						
	9	5							
	8	7							
	7	9							
	6	791							
	5	3							
	4	5							
	3	7							
	3202	799							

DATE: 11-10-75

PAGE 20 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 54

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8 - 18/124	Group interval	32B/164
State	EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER	gun depth	30'	in.^{3} of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3301	601		N/E	60,64,X,		10756	12-C	RPM'S 750-050
	3300	3	1344		60,60,56	150	B		HDG 205°
	9	5			54,52	34			T.B. 2° PORT
	8	7					7043		SOB 5.2
	7	9							
	6	611							PICKING UP OTHER
	5	3							SEISMIC CREW IN
	4	5							AREA
	3	7							
	2	9							
	1	621							
	3290	3	1350						
	9	5							
	8	7							
	7	9							
	6	631			T/C				LSP3286 LF#632
	5	3					10757		FSP3285 FF#633
	4	5					A		
	3	7							
	2	9					7044		
	1	641							
	3240	3	1356			156			
	9	5				36			
	8	7							
	7	9							
	6	651							
	5	3							
	4	5							
	3	7							
	2	9							SHORT FILE - F#666
	1	661							
	3270	3	1402						
	9	5			T/C				LSP3269 LF#666
	8	7					10758		FSP3268 FF#667
	7	9					B		
	6	671							
	5	3					7045		
	4	5							
	3	7							
	2	9							
	1	681							
	3260	3	1408			158			
	9	5				36			
	8	7							
	7	9							
	6	691							
	5	3							
	4	5							
	3	7			T/C				LSP3252 LF#700
	3252	699					10759		FSP3351 FF#701

DATE: 11-10-75

PAGE 19 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 510

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	OFFEAST COAST	Sample rate	2MS	Fold coverage	36
Observer	MILLER	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3351	501		N/E	60,64,4,		10753	12-C	SPD 750-750
	3350	3	1312		56,56,54,		A		HDG 205°
	9	5			54,54.				TB 5° PORT
	8	7					7040		SOB 5.0
	7	9							
	6	571							
	5	3							
	4	5							
	3	7							
	2	9							
	1	521							PARITY - F#524
	3340	3	1314						
	9	5							
	8	7							
	7	9			T/C				LSP 3337 LF#530
	6	531					10754		FSP 3336 FF#531
	5	3					B'		
	4	5							
	3	7					7041		
	2	9							
	1	541							
	3320	3	1324						
	9	5							
	8	7							
	7	9							
	6	551							
	5	3							
	4	5							
	3	7							
	2	9							
	1	561							
	3320	3	1329		T/C				LSP 3329 LF#565
	9	5					10755		FSP 3319 FF#566
	8	7					A		
	7	9							
	6	571					7042		
	5	3							
	4	5							
	3	7							
	2	9							
	1	581							
	3310	3	1335						
	9	5							
	8	7							
	7	9							
	6	591							
	5	3							
	4	5							
	3	7			T/C				LSP 3303 LF#598
	3302	599					10756		FSP 3302 FF#599

DATE: 11-10-75

PAGE 18 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 311

Client	USGS-75	Type instrument	DFSIII	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EASTCOAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER PARKETT	gun depth	30	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3401	401		N/E	60,64,X,		10750	12-C	SPEED- 750-750
	3400	3	1239		58,57,55,	166'	B		HEAD- 202°
	9	5			X,52	38			T.B- N/U
	8	7							90B- 5.3
	7	9							
	6	411							
	5	3							
	4	5							
	3	7							
	2	9							
	1	421							
	3340	3	1246						
	9	5							
	8	7			T/C				LSP3388 LF#428
	7	9					10751		FSP3387 FF#429
	6	431					'A'		
	5	3							
	4	5					7038		
	3	7							
	2	9							
	1	441							
	3380	3	1252			165			
	9	5				38			
	8	7							
	7	9							
	6	451							
	5	3							
	4	5							
	3	7							
	2	9							
	1	461			T/C				LSP3371 LF#462
	3370	3	1258				10752		FSP3370 FF#463
	9	5					'B'		
	8	7							
	7	9					7039		
	6	491							
	5	3							
	4	5							
	3	7							
	2	9							
	1	481							
	3360	3	1305						
	9	5							
	8	7							
	7	9							
	6	491							
	5	3							
	4	5			T/C				LSP3354 LF#496
	3	7					10753		FSP3353 FF#497
	3352	499					'A'		PARITY - F#497

DATE: 11/10/75

PAGE 12 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ALR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	MILLER PAWKETT	gun depth	30	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3451	301		N/C	60, 64, X		10747	12-C	SPEED - 750-750
	3450	3	1209		60, 60, 58,		A		HEAD - 202°
	9	5			59, X, 54				T.B - N/N
	8	7							SOB - 5.4
	7	9							
	6	311							
	5	3							
	4	5							
	3	7							
	2	9							
	1	321							PARITY - FF#325
	3440	3	1214			156 36			
	9	5			T/C				LSP 3439 LF#326
	8	7					10748		FSP 3438 FF#327
	7	9					B		
	6	331							
	5	3							
	4	5							
	3	7							
	2	9							
	1	341							
	3430	3	1220						
	9	5							
	8	7							
	7	9							
	6	351							
	5	3							
	4	5							
	3	7							
	2	9			T/C				LSP 3422 LF#360
	1	361					10749		FSP 3421 FF#361
	3420	3	1227			174 40	A		
	9	5							
	8	7					7036		
	7	9							
	6	371							
	5	3							
	4	5							
	3	7							
	2	9							
	1	381							
	3410	3	1233						
	9	5							
	8	7							
	7	9							
	6	391							
	5	3			T/C				LSP 3405 LF#394
	4	5					10750		FSP 3404 FF#395
	3	7					B		
	3402	394					7037		

DATE: 11/10/75

PAGE 16 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2 ms	Fold coverage	36
Observer	PAWKETT	gun depth	30	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3501	201		NNE	62,66,58		10744	12-C	SPEED - 7.50
✓	3500	3	1138		58,54,55,54	174	B		HEAD - 203°
	9	5				40			T-B - N/T
	8	7							SOB - 5.3
	7	9							
	6	211							
	5	3							
	4	5							
	3	7							
	2	9							
	1	221							
✓	3490	3			T/C				LSP#3490 LF#224
	9	5					10745		FSP#3489 FF#225
	8	7					A		
	7	9							
	6	231							
	5	3					7035		
	4	5							
	3	7							
	2	9							
	1	241							
✓	3480	3	1150			162			
	9	5				37			
	8	7							
	7	9							
	6	251							
	5	3							
	4	5							
	3	7			T/C				LSP#3473 LF#258
	2	9					10746		FSP#3472 FF#259
	1	261					B		
✓	3470	3							PARITY ON FILES #258,
	9	5					7034		#259
	8	7							
	7	9							
	6	271							
	5	3							
	4	5							
	3	7							
	2	9							
	1	281							
✓	3460	3	1207						
	9	5							PARITY - F#289
	8	7							
	7	9							
	6	291			T/C				LSP 3456 LF#292
	5	3					10747		FSP 3455 FF#293
	4	5					A		
	3	7					7033		
	3452	299							

DATE: 11/10/75

PAGE 15 of ____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USBS 75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	B-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2ms	Fold coverage	30
Observer	PANKETT	gun depth	30	in.³ of guns	1700³

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3551	101		N/E	61,64,56		10741	12-C	SPEED- 7.30
✓	3550	3			58,54,39,54		A		HEAD-205°
	9	5							T.B.- N/V
	8	7							SOB- 5,4
	7	9							
	6	111							
	5	3							
	4	5							
	3	7							
	2	9							
	1	121			T/C				LSP#3541 LF#122
✓	3540	3	1113			180'	10742		FSP#3540 FF#123
	9	5				41	B		
	8	7							PARITY ON FILE #122
	7	9					7030		
	6	131							
	5	3							
	4	5							
	3	7							
	2	9							
	1	141							
✓	3530	3							
	9	5							
	8	7							
	7	9							
	6	151							
	5	3							
	4	5			T/C				LSP#3524 LF#156
	3	7					10743		FSP#3523 FF#157
	2	9					A		
	1	161							
✓	3520	3	1125			180'	7031		
	9	5				41			
	8	7							
	7	9							
	6	171							
	5	3							
	4	5							
	3	7							
	2	9							
	1	181							
✓	3510	3							
	9	5							
	8	7							
	7	9			T/C				LSP#3507 LF#190
	6	191					10744		FSP#3506 FF#191
	5	3					B		
	4	5							
	3	7					7032		
	3502	199							

DATE: 11/10/75

PAGE 14 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EASTCOAST	Sample rate	2 ms	Fold coverage	36
Observer	PAWKETT	gun depth	30	in.³ of guns	1700³

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3601	001		N/E	60,62,256,		10738	12-C	SPEED 750
✓	3600	3	1036		52,58,56,54	186	B		HEAD 206
	9	5				42			TB- NV
	8	7							SOB 5.5
	7	9							
	6	011							SP# 3600 BACK ON
	5	3							LINE
	4	5							
	3	7							
	2	9			T/C				LSP#3592 LF#020
	1	021					10739		FSP#3591 FF#021
	3590	3					A		
	9	5							PARITY ON FILE #21
	8	7					7027		
	7	9							
	6	031							
	5	3							
	4	5							
	3	7							
	2	9							
	1	041							
✓	3580	3	1048			186			
	9	5				42			
	8	7							
	7	9							
	6	051							
	5	3			T/C				LSP#3575 LF#054
	4	5					10740		FSP#3574 FF#055
	3	7					B		
	2	9							
	1	061					7028		
✓	3570	3							
	9	5							
	8	7							
	7	9							
	6	071							
	5	3							
	4	5							
	3	7							
	2	9							
	1	081							
✓	3560	3	1101						
	9	5							
	8	7			T/C				LSP#3558 LF#088
	7	9					10741		FSP#3557 FF#089
	6	093					A		
	5	3							
	4	5					7029		
	3	7							
	3552	099							

DATE 11/10/75

PAGE 13 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS-111 Offset distance 1140'

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328'/164'

State OFFSHORE EAST COAST Sample rate 2 MS Fold coverage 36

Observer PALMERETT gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3651	901		N/E	58,62,56		10735	12-C	SPD-RPM: 800
	3650	3			54,56,48		A		HDG: 205°
	9	5							TB: N/V
	8	7							SOB-Kts: 5.9
	7	9							
	6	911							
	5	3							
	4	5							
	3	7			T/C				LSP#3643 LF#918
	2	9					10736		FSP#3642 FF#919
	1	921					B		
	3640	3	1012			186			
	9	5				42			AT SP#3650 MAX.
	8	7							OFF LINE 2539'
	7	9					SLOT		
	6	931					14924		
	5	3							
	4	5							
	3	7							
	2	9							
	1	941							
	3630	3							
	9	5							
	8	7							
	7	9							
	6	951			T/C				LSP#3628 LF#952
	5	3					10737		FSP#3627 FF#953
	4	5					A		
	3	7							
	2	9					7025		
	1	961							
	3620	3	1024			186			
	9	5				42			
	8	7							
	7	9							
	6	971							
	5	3							
	4	5							
	3	7							
	2	9							
	1	981							
	3610	3							
	9	5			T/C				LSP#3609 LF#986
	8	7					10738		FSP#3608 FF#987
	7	9					B		
	6	991							
	5	3					7026		
	4	5							
	3	7							
	3602	999							

DATE: 10 Nov 1975

PAGE 12 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	ACA	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2ms	Fold coverage	36
Observer	PARKETT	gun depth	30	in.³ of guns	1700³

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3701	801		N/E	62,64,256		10732	12-C	SPEED - 7.30
✓	3700	3	0940		56,54,55,54	180	B		HEAD - 298°
	9	5				91			T.B - N/T
	8	7							SOB - 5.6
	7	9							
	6	811							
	5	3							
	4	5			T/C				LSP#3698 LF#816
	3	7					10733		FSP#3693 FF#817
	2	9					A		
	1	821							
	3690	3					7022		
	9	5							PICKING UP SPEED
	8	7							TO AVOID LOBSTER
	7	9							POT AND FISHING BOAT
	6	831							
	5	3							COMING 10° PORT DUE
	4	5							TO LOBSTER POT AND
	3	7							FISHING BOAT
	2	9							
	1	841							COMING 5° MORE
✓	3680	3	0950			186'			NOISE AT FRONT OF
	9	5				92			CABLE TO TURN
	8	7							
	7	9			T/C				LSP#3677 LF#850
	6	851					10734		FSP#3676 FF#851
	5	3					B		
	4	5							
	3	7					7023		
	2	9							
	1	861							
✓	3670	3							
	9	5							
	8	7							
	7	9							
	6	871							
	5	3							
	4	5							
	3	7							
	2	9							
	1	881							
✓	3660	3	10:01		T/C		186'		LSP#3660 LF#884
	9	5					10735		FSP#3659 FF#883
	8	7					A		
	7	9							
	6	891					7024		COMING TO PORT TO
	5	3							HEAD BACK ON LINE
	4	5							
	3	7							
	3652	899							

DATE: 11/10/75

PAGE 11 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DESTII	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2MS	Fold coverage	36
Observer	PAWKETT	gun depth	30	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3751	701		N/E	62,64,58		10729	12-C	SPEED- 750
	3750	3			58,52,53,54		A		HEAD-201°
	9	5							T.B.: N/V
	8	7							SOB.: 5.6
	7	9							
	6	711							
	5	3			T/C				LSP#3745 LF#714
	4	5					10730		FSP#3744 FF#715
	3	7					B		
	2	9							
	1	721					7019		
	3740	3	0915			180' 41'			
	9	5							
	8	7							RADIO IN USE
	7	9							
	6	731							
	5	3							
	4	5							
	3	7							
	2	9							
	1	741							
	3730	3							
	9	5							
	8	7			T/C				LSP#3728 LF#748
	7	9					10731		FSP#3727 FF#749
	6	751					A		
	5	3							
	4	5					7070		
	3	7							
	2	9							
	1	761							
	3720	3	0926			180' 41'			
	9	5							
	8	7							
	7	9							
	6	771							
	5	3							
	4	5							
	3	7							
	2	9							
	1	781			T/C				LSP#3711 LF#782
	3710	3					10732		FSP#3710 FF#783
	9	5					B		
	8	7							
	7	9					7071		✓
	6	791							
	5	3							
	4	5							
	3	7							
	3702	749							

DATE: 11/10/75

PAGE 10 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS - 75 Type instrument DFS-III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8-18 / 124 Group interval 328/164

State Offshore EAST COAST Sample rate 2ms Fold coverage 36

Observer PAW HETT gun depth 30' in.³ of guns 1200³

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3801	606		N N/E	56,50,48		10726	12L	SPD-RPM: 750
	3800	3	0839		58,54,54,52	180	B		HDG: 200
	9	5				41 ms			TB: 40 Port
	8	7							SOB-KTS: 5.7
	7	9							
	6	611			T				LSP #3796 LF# 612
	5	3			C		10727		FSP #3795 FF# 613
	4	5					A		
	3	7							
	2	9					7017		
	1	621							
	3790	3							
	9	5							
	8	7							
	7	9							
	6	631							PICKING UP SCREW
	5	3							NOISE
	4	5							
	3	7							
	2	9							
	1	641							
	3780	3	0851			180			
	9	5			T	41			LSP #3779 LF# 646
	8	7			C		10728		FSP #3778 FF# 647
	7	9					B		
	6	651							
	5	3							
	4	5					7018		
	3	7							
	2	9							
	1	661							
	3770	3							
	9	5							
	8	7							SHIP CUT TAIL
	7	9							BOUY
	6	671							
	5	3							
	4	5							
	3	7							
	2	9			T				LSP #3762 LF# 680
	1	681			C		10729		FSP #3761 FF# 681
	3760	3	0903			180'	A		
	9	5				41			
	8	7					7013		
	7	9							
	6	691							
	5	3							
	4	5							
	3	7							
	3752	1699							

DATE: 10 Nov 1975

PAGE 9 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	U.S.G.S.-75	Type instrument	DFS III	Offset distance	1140
Area	ACR	Record filter	8/18/124	Group interval	328/164
State	EAST COAST	Sample rate	2 ms	Fold coverage	36
Observer	PANKETT	gun depth	30	in.³ of guns	1200³

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W. D.	Reel No.	Line No.	Remarks
	3851	501		N/E	60,60,X60		10723	12-C	SPEED - 7.50
	3850	3			60,,		A		HEAD 203°
	9	5							T.B. - 5° PORT
	8	7							SOB - 5.6
	7	9							
	6	511			T				
	5	3			C				LSP#3847 LF#510
	4	5					10724		FSP#3846 FF#511
	3	7					B		
	2	9							
	1	521							
	3840	3	0817			180 41	7014		
	9	5							
	8	7							
	7	9							
	6	531							
	5	3							
	4	5							
	3	7							
	2	9							
	1	541							
	3830	3			T/C				LSP#3830 LF#544
	9	5					10725		FSP#3829 FF#545
	8	7					A		
	7	9							PARITY ON FILE #545
	6	551							
	5	3					7015		
	4	5							
	3	7							
	2	9							
	1	561							
	3820	3	0828			180 41			
	9	5							
	8	7							
	7	9							
	6	571							
	5	3							
	4	5							
	3	7			T/C				LSP#3813 LF#578
	2	9					10726		FSP#3812 FF#579
	1	581					B		
	3810	3							
	9	5					7016		
	8	7							
	7	9							
	6	591							
	5	3							
	4	5							
	3	7							
	3802	599							

DATE: 11/10/75

PAGE 8 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DESTIE	Offset distance	1140
Area	ACR	Record filter	8-18/124	Group interval	328/164
State	EAST COAST	Sample rate	2 ms	Fold coverage	36
Observer	PAWKETT	gun depth	30'	in.³ of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3901	401		N/E	58,60,62,60		10720	12-C	SPEED-775-750
✓	3900	3	0741		58,54,56,52	180'	B		HEAD-203
	9	5				41			T. B. - 4° Port
	8	7							S.O.B. - 5.7
	7	9							
	6	411			T/C				
	5	3							LSP# 3808 LF# 408
	4	5					10721		FSP# 3807 FF# 409
	3	7					A		
	2	9							
	1	421					7010		
✓	3890	3							
	9	5							
	8	7							
	7	9							
	6	431							
	5	3							
	4	5							
	3	7							
	2	9							
	1	441			T/C				LSP# 3881 LF# 442
✓	3880	3	0753			180'	10722		FSP# 3880 FF# 443
	9	5				41	B		
	8	7							
	7	9							
	6	451					7011		
	5	3							
	4	5							
	3	7							
	2	9							
	1	461							
✓	3870	3							
	9	5							
	8	7							
	7	9							
	6	471							
	5	3							
	4	5			T/C				LSP# 3864 LF# 476
	3	7					10723		FSP# 3863 FF# 477
	2	9					A		
	1	481							
✓	3860	3	0805			186'	7012		
	9	5				42			TRACES #41 IS
	8	7							HALF A TRACES
	7	9							
	6	491							
	5	3							
	4	5							
	3	7							
	3852	499							

DATE: 10/10/75

PAGE 7 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area Atlantic Coast Rise Record filter 8-18 / 124 Group interval 328/164

State Offshore East Coast Sample rate 2ms Fold coverage 36

Observer PAW KETT gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	3951	301		N	58,60,58,58		10717	12-C	SPD-RPM: 775
✓	3950	3			58,52,53,59		A		HDG: 204
	9	5							TB: 4° Port
	8	7							SOB-KTS: 5.6
	7	9							
	6	311			T				
	5	3			C				LSP#3949 LF#306
	4	5					10718		FSP#3948 FF#307
	3	7					B		
	2	9							
	1	321					7007		
✓	3940	3	0718			180' 41			
	9	5							
	8	7							
	7	9							
	6	331							
	5	3							
	4	5							
	3	7							
	2	9							LSP#3939 LF#340
	1	341			T/C		10719		FSP#3938 FF#341
	3930	3					A		
	9	5							
	8	7					7008		
	7	9							
	6	351							
	5	3							
	4	5							
	3	7							
	2	9							
	1	361							
✓	3920	3	0730			180 41			
	9	5							
	8	7							
	7	9							
	6	371							
	5	3			T/C				LSP#2915 LF#374
	4	5					10720		FSP#2914 FF#375
	3	7					B		
	2	9							
	1	381					7009		
✓	3910	3							
	9	5							
	8	7							
	7	9							
	6	391							
	5	3							
	4	5							
	3	7							
	2	9							

DATE: 11 Nov 1975

PAGE 6 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. SHELF Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2MS Fold coverage 36

Observer PADKETT gun depth 30' in.³ of guns 1700 in³

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	4001	201		N/E	56,58,238			12-C	R.P.M. 5-775
	4000	3	0643		58,52,3450	180'			HEADING 206
	9	5				41			T.B. 0°
	8	7							S.O.B. 5,5
	7	9			T				
	6	211			L				
	5	3							LSP# 4000 LF# 204
	4	5					10745		FSP# 3999 FF# 205
	3	7					A		
	2	9							
	1	221					700'		
✓	3990	3							
	9	5							
	8	7							
	7	9							
	6	231							
	5	3							
	4	5							
	3	7			T				LSP# 3983 LF# 238
	2	9			L		10746		FSP# 3982 FF# 239
	1	241					B		
✓	3980	3	0654			180'			
	9	5				41			
	8	7					700'		
	7	9							
	6	251							
	5	3							
	4	5							
	3	7							
	2	9							
	1	261							
✓	3970	3							
	9	5							
	8	7							
	7	9							
	6	271			T/L				LSP# 3966 LF# 272
	5	3					10747		FSP# 3965 FF# 273
	4	5					A		
	3	7							
	2	9					700'		
	1	281							
✓	3960	3	0706			180'			
	9	5				41			
	8	7							
	7	9							
	6	291							
	5	3							
	4	5							
	3	7							
	2	9							

DATE: 11/10/75

PAGE 5 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DESIII Offset distance 1140

Area ATLANTIC CONT. SHELF Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWKETT gun depth 30' in.³ of guns 1700³

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	4051	101		N/E	58,60,56,		10711	12-C	R.P.M.s 775
	4050	3			56,54,5 50		A		HEADING 205°
	9	5							V.B. 0°
	8	7							S.O.B. 5.5
	7	9							
	6	111							LSP#4051 LF#102
	5	3					10712		FSP#4050 FF#103
	4	5					B		FILE #103 - PARITY
	3	7							
	2	9					7001		
	1	121							
✓	4040	3	0619			168'			@ FILE #127 - CHANGED
	9	5				38			POLARITY ON TRACE #30
	8	7							
	7	9							
	6	131							
	5	3							
	4	5							LSP#4034 LF#136
	3	7					10713		FSP#4033 FF#137
	2	9					A		
	1	141							
✓	4030	3							
	9	5					7002		
	8	7							
	7	9							
	6	151							
	5	3							
	4	5							
	3	7							
	2	9							
	1	161							
✓	4020	3	0631			168'			
	9	5				38			
	8	7							
	7	9							LSP#4017 LF#170
	6	171					10714		FSP#4016 FF#171
	5	3					B		
	4	5							
	3	7					7003		
	2	9							
	1	181							
✓	4010	3							
	9	5							
	8	7							
	7	9							
	6	191							
	5	3							
	4	5							
	3	7							
	2	9							

DATE: 11/10/75 PAGE 4 of

506-3-68

T/1PPUS @800 BPI

138 - 180

SPS 4101-2069

Box 134-141

digicon inc. #511

OBSERVERS MARINE REPORT

Client USGS 75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT'L RISE Record filter 8 - 18 / 124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWLETT gun depth 30' in.³ of guns 1700³

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
N	4101	001	05:42	N/E	60.59.x.58	168'	10709	12-C	SPD-RPM: 725
✓	4100	3			58.56.56.54	51.54 38ms	A		HDG: 206°
	9	5							TB: 0°
	8	7				Archive	6999		SDB-KTS: 4.9
	7	9							
	6	011							
	5	3							
	4	5							
	3	7							
	2	9							
	1	021							
✓	4090	3							
	9	5							
	8	7							
	7	9							
	6	031							
	5	3			T/C				LSP# 4085 LF# 034
	4	5					10710		FSP# 4084 FF# 035
	3	7					B		
	2	9							
	1	041							
✓	4080	3				~~172~~'			
	9	5				168'			
	8	7				38	6999		
	7	9							
	6	051							
	5	3							
	4	5							
	3	7							
	2	9							
	1	061							
✓	4070	3							
	9	5							
	8	7			T/C				LSP# 4068 LF# 068
	7	9					10711		FSP# 4067 FF# 069
	6	071					A		
	5	3							
	4	5					7000		
	3	7							
	2	9							
	1	081							
✓	4060	3	0607			172'			
	9	5				39			
	8	7							
	7	9							
	6	091							
	5	3							
	4	5							
	3	7							
	2	9							

12:30

10 Nov 1975

PAGE 3 of