M/V GULF SEAL

digicon inc.
HOUSTON, TEXAS

Date NOV. 19, 1970

Type Coverage 36 Fold

MARINE LOG

Area ATLANTIC CONT. RISE

Shot Point Spacing 328'

Party No. 511

| TIME | LINE | SHOT POINTS | DIR | TOTAL SHOT POINTS | MILES | OTHER TIMES | | | | Chargeable TIME | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | TRAVEL | LINE CHANGE | DOWN | SURV. | | |
| 0453 0001 | 13-A | 083 552 | S/W | 470 | 29.20 | | | | | | CONTINUE LINE 13-A |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 0610 0453 | | | | | | | | | | | COMPLETED 13-A |
| | | | | | | | | | | | PICKING UP CABLE |
| | | | | | | | | | | | |
| 1115 0610 | | | | | | | | | | | CABLE ONBOARD |
| | | | | | | | (NOTE) | | | | ENROUTE DIAMOND |
| | | | | | | | | | | | SIGNAL LIGHT |
| | | | | | | | CHANGING OUT | | | | TOWER. |
| | | | | | | | PORT INBOARD | | | | |
| | | | | | | | FEEDING LINE | | | | |
| | | | | | | | OUT THIS DATE | | | | |
| 1305 1115 | | | | | | | | | | | FIRE AND |
| | | | | | | | | | | | ABANDONAL STOP |
| | | | | | | | | | | | DRILL - STBD. |
| | | | | | | | | | | | WET - FIRE HOSE |
| | | | | | | | | | | | COIL NEED REPLACE |
| 1354 1305 | | | | | | | | | | | STARTED CABLE |
| | | | | | | | | | | | CHECK - |
| 2400 1354 | | | | | | | | | | | ENROUTE LINE |
| | | | | | | | | | | | 13-E AND 13F |
| | | | | | | | | | | | TO RESTART |
| | | | | | | | | | | | THESE LINES |
| 2400 | | | | | | | | | | | END OF DAY |
| | | | | 470 | 29.20 | | | | | | TOTALS |

TOTAL MEN 21

TOTAL MEALS 63

ACC. MILES PROSPECT 2436.78

ACC. MILES FOR MONTH 932.92

PARTY MANAGER

522-10-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF N. CAROLINA Sample rate 2 MS Fold coverage 36

Observer PAUKETT gun depth 30' in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #Idir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 102 | 913 | | N | 57.58.58.X | | 11295 | 13-A | R.P.M.'s 775 |
| | 1 | 5 | | | 59.57.X.53 | | A | | HEADING 203° |
| 2133 | 100 | 7 | 04:43 | | | 12,096' | | | T.B. 0° |
| | 9 | 9 | | | | 3688 | | | S.O.R. 5.4 W.T. |
| | 8 | 921 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 931 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | T/C | | | | LSP# 091 LF# 936 |
| 2153 | 090 | 7 | | | | | 11296 | | FSP# 090 FF# 937 |
| | 9 | 9 | | | | | B | | |
| | 8 | 941 | | | | | | | |
| | 7 | 3 | | | | | 9153 | | |
| | 6 | 5 | | | | | | | |
| 2163 | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 083 | 951 | 0453 | | | | | | LSP# 083 LF# 952 |

E.O.K.

DATE: 11/19/75

PAGE 10 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF N. CAROLINA Sample rate 2 ms Fold coverage 36

Observer PAWKETT gun depth 30' in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 152 | 813 | | N/E | 57·59·58·X | | 11292 | 13·A | R.P.M.$^s$ 775 |
| | 1 | 5 | | | 59·57·X·54 | | B | | HEADING 205° |
| 203 | 150 | 7 | | | | | | | T.B. 2° PT |
| | 9 | 9 | | | | | 8150 | | S.O.B. 5.5 W.T. |
| | 8 | 821 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 831 | | | | | | | |
| | 2 | 3 | | | T/C | | | | LSP# 142 LF# 834 |
| | 1 | 5 | | | | | 11293 | | FSP# 141 FF# 835 |
| 205 | 140 | 7 | 04:19 | | | 11940 | A | | |
| | 9 | 9 | | | | 3640 | | | |
| | 8 | 841 | | | | | 8151 | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 851 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 130 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 861 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | T/C | | | | LSP# 125 LF# 868 |
| | 4 | 9 | | | | | 11294 | | FSP# 124 FF# 869 |
| | 3 | 871 | | | | | B | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 2093 | 120 | 7 | 04:31 | | | 12,046' | | | |
| | 9 | 9 | | | | 3673 | 8152 | | |
| | 8 | 881 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 891 | | | | | | | |
| | 2 | 3 | | | | | | | PICKING UP SCREW |
| | 1 | 5 | | | | | | | NOISE!! |
| 2113 | 110 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 901 | | | T/C | | | | LSP# 108 LF# 902 |
| | 7 | 3 | | | | | 11295 | | FSP# 107 FF# 903 |
| | 6 | 5 | | | | | A | | |
| | 5 | 7 | | | | | ~~[illegible]~~ | | |
| | 4 | 9 | | | | | ~~[illegible]~~ | | |
| | 3 | 911 | | | | | 7327 | | |

DATE: 11/19/75

PAGE 9 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 5-11

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Client | USGS-75 | Type instrument | DFS III | Offset distance | 1140 | | |
| Area | ACR | Record filter | 8-16/124 | Group interval | 328/164 | | |
| State | EAST COAST | Sample rate | 2ms | Fold coverage | 36 | | |
| Observer | PANKETT | gun depth | 30' | in.$^3$ of guns | 1700 | | |

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 202 | 713 | | NW/SE | 57·58·58·X | | 11289 | 13A | RPM's 700 |
| | 1 | 5 | | | 59·57·X·59 | | A | | HDG 200° |
| 1933 | 200 | 7 | 03:43 | | | 11916 | | | T.B. 0° |
| | 9 | 9 | | | | 3633 | | | S.O.B 5.0 W.T. |
| | 8 | 721 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 731 | | | T/C | | | | LSP# 193 LF# 732 |
| | 2 | 3 | | | | | 11290 | | FSP# 192 FF# 733 |
| | 1 | 5 | | | | | B | | |
| | 190 | 7 | | | | | | | |
| | 9 | 9 | | | | | 8146 | | |
| | 8 | 741 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 751 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1973 | 180 | 7 | 08:35 | | | 12,000' | | | |
| | 9 | 9 | | | | 3649 | | | |
| | 8 | 761 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | T/C | | | | LSP# 176 LF# 766 |
| | 5 | 7 | | | | | 11291 | | FSP# 175 FF# 767 |
| | 4 | 9 | | | | | A | | |
| | 3 | 771 | | | | | | | |
| | 2 | 3 | | | | | 8149 | | |
| | 1 | 5 | | | | | | | |
| | 170 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 781 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 791 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 2013 | 160 | 7 | 04:07 | | | 12,420' | | | |
| | 9 | 9 | | | T/C | 3787 | | | LSP# 159 LF# 800 |
| | 8 | 801 | | | | | 11292 | | FSP# 158 FF# 801 |
| | 7 | 3 | | | | | B | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | 8150 | | |
| | 4 | 9 | | | | | | | |
| | 153 | 811 | | | | | | | |

DATE: 11/19/75

PAGE 8 of

506-3-68

# digicon inc. # 50

OBSERVERS MARINE REPORT

Client USGS-75 | Type instrument DFS III | Offset distance 1140

Area ACR | Record filter 8-18/124 | Group interval 328/164

State EAST COAST | Sample rate ~~30~~ 2ms | Fold coverage 36

Observer PANKETTO | gun depth 30' | in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #Idir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 252 | 613 | | NW | 57·58·58·X | | 11286 | 13-A | RPM's 700 |
| | 1 | 5 | | | 59·57·X·54 | | B | | HDG 206° |
| ✓ | 250 | 7 | | | | | | | T.B. 0° |
| | 9 | 9 | | | | | | | SOP. 5.7 W.T. |
| | 8 | 621 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | T/C | | | | LSP# 244 LF# 630 |
| | 3 | 631 | | | | | 11287 | | FSP# 243 FF# 631 |
| | 2 | 3 | | | | | A | | |
| | 1 | 5 | | | | | | | |
| 1153 ✓ | 240 | 7 | 03:17 | | | 11820 | | | |
| | 9 | 9 | | | | 3604 | 8145 | | |
| | 8 | 641 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 651 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| ✓ | 230 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 661 | | | | | | | |
| ✓ | 7 | 3 | | | T/C | | | | LSP# 227 LF# 664 |
| | 6 | 5 | | | | | 11288 | | FSP# 226 FF# 665 |
| | 5 | 7 | | | | | B | | |
| | 4 | 9 | | | | | | | |
| | 3 | 671 | | | | | 8146 | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1193 ✓ | 220 | 7 | 03:30 | | | 11,880' | | | |
| | 9 | 9 | | | | 3622 | | | |
| | 8 | 681 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 691 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| ✓ | 210 | 7 | | | T/C | | | | LSP# 210 LF# 698 |
| | 9 | 9 | | | | | | | FSP# 209 FF# 699 |
| | 8 | 701 | | | | | | | |
| | 7 | 3 | | | | | 8147 | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 203 | 711 | | | | | | | |

DATE: 11/14/75

PAGE 1 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS-III Offset distance 1140

Area Atlantic Cont'l Riso Record filter 8-18 / 124 Group interval 328/164

State Offshore No. Carolina Sample rate 2ms Fold coverage 36

Observer PARKETT gun depth 30' in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 302 | 513 | | 11 N/E | 57.58.58.X | | 11283 | 13-A | TPM: 700 |
| | 1 | 5 | | | 60.57.X.54 | | A | | HDG: 203° |
| 143 | ✓ 300 | 7 | 02:40 | | | 11,700 | | | TB: 0° |
| | 9 | 9 | | | | 3567 | | | SOB-KTS: 5.5 |
| | 8 | 521 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | T/C | | | | LSP# 295 LF# 528 |
| | 4 | 9 | | | | | 11284 | | FSP# 294 FF# 529 |
| | 3 | 531 | | | | | B | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | 9295 | | |
| | ✓ 290 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 541 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 551 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 173 | ✓ 280 | 7 | 02:53 | | | 11,724 | | | |
| | 9 | 9 | | | | 3574 | | | |
| | 8 | 561 | | | T/C | | | | LSP# 278 LF# 562 |
| | 7 | 3 | | | T/C | | 11285 | | FSP# 277 FF# 563 |
| | 6 | 5 | | | | | A | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | 9143 | | |
| | 3 | 571 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 203 | ✓ 270 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 581 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 591 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | T/C | | | | LSP# 261 LF# 596 |
| 163 | ✓ 260 | 7 | 03:07 | | T/C | 11,772 | 11286 | | FSP# 260 FF# 597 |
| | 9 | 9 | | | | 3589 | B | | |
| | 8 | 601 | | | | | | | |
| | 7 | 3 | | | | | 9144 | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 253 | 611 | | | | | | | |

DATE: 19 Nov 1975



506-3-68

# digicon inc. # 511

OBSERVERS MARINE REPORT

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Client | USGS-75 | Type instrument | DFS III | Offset distance | 1140 | | |
| Area | ACR | Record filter | 8-18/129 | Group interval | 328/164 | | |
| State | EAST COAST | Sample rate | 2ms | Fold coverage | 36 | | |
| Observer | PAWLETT | gun depth | 30' | in.³ of guns | 1200³ | | |

| Pre-Plot | Shotpoint | File No. | Time | #Idir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 352 | 413 | | NW | 57,59,58,X | | 11280 | 13-A | RPM's 625-700 |
| | 1 | 5 | | | 60,57,X54 | | D | | HOG - 209 |
| 1630 | 350 | 7 | | | | | | | TB - 00 |
| | 9 | 9 | | | | | | | SOB - 5.6 w/T |
| | 8 | 427 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | K | | | | LSP# 346 LF# 426 |
| | 5 | 7 | | | | | 11281 | | FSP# 345 FF# 427 |
| | 4 | 9 | | | | | A | | |
| | 3 | 431 | | | | | | | |
| | 2 | 3 | | | | | 7294 | | |
| | 1 | 5 | | | | | | | |
| 1645 | 340 | 7 | 0214 | | | 11,652' | | | |
| | 4 | 9 | | | | 3552 | | | |
| | 8 | 441 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 451 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 330 | 7 | | | | | | | |
| | 9 | 9 | | | T/C | | | | LSP# 329 LF# 460 |
| | 8 | 461 | | | | | 11282 | | FSP# 328 FF# 461 |
| | 7 | 3 | | | | | B | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | 7297 | | |
| | 3 | 471 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1692 | 320 | 7 | 02:27 | | | 11,664' | | | |
| | 9 | 9 | | | | 3556 | | | |
| | 8 | 481 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 491 | | | | | | | |
| | 2 | 3 | | | T/C | | | | LSP# 312 LF# 494 |
| | 1 | 5 | | | | | 11283 | | FSP# 311 FF# 495 |
| 1713 | 310 | 7 | | | | | A | | |
| | 9 | 9 | | | | | | | |
| | 8 | 501 | | | | | 7296 | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 303 | 511 | | | | | | | |

DATE: 11/19/75



506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-25 Type instrument DFS III Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 328/164

State EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWLETT gun depth 30' in.³ of guns 1200³

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 402 | 303 | | NNE | 56,58,52,Y | | 11277 | 13-A | RPM 675-650 |
| | 1 | 5 | | | 59,56,53 | | A | | HDG 189° |
| 1533 | ✓400 | 7 | 0134 | | | 11580 | | | TD 0° |
| | 9 | 9 | | | | 3536M | | | SOD 5.2 mT |
| | 8 | 321 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | | | | | K | | | | LSP#397 LF#324 |
| | 6 | 5 | | | | | 11278 | | FSP#396 FF#325 |
| | 5 | 7 | | | | | B | | |
| | 4 | 9 | | | | | | | PARITY ON FILE #325 |
| | 3 | 331 | | | | | | | |
| | 2 | 3 | | | | | 9301 | | |
| | 1 | 5 | | | | | | | |
| | ✓390 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 341 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 351 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1547 | ✓380 | 7 | 0146 | | K | 11604 | | | LSP#380 LF#358 |
| | 9 | 9 | | | K | 3537M | 11279 | | FSP#379 FF#359 |
| | 8 | 361 | | | | | A | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | 7300 | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 371 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| ~~1603~~ | ✓370 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 381 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 391 | | | K | | | | LSP#363 LF#392 |
| | 2 | 3 | | | K | | 11280 | | FSP#362 FF#393 |
| | 1 | 5 | | | | | B | | |
| 1643 | ✓360 | 7 | 0201 | | | 11616 | | | |
| | 9 | 9 | | | | 3541M | | | |
| | 8 | 301 | | | | | 7299 | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 353 | 311 | | | | | | | |

DATE: 11-18-25 PAGE 4 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

| | | | | | |
|---|---|---|---|---|---|
| Client | USGS- 75 | Type instrument | DFS- 111 | Offset distance | 1140 |
| Area | Atlantic Cont'l Rise | Record filter | 8-18 / 124 | Group interval | 328/164 |
| State | Offshore No. Carolina | Sample rate | 2ms | Fold coverage | 36 |
| Observer | PAWKETT | gun depth | 30' | in.$^3$ of guns | 1700$^3$ |

| Pre-Plot | Shotpoint | File No. | Time | #1dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 452 | 213 | | NWE | 57,58,56K | | 11274 | 13-A | RPM: 675-650 |
| | 0 | 5 | | | 58,54,751 | | B | | HDG: 189 |
| 143 | ✓ 450 | 7 | | | | | | | TB: 5° Port |
| | 9 | 9 | | | | | | | SOB-Kts: 5.2 wt |
| | 8 | 221 | | | T/C | | | | LSP#448 LF#222 |
| | 7 | 3 | | | | | 11275 | | FSP#447 FF#223 |
| | 6 | 5 | | | | | A | | |
| | 5 | 7 | | | | | | | PARITY ON FILE #233 |
| | 4 | 9 | | | | | | | |
| | 3 | 231 | | | | | 7282 | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 143 | ✓ 440 | 7 | 0108 | | | 11616 | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 241 | | | | 3541M | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 251 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | T/C | | | | LSP#431 LF#256 |
| | ✓ 430 | 7 | | | | | 11276 | | FSP#430 FF#257 |
| | 9 | 9 | | | | | B | | |
| | 8 | 261 | | | | | | | |
| | 7 | 3 | | | | | 7303 | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 271 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 143 | ✓ 420 | 7 | 0121 | | | 11568 | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 281 | | | | 3526M | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | T/C | | | | LSP#414 LF#290 |
| | 3 | 291 | | | | | | | FSP#413 FF#291 |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | 7302 | | |
| | ✓ 410 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 301 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 403 | 311 | | | | | | | |

DATE: 19 Nov 1975

PAGE 3 of ____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 328/164

State EAST COAST Sample rate 2ms Fold coverage 36

Observer PAWLETT gun depth 30' in.³ of guns 1700³

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 502 | 113 | | NNE | 56,59,57X | | 11271 | 13A | RPM'S - 650-675 |
| | 1 | 3 | | | 53,52,X50 | | A | | HDG - 191° |
| 133 | ✓500 | 7 | 0029 | | | 11606 | | | T.B. - 9° PORT |
| | 9 | 9 | | | | | | | SOB - 53 WT |
| | 8 | 129 | | | T | | | | |
| | 7 | 3 | | | C | | | | LSP# 499 LF# 120 |
| | 6 | 5 | | | | | 11272 | | FSP# 498 FF# 121 |
| | 5 | 7 | | | | | B | | |
| | 4 | 9 | | | | | | | |
| | 3 | 131 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | 7285 | | |
| | ✓490 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 141 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 151 | | | | | | | |
| | 2 | 3 | | | K | | | | LSP# 482 LF# 154 |
| | 1 | 5 | | | | | 11273 | | FSP# 481 FF# 155 |
| 173 | ✓480 | 7 | 0042 | | | 11616 | A | | |
| | 9 | 9 | | | | 35911 | | | |
| | 8 | 161 | | | | | | | |
| | 7 | 3 | | | | | 7284 | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 171 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | ✓470 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 181 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | K | | | | LSP# 465 LF# 188 |
| | 4 | 9 | | | | | 11274 | | FSP# 464 FF# 189 |
| | 3 | 191 | | | | | B | | |
| | 2 | 3 | | | | | | | PARITY ON FILES #195, |
| | 1 | 5 | | | | | 7283 | | #205 |
| 143 | ✓460 | 7 | 0055 | | | 11616 | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 201 | | | | 35911 | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 453 | 211 | | | | | | | |

DATE: 11-19-75

PAGE 2 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

| | | | | | |
|---|---|---|---|---|---|
| Client | USGS-75 | Type instrument | DFS III | Offset distance | 1140 |
| Area | ACR | Record filter | 8-18/124 | Group interval | 328/164 |
| State | EAST COAST | Sample rate | 2ms | Fold coverage | 36 |
| Observer | PAWKETT | gun depth | 30' | in.$^3$ of guns | 1700 |

| Pre-Plot | Shotpoint | File No. | Time | #1dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 552 | 013 | | NE | 56,59,57, | | 11268 | 13A | RPM'S 675-675 |
| | 1 | 5 | | | X,57,51, | | B | | HDG 206 |
| | 550 | 7 | 2357 | | X,50 | | | | T.B. 0° |
| | 9 | 9 | | | | | 7289 | | S.O.B. 5.3 W.T. |
| | 8 | 021 | | | T/C | | | | LSP 550 LF#018 |
| | 7 | 3 | | | | | 11269 | | FSP 549 FF#019 |
| | 6 | 5 | | | | | 'A' | | PARITY - F#019 |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 031 | | | | | 7288 | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 540 | 7 | 0004 | | | 11428' | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 041 | | | | 3483M | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 051 | | | T/C | | | | LSP#533 LF#-052 |
| | 2 | 3 | | | | | 11270 | | FSP#532 FF#-053 |
| | 1 | 5 | | | | | 'B' | | |
| | 530 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 061 | | | | | 7287 | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 071 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1293 | 520 | 7 | 0017 | | | 11616' | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 081 | | | | 3541 | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | T/C | | | | LSP#516 LF#086 |
| | 5 | 7 | | | | | 11271 | | FSP#515 FF#087 |
| | 4 | 9 | | | | | A | | PARITY ON FILE #087 |
| | 3 | 091 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | 7286 | | |
| 13 | 510 | 7 | | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 101 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 503 | 111 | | | | | | | |

DATE: 19 NOV 75

PAGE 1 of

5-68

# OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 | Type instrument DFS III | Offset distance 1140

Area Atlantic Cont'l Rise | Record filter 8-18 / 124 | Group interval 328/164

State Offshore No. Carolina | Sample rate 2 ms | Fold coverage 36

Observer MILLER | gun depth 30' | in.³ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 577 | 963 | | NNE | 53,57,52 | 11400 | 11267 | 13A | RPM: 675-675 |
| | 6 | 5 | | | X, 56, 54, | 3476 | A | | HDG: 206° |
| | 5 | 7 | | | Y, 52. | | 7290 | | TB: 0° |
| | 4 | 9 | | | | | | | SOB-KTS 5.2 W.T. |
| | 3 | 971 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1143 | 570 | 7 | 2345 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 981 | | | | | | | |
| | 7 | 3 | | | T/C | | | | LSP 567 LF#984 |
| | 6 | 5 | | | | | 11268 | | FSP 566 FF#985 |
| | 5 | 7 | | | | | B | | PARITY - F#985 |
| | 4 | 9 | | | | | | | |
| | 3 | 991 | | | | | 7289 | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1213 | 560 | 7 | 2351 | | | 11,395 | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 001 | | | | 3474 | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 553 | 011 | 2356 | | | | | | LSP 553 LF#012 |
| | | 3 | | | END OF DAY | | | | |
| | | 5 | | | | | | | |
| | | 7 | | | | | | | |
| | | 9 | | | | | | | |
| | | 1 | | | | | | | |
| | | 3 | | | | | | | |
| | | 5 | | | | | | | |
| | | 7 | | | | | | | |
| | | 9 | | | | | | | |
| | | 1 | | | | | | | |
| | | 3 | | | | | | | |
| | | 5 | | | | | | | |
| | | 7 | | | | | | | |
| | | 9 | | | | | | | |
| | | 1 | | | | | | | |
| | | 3 | | | | | | | |
| | | 5 | | | | | | | |
| | | 7 | | | | | | | |
| | | 9 | | | | | | | |
| | | 1 | | | | | | | |

DATE: 18 Nov 1975

PAGE 40 of _____

506-3-68

# OBSERVERS MARINE REPORT

digicon inc. # 54

| | | | | | |
|---|---|---|---|---|---|
| Client | USGS-75 | Type instrument | DFS III | Offset distance | 1140 |
| Area | ACR | Record filter | 8 - 18/12 sec | Group interval | 328/164 |
| State | EAST COAST | Sample rate | 2ms | Fold coverage | 36 |
| Observer | MILLER | gun depth | 30' | in.³ of guns | 1700 |

| Pre-Plot | Shotpoint | File No. | Time | #Idir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 627 | 863 | | NE | 53,52,51, | | 11264 | 13A | RPM's 675-675 |
| | 6 | 5 | | | X, 56,54, | | 'B' | | HDG 203° |
| | 5 | 7 | | | X, 52. | | | | TB. N/V |
| | 4 | 9 | | | | | | | SOB. 5.0 W.T. |
| | 3 | 871 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1093 | 1620 | 7 | 2314 | | | 11430 | | | |
| | 9 | 9 | | | | 3485 | | | |
| | 8 | 881 | | | T/C | | | | LSP614 CF#982 |
| | 7 | 3 | | | | | 11265 | | FSP617 FF#983 |
| | 6 | 5 | | | | | 'A' | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | 7292 | | |
| | 3 | 891 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1103 | 1610 | 7 | 2220 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 901 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 911 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | T/C | | | | LSP601 CF#916 |
| 1133 1075 | 1600 | 7 | 0326 | | | 11370 | 11260 | | FSP600 FF#917 |
| | 9 | 9 | | | | 3466 | B | | |
| | 8 | 921 | | | | | 7291 | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 931 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 1590 | 7 | 2332 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 941 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | T/C | | | | LSP584 CF#950 |
| | 3 | 951 | | | | | 11267 | | FSP585 FF#951 |
| | 2 | 3 | | | | | 'A' | | |
| | 1 | 5 | | | | | 7290 | | |
| 1173 | 580 | 7 | 2339 | | | 11382 | | | |
| | 9 | 9 | | | | | | | |
| | 578 | 961 | | | | | | | |

DATE: 11-18-75



506-3-68

# OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ACR Record filter 6-18/124 Group interval 328/164

State EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 677 | 76 B | | NNE | 53,57,54 | | 11261 | 13A | RPM 650-650 |
| | 6 | 5 | | | X, 58, 50, | | 'A' | | HDG 223° |
| | 5 | 7 | | | X, 48 | | | | T.B. 0° |
| | 4 | 9 | | | | | 7280 | | SQB 4.7 W.T. |
| | 3 | 771 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1013 | 670 | 7 | 2243 | | | | | | |
| | 9 | 9 | | | T/C | | | | LSP669 LF#780 |
| | 8 | 781 | | | | | 11262 | | FSP668 FF#781 |
| | 7 | 3 | | | | | 'B' | | |
| | 6 | 5 | | | | | 7281 | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 791 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1013 | 660 | 7 | 2249 | | | 11,310 | | | |
| | 9 | 9 | | | | 3448 | | | |
| | 8 | 801 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 811 | | | | | | | |
| | 2 | 3 | | | T/C | | | | LSP652 LF#914 |
| | 1 | 5 | | | | | 11263 | | FSP651 FF#815 |
| | 650 | 7 | 2256 | | | | 'A' | | CHANGE FROM 4 TO |
| | 9 | 9 | | | | | 7294 | | 5 SEC DELAY ON SP |
| | 8 | 821 | | | | | | | 650. |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 831 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1053 | 640 | 7 | 2302 | | | 11,400 | | | |
| | 9 | 9 | | | | 3476 | | | |
| | 8 | 841 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | T/C | | | | LSP635 LF#848 |
| | 4 | 9 | | | | | 11264 | | FSP634 FF#849 |
| | 3 | 851 | | | | | 'B' | | |
| | 2 | 3 | | | | | 7293 | | |
| | 1 | 5 | | | | | | | |
| | 630 | 7 | 2307 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 628 | 861 | | | | | | | |

DATE: 11-18-75

PAGE 38 of ____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-7s | Type instrument DFS III | Offset distance 1140

Area Atlantic Cont'l Rise | Record filter 8-18 / 124 | Group interval 328/164

State Offshore No. Carolina | Sample rate 2 ms | Fold coverage 36

Observer Miller | gun depth 30' | in.³ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 727 | 663 | | NE | 59,62,60, | | 11259 | 13A | TRAN: 650-650 |
| | 6 | 5 | | | X, 57, 55, | | B | | HDG: 196° |
| | 5 | 7 | | | X, 54. | | | | TB: 0° |
| | 4 | 9 | | | | | | | SOB-KTS: 4.8 WT. |
| | 3 | 671 | | | | | | | * CHANGE FROM 5 TO 4 SEC |
| | 2 | 3 | | | | | | | DELAY - SP 723 * |
| | 1 | 5 | | | | | | | |
| 193 | 720 | 7 | 2210 | | T/C | 11300 | | | LSP 720 LF# 678 |
| | 9 | 9 | | | | 3445 | 11259 | | FSP 719 FF# 679 |
| | 8 | 681 | | | | | 'A' | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | 7276 | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 691 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 710 | 7 | 2216 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 701 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 711 | | | T/C | | | | LSP 703 LF# 712 |
| | 2 | 3 | | | | | 11260 | | FSP 702 FF# 713 |
| | 1 | 5 | | | | | 'B' | | |
| 933 | 700 | 7 | 2223 | | | 11,200 | | | NOISE ON CABLE |
| | 9 | 9 | | | | 3415 | 7279 | | DUE TO TIDE |
| | 8 | 721 | | | | | | | RIP CURRENT |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 731 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 690 | 7 | 2230 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 741 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | T/C | | | | LSP 686 LF# 746 |
| | 5 | 7 | | | | | 11261 | | FSP 685 FF# 747 |
| | 4 | 9 | | | | | 'A' | | |
| | 3 | 751 | | | | | 7280 | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 773 | 680 | 7 | 2236 | | | 11250 | | | |
| | 9 | 9 | | | | 3430 | | | |
| | 679 | 761 | | | | | | | |

DATE: 18 Nov 1975



506-3-68

# OBSERVERS MARINE REPORT

digicon inc. #511

| | | | | | |
|---|---|---|---|---|---|
| Client | USGS-75 | Type instrument | DFS-111 | Offset distance | 1140 |
| Area | Atlantic Cont'l Rise | Record filter | 8-18 / 124 | Group interval | 328/164 |
| State | Offshore No. Carolina | Sample rate | 2 ms | Fold coverage | 36 |
| Observer | MILLER | gun depth | 30' | in.$^3$ of guns | 1700 |

| Pre-Plot | Shotpoint | File No. | Time | #1dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 777 | 563 | | | 51, 59, 56 | | 11255 | | RPM: 600-600 |
| | 6 | 5 | | | X, 55, 51, | | 'A' | | HDG: 200° |
| | 5 | 7 | | | X, 56. | | | | TB: 0° |
| | 4 | 9 | | | | | | | SOB-KTS: 5.3 W.T. |
| | 3 | 571 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | T/C | | | | LSP771 LF#576 |
| | 770 | 7 | 2136 | | | | 11256 | | FSP 772 FF#577 |
| | 9 | 9 | | | | | 'B' | | |
| | 8 | 581 | | | | | | | |
| | 7 | 3 | | | | | 7275 | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 591 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 813 | 760 | 7 | 2142 | | | 11273 | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 601 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | T/C | | | | LSP 754 LF#610 |
| | 3 | 611 | | | | | 11257 | | FSP 753 FF#611 |
| | 2 | 3 | | | | | 'A' | | |
| | 1 | 5 | | | | | | | |
| | 750 | 7 | 2144 | | | | 7276 | | |
| | 9 | 9 | | | | | | | |
| | 8 | 621 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 631 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 753 | 740 | 7 | 2155 | | | 11286 | | | * CHANGE FROM 4 TO 5 SEC |
| | 9 | 9 | | | | | | | DELAY - SP740 * |
| | 8 | 641 | | | | | | | |
| | 7 | 3 | | | T/C | | | | LSP 737 LF#644 |
| | 6 | 5 | | | | | 11258 | | FSP 736 FF#645 |
| | 5 | 7 | | | | | 'B' | | |
| | 4 | 9 | | | | | | | |
| | 3 | 651 | | | | | 7277 | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 730 | 7 | 2202 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 728 | 661 | | | | | | | |

DATE: 18 NOV 1975

PAGE 36 of ____

506-3-68

# OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 | Type instrument DFS-III | Offset distance 1140

Area Atlantic Cont'l Rise | Record filter 8-18/124 | Group interval 328/164

State Offshore No. Carolina | Sample rate 2ms | Fold coverage 36

Observer Miller | gun depth 30' | in.³ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 827 | 463 | | NE | 51, 59, 56, | | 11252 B | 13-A | RPM: 650-625 |
| | 6 | 5 | | | X, 55, 51, | | | | HDG: 203° |
| | 5 | 7 | | | X, 56 | | | | TB: 0° |
| | 4 | 9 | | | | | | | SOB-KTS: 4.6 W.T. |
| | 3 | 471 | | | | | | | |
| | 2 | 3 | | | T/C | | | | LSP 822 LF#474 |
| | 1 | 5 | | | | | 11253 | | FSP 821 FF#475 |
| 1632 | 820 | 7 | 2105 | | | 11070' 3375 | A | | PARITY - F#475 |
| | 9 | 9 | | | | | | | |
| | 8 | 481 | | | | | 7272 | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 491 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 810 | 7 | 2111 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 501 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | T/C | | | | LSP 805 LF#508 |
| | 4 | 9 | | | | | 11254 | | FSP 804 FF#509 |
| | 3 | 511 | | | | | B | | |
| | 2 | 3 | | | | | 7273 | | |
| | 1 | 5 | | | | | | | |
| 1733 | 800 | 7 | 2117 | | | 11,160 3402 | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 521 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 531 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 790 | 7 | 2123 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 541 | | | T/C | | | | LSP 788 LF#542 |
| | 7 | 3 | | | | | 11255 | | FSP 787 FF#543 |
| | 6 | 5 | | | | | B | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | 7274 | | |
| | 3 | 551 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 1773 | 780 | 7 | 2130 | | | 11260 3433 | | | |
| | 9 | 9 | | | | | | | |
| | 778 | 561 | | | | | | | |

DATE: 18 Nov 1975



506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS - 75 Type instrument OFS - 111 Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8 - 18 / 124 Group interval 328/164

State Offshore No Carolina Sample rate 2 ms Fold coverage 36

Observer Miller gun depth 30' in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 877 | 363 | | NE | 51,59,52, | | 11249 | 13-A | TPM: 650-650 |
| | 6 | 5 | | | X, 55, 52, | | A | | HDG: 203° |
| | 5 | 7 | | | X, 50 | | | | TB: 0° |
| | 4 | 9 | | | | | | | SOB-KTS: 4.7 W.T. |
| | 3 | 371 | | | T/C | | | | LSP 873 LF# 372 |
| | 2 | 3 | | | | | 11250 | | FSP 872 FF# 373 |
| | 1 | 5 | | | | | B | | |
| | 870 | 7 | 2232 | | | | | | |
| | 9 | 9 | | | | | 7326 | | |
| | 8 | 381 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 391 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| LSP | 860 | 7 | 2039 | | | 11500 | | | |
| | 9 | 9 | | | | 3506 | | | |
| | 8 | 401 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | T/C | | | | LSP 856 LF# 406 |
| | 5 | 7 | | | | | 11251 | | FSP 855 FF# 407 |
| | 4 | 9 | | | | | 'A' | | |
| | 3 | 411 | | | | | | | |
| | 2 | 3 | | | | | 7270 | | |
| | 1 | 5 | | | | | | | |
| | 850 | 7 | 2045 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 421 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 431 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | PARITY - F# 436 |
| LSP | 840 | 7 | 2051 | | | 11200 | | | |
| | 9 | 9 | | | T/C | 3415 | | | LSP 839 LF# 440 |
| | 8 | 441 | | | | | 11252 | | FSP 838 FF# 441 |
| | 7 | 3 | | | | | 'B' | | |
| | 6 | 5 | | | | | | | * CHANGE FROM 5 TO 6 * |
| | 5 | 7 | | | | | 7271 | | * SEC DELAY - SP 838 * |
| | 4 | 9 | | | | | | | |
| | 3 | 451 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 830 | 7 | 2057 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 828 | 461 | | | | | | | |

DATE: 18 Nov 1975

PAGE 34 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 | Type instrument DFS-III | Offset distance 1140

Area Atlantic Coast Rise | Record filter 8-18 / 124 | Group interval 328/164

State Offshore No. Carolina | Sample rate 2ms | Fold coverage 36

Observer Miller | gun depth 30' | in.³ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 927 | 263 | | NNE | 51, 59, 52, | | 11246 | 13-A | RPM: 650-650 |
| | 6 | 5 | | | X, 56, 50, | | B | | HDG: 205° |
| | 5 | 7 | | | X, 50. | | | | TB: 2° PORT |
| | 4 | 9 | | | | | | | SOB-KTS: 5.0 W.T. |
| | 3 | 271 | | | T/C | | | | LSP924 LF#270 |
| | 2 | 3 | | | | | 11247 | | FSP923 FF#271 |
| | 1 | 5 | | | | | 'A' | | PARITY - F# 271 |
| | 920 | 7 | 2002 | | | 11225' | | | |
| | 9 | 9 | | | | 3422 | 7323 | | |
| | 8 | 281 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 291 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 910 | 7 | 2008 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 301 | | | | | | | |
| | 7 | 3 | | | T/C | | | | LSP907 LF# 304 |
| | 6 | 5 | | | T/C | | 11248 | | FSP906 LF# 305 |
| | 5 | 7 | | | | | YB | | |
| | 4 | 9 | | | | | | | |
| | 3 | 311 | | | | | 7324 | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 900 | 7 | 2014 | | | 11,300 | | | |
| | 9 | 9 | | | | 3445 | | | |
| | 8 | 321 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 331 | | | | | | | [redacted] |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 890 | 7 | 2020 | | T/C | | | | LSP890 LF#338 |
| | 9 | 9 | | | T/C | | 11248 | | FSP889 FF#339 |
| | 8 | 341 | | | | | A | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | 7325 | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 351 | | | | | | | SP 880 INCREASE |
| | 2 | 3 | | | | | | | * DELAY FROM 4 SEC TO |
| | 1 | 5 | | | | | | | 5 SEC. * |
| | 880 | 7 | 2026 | | | 11290' | | | |
| | 9 | 9 | | | | 3442 | | | |
| | 878 | 361 | | | | | | | |

DATE: 18 Nov 1975

PAGE 33 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18 / 124 Group interval 328/164

State Offshore No. Carolina Sample rate 2ms Fold coverage 36

Observer Miller gun depth 30' in.³ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 977 | 163 | | | 50, 58, 56, | | 11243 | 13A | RPM: 650-650 |
| | 6 | 5 | | | X, 59, 56, | | 'A' | | HOG: 209 |
| | 5 | 7 | | | X, 60 | | | | TB: 30 STB |
| | 4 | 9 | | | | | | | SOB-KTS: 4.9 W.T. |
| | 3 | 181 | | | T/C | | | | LSP975 LF# 169 |
| | 2 | 3 | | | | | 11244 | | FSP974 FF# 169 |
| | 1 | 5 | | | | | B | | |
| | 970 | 7 | | | | | | | |
| | 9 | 9 | | | | | 8142 | | |
| | 8 | 181 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 191 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 960 | 7 | 1937 | | | 10,950 | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 201 | | | T/C | 3338 | | | LSP958 LF#202 |
| | 7 | 3 | | | | | 11245 | | FSP957 FF#203 |
| | 6 | 5 | | | | | 'A' | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | 7269 | | |
| | 3 | 211 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 950 | 7 | 1945 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 221 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 231 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | T/C | | | | LSP941 LF#236 |
| | 940 | 7 | 1939 | | | 11050 | 11246 | | FSP940 FF#237 |
| | 9 | 9 | | | | 3369 | 'B' | | |
| | 8 | 241 | | | | | | | |
| | 7 | 3 | | | | | 7322 | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 251 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 930 | 7 | 1955 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 928 | 261 | | | | | | | |

DATE: 18 Nov 1975



506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS - 75 Type instrument DFS - III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8 - 18 / 124 Group interval 328/164

State Offshore No Carolina Sample rate 2 ms Fold coverage 36

Observer Miller gun depth 30' in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 1027 | 063 | | NNE | 50,58,66 | | 11240 | 13-A | RPM: |
| | 6 | 5 | | | X, 58, 51, | | B | | HDG: |
| | 5 | 7 | | | X, 56. | | | | TB: |
| | 4 | 9 | | | | | | | SOB-KFS: |
| | 3 | 071 | | | T/C | | | | LSP 1026 LF#066 |
| | 2 | 3 | | | | | 11241 | | FSP 1025 FF#067 |
| | 1 | 5 | | | | | A | | |
| | 1020 | 7 | 1959 | | | 10650 | | | |
| | 9 | 9 | | | | 3247 | 8139 | | |
| | 8 | 081 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 091 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 1010 | 7 | 1905 | | | | | | |
| | 9 | 9 | | | T/C | | | | LSP 1009 LF#100 |
| | 8 | 101 | | | | | 11242 | | FSP 1008 FF#101 |
| | 7 | 3 | | | | | B | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | 8140 | | |
| | 4 | 9 | | | | | | | |
| | 3 | 111 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 1000 | 7 | 1912 | | | 10756 | | | |
| | 999 | 9 | | | | 3279 | | | |
| | 8 | 121 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 131 | | | | | | | |
| | 2 | 3 | | | T/C | | | | LSP 992 LF#134 |
| | 1 | 5 | | | | | 11243 | | FSP 991 FF#135 |
| | 990 | 7 | 1918 | | | 10830 | A | | |
| | 9 | 9 | | | | 3302 | | | |
| | 8 | 141 | | | | | 8141 | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 151 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 980 | 7 | 1924 | | | 10870 | | | |
| | 9 | 9 | | | | | | | |
| | 978 | 161 | | | | | | | |

DATE: 18 Nov 1975

PAGE 31 of _____

506-3

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18 / 124 Group interval 328/164

State Offshore No. Carolina Sample rate 2 ms Fold coverage 36

Observer Miller gun depth 30' in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #Idir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 1077 | 963 | | | 50, 58, 56, | 10,740 | 11237 | 13-A | RPM: 650-650 |
| | 6 | 5 | | | X, 58, 51, | 3274 | A | | HDG: 213° |
| | 5 | 7 | | | Y, 56. | | | | TB: 4° STB |
| | 4 | 9 | | | | | | | SOB-KTS: 4.7 W.T. |
| | 3 | 971 | | | T/C | | | | LSP 1077 LF#964 |
| | 2 | 3 | | | | | 11238 | | FSP 1076 FF#965 |
| | 1071 | 5 | | | | | B | | F#963 - TRACES 25-36 |
| | 1070 | 7 | 1427 | | | | | | DEAD - ATTEMPT TO |
| | 9 | 9 | | | | | 8136 | | REPAIR TRACE #36 |
| | 8 | 981 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 991 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 1060 | 7 | 1434 | | T/C | 10,570 | | | LSP 1060 LF#998 |
| | 9 | 9 | | | | | 11239 | | FSP 1059 FF#999 |
| | 8 | 001 | | | | 3223 | A | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | 8137 | | PARITY - F#005 |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 011 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 1050 | 7 | 1440 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 8 | 021 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 031 | | | T/C | | | | LSP 1043 LF#032 |
| | 2 | 3 | | | | | 11240 | | FSP 1042 FF#033 |
| | 1 | 5 | | | | | B | | |
| | 1040 | 7 | 1447 | | | 10650 | | | |
| | 9 | 9 | | | | 3247 | 8135 | | |
| | 8 | 041 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 051 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| | 1030 | 7 | 1454 | | | | | | |
| | 9 | 9 | | | | | | | |
| | 1028 | 061 | | | | | | | |

DATE: 18 Nov 1975



506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont'l Rise Record filter 8-18 / 1~~24~~ Group interval 328/164

State Offshore No Carolina Sample rate 2ms Fold coverage 36

Observer Miller gun depth 30' in.$^3$ of guns 1700

| Pre-Plot | Shotpoint | File No. | Time | #1 dir. | Cable Depth | W.D. | Reel No. | Line No. | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | 1127 | 863 | 1753 | N~~E~~ | 52, 56, 52, | | 11235 | 13A | RPM: 650 - 650 |
| | 6 | 5 | | | X, 54, 54, | | 'A' | | HDG: 203 |
| | 5 | 7 | | | X, 50. | | | | TB: 0° |
| | 4 | 9 | | | | | 8272 | ✓ | SOB - KBS: 4.7 |
| | 3 | 871 | | | | | | | NOTE: FSP Line 13-A is |
| | 2 | 3 | | | | | | | Also last Sh. Pt. Line 13-B |
| | 1 | 5 | | | | | | | |
| 73 | 1120 | 7 | 1756 | | | 10830 | | | |
| | 9 | 9 | | | | 3302 | | | |
| | 8 | 881 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 891 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | T/C | | | | LSP 1111 LF# 896 |
| 113 | 1110 | 7 | 1802 | | T/C | | 11236 | | FSP 1110 FF# 897 |
| | 9 | 9 | | | | | 'B' | | |
| | 8 | 901 | | | | | | | |
| | 7 | 3 | | | | | 9134 | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 911 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 133 | 1100 | 7 | 1809 | | | 10840 | | | |
| | 9 | 9 | | | | 3320 | | | |
| | 8 | 921 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | T/C | | | | LSP 1094 LF# 930 |
| | 3 | 931 | | | T/C | | 11237 | | FSP 1093 FF# 931 |
| | 2 | 3 | | | | | 'A' | | |
| | 1091 | 5 | | | | | | | |
| | 1090 | 7 | 1815 | | | | 8135 | | |
| | 9 | 9 | | | | | | | |
| | 8 | 941 | | | | | | | |
| | 7 | 3 | | | | | | | |
| | 6 | 5 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | 4 | 9 | | | | | | | |
| | 3 | 951 | | | | | | | |
| | 2 | 3 | | | | | | | |
| | 1 | 5 | | | | | | | |
| 173 | 1080 | 7 | 1821 | | | 10836 | | | |
| | 9 | 9 | | | | 3303 | | | |
| | 8 | 961 | | | | | | | |

DATE 18 Nov 1975

506-3-68