M/V Gulf Seal

Type Coverage [illegible]

Shot Point Spacing 328'

digicon inc.
HOUSTON, TEXAS

MARINE LOG

Date Nov. 7, 1975

Area Atlantic Cont. Rise

Party No. 511

TIME	LINE	SHOT POINTS	DIR	TOTAL SHOT POINTS	MILES	OTHER TIMES: TRAVEL	LINE CHANGE	DOWN	SURV.	Chargeable TIME	REMARKS
0704 / 0001	13-D	4941 / 5690	S/W	750	46.60		(Note) Channel #6 was Rev. Thru. Line 13-E, 13-D - 13-C - To (Sp 4500 Corrected)				Continue Line 13-D
2114 / 0704	13-C	3504 / 4941	S/W	1438	89.34						Completed 13-D Started 13-C
2138 / 2114											Completed 13-C Getting into Position to pick up Cable 35 mile to Run Plus will change out channel 9, 13, 17, 29 weak Cables.
2257 / 2138											Picking up Cable.
2400 / 2257							(Note) Lost One Cole Bird.				Enroute Line 10 - Cable Onboard
2400											End of Day
				2188	135.94						TOTALS

TOTAL MEN [illegible]

TOTAL MEALS 66

ACC. MILES PROSPECT 1712.47

ACC. MILES FOR MONTH 158.61

Steve McDaniel

OBSERVERS MARINE REPORT

digicon inc. # 311

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8-18/12 4 Group interval 328/164

State OFF EAST COAST Sample rate 2 MS Fold coverage 36

Observer PAWLETT gun depth 30' in.^{3} of guns 1510 ~~1700~~

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
2203 ✓	4990	201		N/E	58-60-60-59		10459	13-D	SPEED 625-600
	9	3			60-60-59-58		A		HEADING 241°
	8	5							V.B 3 PT
	7	7			T/C				S.O.B. 5.5 W.T.
	6	9					10460		LSP# 4987 LF# 208
	5 →	211					B		FSP# 4986 FF# 209
	4	3							
	3	5							
	2	7							
	1	9					7477		
✓	4980	221	06:43						
	9	3							
	8	5							
	7	7							
	6	9							
	5	231							FILE# 232 SHOOTING
	4	3							1700^3 IN. GUNS
	3	5							
	2	7							
	1	9							
	4970	241			T/C				LSP# 4970 LF# 242
	9	3					10461		FSP# 4969 FF# 243
	8	5					A		
	7	7							
	6	9							
	5	251					7478		C SP# 4965 STARTING
	4	3							DOG LEG TO LINE 13-C
	3	5							
	2	7							
	1	9							
2163 ✓	4960	261	06:54			9646			
	9	3							
	8	5				2741			
	7	7							
	6	9							
	5	271							
	4	3							
	3	5			T/C				LSP# 4953 LF# 276
	2	7					10462		FSP# 4952 FF# 277
	1	9					B		
✓	4950	281							
	9	3					1479		
	8	5							
	7	7							
	6	9							NOTE*
	5	291							1ST POP OF SP# 4941 IS
	4	3							END OF LINE 13-D. 2ND
	3	5							POP BEGINS 13-C !!
	2	7							
**	4941	299	07:04		FFID 300				LSP# 4941 LF# 299

DATE: 11-7-75 E.O.L. First file LINE 13C PAGE 15 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-25 Type instrument DFS III Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 328/164

State EAST COAST Sample rate 2 ms Fold coverage 36

Observer PAWLETT gun depth 30 in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
2043	5040	100 [redacted]		N/E	58.60.60.60	[redacted]	10456	13D	SPEED- 675-650
	9	3	06:10		60.60.59.58	9672	B		HEAD 238°
	8	5							TB 4' FT.
	7	7			TC				SOB 5.8 W.T.
	6	9					10457		LSP# 5038 LF# 106
	5	111					A		FSP# 5037 FF# 107
	4	3							
	3	5							
	2	7							
	1	9					7474		
	5030	121							
	9	3							
	8	5							
	7	7							
	6	9							
	5	131							
	4	3							
	3	5							
	2	7							
	1	9			TC				LSP# 5021 LF# 140
2043	5020	141	06:20		TC	9578	10458		FSP# 5020 FF# 141
	9	3					B		
	8	5				7920			
	7	7							
	6	9					7475		
	5	151							
	4	3							
	3	5							
	2	7							
	1	9							
	5010	161							
	9	3							
	8	5							
	7	7							
	6	9							
	5	171							
	4	3			TC				LSP# 5004 LF# 174
	3	5			TC		10459		FSP# 5003 FF# 175
	2	7					A		
	1	9							
2043	5000	181	06:32			9600			
	9	3							
	8	5				7927	7476		
	7	7							
	6	9							
	5	191							
	4	3							
	3	5							
	2	7							
	1	199							

DATE: 10/7/75

PAGE 14 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS III	Offset distance	1140
Area	Atlantic Cont. Rise	Record filter	8/18/124	Group interval	328/164
State	Off East Coast	Sample rate	2 ms	Fold coverage	36
Observer	Pawkett	gun depth	30'	in.^{3} of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
✓	5090	001		N/E	58 60.60.59		10453	13-D	SPEED 675-650
	9	3			60.60.59.58		A		HEADING 242°
	8	5			T				T.B. 2° PT
	7	7							S.O.B 5.7 WT
	6	9			C				LSP# 5089 LF# 004
	5	011					10454		FSP# 5088 FF# 005
	4	3					B		
	3	5							
	2	7							
	1	9							
1922 ✓	5080	021	05:48			9540'			
	9	3							
	8	5				2901	7471		
	7	7							
	6	9							
	5	031							
	4	3							
	3	5							
	2	7			T/				LSP# 5072 LF# 038
	1	9			/C		10455		FSP# 5071 FF# 039
✓	5070	041					A		
	9	3							
	8	5							
	7	7					7472		
	6	9							
	5	051							
	4	3							
	3	5							
	2	7							
	1	9							
✓	5060	061	0559						
	9	3							
	8	5							
	7	7							
	6	9							
	5	071			T/				LSP# 5055 LF# 072
	4	3			/C		10456		FSP# 5054 FF# 073
	3	5					B		
	2	7							
	1	9					7473		
✓	5050	081							
	9	3							
	8	5							
	7	7							
	6	9							
	5	091							
	4	3							
	3	5							
	2	7							
	1	9							

DATE: 11-7-75

PAGE 13 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USES-75 Type instrument DFSIII Offset distance 1140

Area ACR Record filter 8-18/124 Group interval 328/164

State EAST COAST Sample rate 2 ms Fold coverage 36

Observer PARKETT gun depth 30 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
1803 ✓	5140	901	0516	N/E	58,60,60,58	9540	10450	13-D	SPEED 635-650
	9	3			60,61,59,60		B		HEAD 242
	8	5							T,B 4PT
	7	7			T				GOB 56
	6	9							
	5	911			L				
	4	3							LSP# 5140 LF# 902
	3	5					10451		FSP# 5139 FF# 903
	2	7					A		
	1	9							
✓	5130	921							
	9	3					7468		
	8	5							
	7	7							
	6	9							
	5	931							
	4	3							
	3	5			T/C				LSP# 5123 LF# 936
	2	7					10452		FSP# 5122 FF# 937
	1	9							
1843 ✓	5120	941	0327			9528			
	9	3							
	8	5				2905	7461		
	7	7							
	6	9							
	5	951							
	4	3							
	3	5							
	2	7							
	1	9							
5110									
5111	0	961							
	9	3							
	8	5							
	7	7							
	6	9							LSP# 5106 LF# 970
	5	971			T/C		10453		FSP# 5105 FF# 971
	4	3							
	3	5					7470		
	2	7							
	1	9							
1832 ✓	5100	981	0538			9538			
	9	3							
	8	5				2909			
	7	7							
	6	9							
	5	991							
	4	3							
	3	5							
	2	7							
	1	999							

DATE: 10-7-75

PAGE 12 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2 MS Fold coverage 36

Observer PAWLETT gun depth 30' in.^{3} of guns 1390

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5190	801		N/E	60-58-57-56		10447	13-D	SPEED 6.75-6.50
	9	3			59-59-58-59		B		HEADING 242°
	8	5							V.B. 4" P.T.
	7	7							S.O.B. 5.7 W.T.
	6	9							
	5	811					7465		
	4	3							
	3	5							
	2	7							
	1	9							
1723	5180	821	04:54			9600'			
	9	3							
	8	5				7471			FILE # 825 NOW
	7	7							SHOOTING 1700^3 IN. GUNS
	6	9							
	5	831							
	4	3			T/C				LSP # 5174 LF # 834
	3	5			T/C		10449 A		FSP # 5173 FF # 835
	2	7							
	1	9							
	5170	841							
	9	3					7466		
	8	5							
	7	7							
	6	9							
	5	851							
	4	3							
	3	5							
	2	7							
	1	9							
1963	5160	861	05:05			9590'			
	9	3							
	8	5				7471			
	7	7			T/C				LSP # 5157 LF # 868
	6	9			T/C		10450 B		FSP # 5156 FF # 869
	5	871							
	4	3							
	3	5					7467		
	2	7							
	1	9							
	5150	881							
	9	3							
	8	5							
	7	7							
	6	9							
	5	891							
	4	3							
	3	5							
	2	7							
	1	9							

DATE: 11-7-75

PAGE 11 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFSII Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2 MS Fold coverage 36

Observer PADKETT gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
1603	5240	701	0421	NE	60,58,57,58	9540	10445	13-D	SPEED 6.50 6.75
	9	3			60,59,56,60		A		HEADING 245°
	8	5							VB 5" Port
	7	7							S.O.B 5, 4 1/2
	6	9							
	5	711							
	4	3							
	3	5							
	2	7					7462		
	1	9							
	5230	721							
	9	3							
	8	5							
	7	7							
	6	9							
	5	731			TC				LSP# 5225 LF# 732
	4	3					10446		FSP# 5224 FF# 733
	3	5					B		
	2	7							
	1	9							
1643	5220	741	04:32			9540			
	9	3							
	8	5				7409	7463		
	7	7							
	6	9							
	5	751							
	4	3							FILE# 753 - SHOOTING
	3	5							1320 IN. GUNS
	2	7							PT. STRING ON DECK
	1	9							
	5210	761							
	9	3							
	8	5			TC				LSP# 5208 LF# 766
	7	7					10447		FSP# 5207 FF# 767
	6	9					A		
	5	771							
	4	3					7464		
	3	5							
	2	7							
	1	9							
1683	5200	781	04:43			9600'			
	9	3							
	8	5				7922			
	7	7							
	6	9							
	5	791							
	4	3							
	3	5							
	2	7							LSP# 5191 LF# 800
	1	9			TC		10448		FSP# 5190 FF# 801
							B		

DATE: 11-7-75

PAGE 10 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/12 Group interval 328/164

State OFF EAST COAST Sample rate 2 MS Fold coverage 36

Observer DALOKETT gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5290	601		N/E	59·60·60·59		10442	1130	SPEED 675·650
	9	3			61·58·58·57		B		HEADING 243°
	8	5							T.B.S 4° PT
	7	7							S.O.B. 5.4 WT.
	6	9							
	5	611					7438		
	4	3							
	3	5							
	2	7							
	1	9							
1523	5280	621	03:58			9526			
	9	3							
	8	5				7465			
	7	7							
	6	9			T/C				LSP# 5276 LF# 630
	5	631					10443		FSP# 5275 FF# 631
	4	3					A		
	3	5							
	2	7							
	1	9					7460		
	5270	641							
	9	3							
	8	5							
	7	7							
	6	9							
	5	651							
	4	3							
	3	5							
	2	7							
	1	9							
1863	5260	661	0410			9650			
	9	3			T/C				LSP# 5259 LF# 664
	8	5				7492	10444		FSP# 5258 FF# 665
	7	7					B		
	6	9							
	5	671							
	4	3					7461		
	3	5							
	2	7							
	1	9							
	5250	681							
	9	3							
	8	5							
	7	7							
	6	9							
	5	691							
	4	3							
	3	5							
	2	7			T/C		A		LSP# 5242 LF# 698
	1	9					10445		FSP# 5251 FF# 699

DATE: 11-7-75

PAGE 9 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2 MS Fold coverage 36

Observer PALMER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
✓	5340	501	03:24	N/E	59·60·60·59	9492	10439	13-D	SPEED 675-650
	9	3			61·59·58·59		A		HEADING 244°
	8	5							T.B. 4° PT.
	7	7							S.O.B. 1.7 O.T.
	6	9							
	5	511							
	4	3					7457		
	3	5							
	2	7							
	1	9							
✓	5330	521							
	9	3							
	8	5							
✓	7	7			T/C				LSP# 5327 LF# 528
	6	9					10440		FSP# 5326 FF# 529
	5	531					B		
	4	3							
	3	5					7458		
	2	7							
	1	9							
1443 ✓	5320	541	03:35			9492			
	9	3				2811			
	8	5							
	7	7							
	6	9							
	5	551							
	4	3							
	3	5							
	2	7							
	1	9							
✓	5310	561			T/C				LSP# 5310 LF# 562
	9	3					10441		FSP# 5309 FF# 563
	8	5					A		
	7	7							
	6	9					7459		
	5	571							
	4	3							
	3	5							
	2	7							
	1	9							
1483 ✓	5300	581	03:47			9504			
	9	3				2777			
	8	5							
	7	7							
	6	9							
	5	591							
	4	3							
✓	3	5			T/C				LSP# 5293 LF# 596
	2	7					10442		FSP# 5292 FF# 597
	1	9					B		

DATE: 11-7-75

PAGE 8 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8/18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2 MS Fold coverage 36

Observer PINCKETT gun depth 30' in.^{3} of guns 1350

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
✓	5390	401		NE	60-61-60-60		10436	13D	SPEED 650-675
	9	3			62-59-58-57		B		HEADING 244°
	8	5							V.B. 2 PT.
	7	7							S.O.B. 5.0 W.T.
	6	9							
	5	411							PICKING UP SCREW
	4	3							NOISE
	3	5							
	2	7							
	1	9							
1323	5380	421	03:01			94/80			
	9	3							
✓	8	5			T/C	1010			LSP# 5378 LF# 426
	7	7					10437		FSP# 5377 FF# 427
	6	9					A		
	5	431							
	4	3					7455		
	3	5							
	2	7							
	1	9							
✓	5370	441							
	9	3							
	8	5							
	7	7							
	6	9							
	5	451							
	4	3							
	3	5							
	2	7							
✓	1	9			T/C				LSP# 5361 LF# 460
1343 ✓	5360	461	03:12		T/C	94/80	10438		FSP# 5360 FF# 461
	9	3					B		
	8	5				1010			
	7	7					7496		
	6	9							
	5	471							
	4	3							
	3	5							
	2	7							
	1	9							
✓	5350	481							
	9	3							
	8	5							
	7	7							
	6	9							
	5	491							
✓	4	3			T/C				LSP# 5344 LF# 494
	3	5					10439		FSP# 5343 FF# 495
	2	7					A		
	1	9							

DATE: 11-7-75

PAGE 7 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT. RISE Record filter 8-18/124 Group interval 328/164

State OFF EAST COAST Sample rate 2 ms Fold coverage 36

Observer PAULKETT gun depth 30 in.^{3} of guns 1350

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5440	301	02:27	N/E	60.61.60.60	9434	10433	13D	SPEED- 7.25
	9	3			62.60.58.57		A		HEAD- 242°
	8	5							T.B.- 2° PT
	7	7							SOD- 5.8 W.T.
	6	9							
	5	311							
	4	3							
	3	5							
	2	7							
	1	9							
	5430	321							
	9	3			T/C				LSP# 5428 LF# 324
	8	5					10434		FSP# 5428 FF# 325
	7	7					B		
	6	9							
	5	931					7452		
	4	3							
	3	5							
	2	7							
	1	9							
12AB	5420	341	02:38			9304			
	9	3							
	8	5				2178			
	7	7							
	6	9							
	5	351							
	4	3							
	3	5							
	2	7			T/C				LSP# 5412 LF# 958
	1	9					10435		FSP# 5411 FF# 959
	5410	361					A		
	9	3							
	8	5					7453		
	7	7							
	6	9							
	5	371							
	4	3							
	3	5							
	2	7							
	1	9							
12BB	5400	381	02:49			9450			
	9	3							
	8	5				2180			
	7	7							
	6	9							
	5	391			T/C				LSP# 5395 LF# 392
	4	3					10436		FSP# 5394 FF# 393
	3	5					B		
	2	7							
	1	399					7454		

DATE: 11/7/75

PAGE 6 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area Atlantic Cont. Rise Record filter 8/18/124 Group interval 328/164

State East Coast Sample rate 2 ms Fold coverage 36

Observer Paskett gun depth 30' in.^{3} of guns 1490^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5480	201		N/E			10430	13-D	SPEED - 7.25
	9	3					B		HEADING - 244°
	8	5							T.B. - 0°
	7	7							S.O.B. - 5.6 kn/t
	6	9							
	5	211							
	4	3							
	3	5							
	2	7							
	1	9							
1123	5480	221	0204		T/C	9444			LSP# 5480 LF# 222
	9	3					10431		FSP# 5479 FF# 223
	8	5				1123	A		
	7	7							
	6	9					7449		
	5	231							
	4	3							
	3	5							
	2	7							
	1	9							
	5470	241							
	9	3							
	8	5							
	7	7							
	6	9							
	5	251							
	4	3							
	3	5			T/C				LSP# 5463 LF# 256
	2	7					10432		FSP# 5462 FF# 257
	1	9					B		
1123	5460	261	02:15			9456			
	9	3							
	8	5				1123	7450		
	7	7							
	6	9							
	5	271							
	4	3							
	3	5							
	2	7							
	1	9							
	5450	281							NOW SHOOTING 1350^3 IN. GUNS
	9	3							
	8	5							
	7	7							
	6	9			T/C				LSP# 5446 LF# 290
	5	291					10433		FSP# 5445 FF# 291
	4	3					A		
	3	5							
	2	7					7451		
	1	9							

DATE: 11-2-75

PAGE 5 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONTINENTAL Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 ms Fold coverage 36

Observer PAWKETT gun depth 30 in.³ of guns 1390

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
1003	5540	101	01:28	N/E	52.58.60.60	9380	10427	13-D	SPEED- 7.25
	9	3			62.60.57.57		A		HEAD- 242°
	8	5							T.B.- 0°
	7	7							SOB- 5.6 W.T.
	6	9							
	5	11 1							@ FILE # 111 - SHOOTING
	4	3							1700³ in. GUNS
	3	5							
	2	7							
	1	9			TC				LSP# 5531 LF# 120
	5530	121					10428		FSP# 5530 FF# 121
	9	3					B		
	8	5							
	7	7							
	6	9					7446		
	5	131							
	4	3							
	3	5							
	2	7							
	1	9							
1043	5520	141	01:40			9396			
	9	3							
	8	5				2445			
	7	7							
	6	9							
	5	151							
	4	3			TC				LSP# 5514 LF# 154
	3	5					10429		FSP# 5513 FF# 155
	2	7					A		
	1	9							
	5510	161					7447		
	9	3							
	8	5							
	7	7							
	6	9							
	5	171							
	4	3							
	3	5							
	2	7							
	1	9							
1083	5500	181	0152			9420'			
	9	3							
	8	5				2474			
	7	7			TC				LSP# 5497 LF# 188
	6	9					10430		FSP# 5496 FF# 189
	5	191					B		
	4	3							
	3	— 5					7448		
	2	7							
	1	149							

DATE: 11/7/75

PAGE 2 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 | Type instrument DFS - III | Offset distance 1140

Area Atlantic Cont. Rise | Record filter 8 - 18 / 124 | Group interval 328/164

State Offshore East Coast | Sample rate 2 ms | Fold coverage 36

Observer PAWKETT | gun depth 30' | in.³ of guns 1350

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5590	001		N/E	58·58·60·60		10424	13-D	SPD-RAM: 725
	9	3			62·60·57·56		B		HDG 240°
	8	5							TB 0°
	7	7							SOB 6.0 KTS WT
	6	9							
	5	011							
	4	3							
	3	5							
	2	7			T/C				LSP# 5582 LF# 018
	1	9			T/C		10425		FSP# 5581 FF# 019
923	5580	021	01:04			9360	A		
	9	3							
	8	5				2154			
	7	7					7443		
	6	9							
	5	031							
	4	3							
	3	5							
	2	7							
	1	9							SHOOTING 1700³ IN GUNS
	5570	041							
	9	3							
	8	5							
	7	7							
	6	9							
	5	051			T/C				LSP# 5565 LF# 052
	4	3			T/C		10426		FSP# 5564 FF# 053
	3	5					B		
	2	7							
	1	9							NOW SHOOTING 1380³
923	5560	061	01:16			9370			IN. GUNS
	9	3					7444		
	8	5				2154			
	7	7							
	6	9							
	5	071							
	4	3							
	3	5							
	2	7							
	1	9							
	5590	081							
	9	3							
	8	5			T/C				LSP# 5548 LF# 086
	7	7			T/C		10427		FSP# 5547 FF# 087
	6	9					A		
	5	091							
	4	3					7445		
	3	5							
	2	7							
	5591	099							

DATE: 11-7-75

PAGE 3 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 | Type instrument DFS-III | Offset distance 1140

Area Atlantic Cont Rise | Record filter 8-18 / 124 | Group interval 328/164

State Offshore East Coast | Sample rate 2MS | Fold coverage 36

Observer PAWKETT | gun depth 30' | in.^{3} of guns 1680^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
603 ✓	5640	901	0028	N/E	56,58,59,59	9329	10421	13-D	SPD: RPM: 725
	9	3			61,60,58,56		A		HDG 233°
	8	5							TB 40 PORT
	7	7							SOB: 5.7 m/T KRS WT
	6	9							
	5	911							
	4	3							
	3	5			T/C				LSP# 5633 LF# 916
	2	7					10422		FSP# 5632 FF# 917
	1	9					B		
✓	5630	921							NOW SHOOTING 1350^3
	9	3					7439		
	8	5							
	7	7							
	6	9							
	5	931							
	4	3							
	3	5							
	2	7							
	1	9							
643 ✓	5620	941	0040			9336			
	9	3							
	8	5							
	7	7							
	6	9			T/C				LSP# 5616 LF# 950
	5	951					10423		FSP# 5615 FF# 951
	4	3					A		NOW SHOOTING
	3	5							1350^3 IN GUNS
	2	7					7441		
	1	9							
✓	5610	961							
	9	3							
	8	5							
	7	7							
	6	9							
	5	971							
	4	3							
	3	5							
	2	7							
	1	9							
983 ✓	5600	981	0052			9344			
	9	3			T/C				LSP# 5599 LF# 984
	8	5					10424		FSP# 5598 FF# 985
	7	7					B		
	6	9							
	5	991					7442		
	4	3							
	3	5							
	2	7							
	5591	994							

DATE: 11-7-75

OBSERVERS MARINE REPORT

digicon inc. # 54

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC COAST RISE Record filter 8-14/129 Group interval 324/164

State OFFSHORE Sample rate 2ms Fold coverage 36

Observer PAWKETT MILLER gun depth 30' in.³ of guns 1680

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
703	5690	801		N/E	55,57,58,58		10418	130	SPEED - 700
	9	3			60,60,56,55		D		HDG - 233°
	8	5							T.B. - 5° Port
	7	7					7435		SOB - 5.7 w/T
	6	9							~~ASC~~ DELAY TIME -
	5	811							
	4	3			T/C				LSP# 5684 LF# 814
	3	5					10419		FSP# 5683 FF# 815
	2	7					A		
	1	9							
723	5680	821	0003			9300			
	9	3					7440		
	8	5				2135			
	7	7							
	6	9							
	5	831							
	4	3							
	3	5							
	2	7							
	1	9							
	5670	841							
	9	3							
	8	5							
	7	7			T/C				LSP# 5667 LF# 848
	6	9					10420		FSP# 5666 FF# 849
	5	851					B		
	4	3							
	3	5					7436		
	2	7							
	1	9							
743	5660	861	0015			9312			
	9	3							
	8	5				2179			
	7	7							
	6	9							
	5	871							
	4	3							
	3	5							
	2	7							
	5651	9							
	5650	881							
	9	3			T/C				LSP# 5650 LF# 882
	8	5					10421		FSP# 5649 FF# 883
	7	7					A		
	6	9							
	5	691					7437		
	4	3							
	3	5							
	2	7							
	5641	899							

DATE: 11-7-75

PAGE 1 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS 75 | Type instrument DFS III | Offset distance 1140

Area Atlantic Cont. Rise - | Record filter 8-18/124 | Group interval 328/164

State Offshore East Coast | Sample rate 2 ms | Fold coverage 36

Observer MILLER | gun depth 30 | in.^{3} of guns 1680

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5702	777		N/E	64,64,60,		10417	13D	SPD+RPM: 700-700
	1	9			62, 60, 54		A		HDG: 233°
683	5700	781	2351		60, 54				TB: 2° PORT
	9	3							SOB: 5.7 KTS WT
	8	5							
	7	7			T				LSP 5701 LF# 780
	6	9			T/C		10418		FSP 5700 FF# 781
	5	791					B		
	4	3							
	3	5					7435		
	2	7							
	5691	9							
	5690	801			END OF DAY				
	9	3							
	8	5							
	7	7							
	6	9							
	5	811							
	4	3							
	3	5							
	2	7							
	1	9							
	5680	821							
	9	3							
	8	5							
	7	7							
	6	9							
	5	831							
	4	3							
	3	5							
	2	7							
	1	9							
	5670	841							
	9	3							
	8	5							
	7	7							
	6	9							
	5	851							
	4	3							
	3	5							
	2	7							
	5661	9							
	5660	861							
	9	3							
	8	5							
	7	7							
	6	9							
	5	871							
	4	3							
	5653	875							

DATE: 11-6-75

PAGE 9 of _____

506-3-68

digicon inc. #511

OBSERVERS MARINE REPORT

Client USGS-75 | Type instrument DFS III | Offset distance 1140

Area Atlantic Cont Rise | Record filter 8-18/124 | Group interval 328/164

State Offshore East Coast | Sample rate 2 ms | Fold coverage 36

Observer _____ | gun depth 30' | in.³ of guns 1690

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5732	677		N/E	62,64,60		10414	13-D	SPD-RPM: 700-700
	1	9			62,60,56,		B		HDG: 239°
583	5750	681	2322		58,56.				TB: 0°
	9	3							SOB: 5.8 KTS WT
	8	5							
	7	7			T/C				LSP 5752 LF#678
	6	9					10415		FSP 5751 FF#679
	5	691					A		
	4	3							
	3	5							
	2	7					7432		
	1	9							
603	5740	701	2337			9288			
	9	3							
	8	5				2931			
	7	7							SHORT FILE-F# 712
	6	9							
	5	711			T/C				LSP 5735 LF#712
	4	3					10416		FSP 5734 FF#713
	3	5					B		
	2	7							
	1	9					7433		
	5730	721	2333						
	9	3							
	8	5							
	7	7							
	6	9							
	5	731							SHOOTING 1680³ IN
	4	3							
	3	5							
	2	7							
	1	9							
643	5720	741	2339			9290			
	9	3							
	8	5			T/C	2932			LSP 5718 LF#746
	7	7					10417		FSP 5717 FF#747
	6	9					A1		
	5	751							
	4	3							
	3	5					7434		
	2	7							
	1	9							
	5710	761	2346						
	9	3							
	8	5							
	7	7							
	6	9							
	5	771							
	4	3							
	5703	775							

DATE: 11-6-75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. #511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC COAST RISE Record filter 8-18/124 Group interval 32/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5802	577		N/E	60,62,60		10412	13-D	SPD-RPM 700-700
	1	9			62,58,56,		B		HDG 232°
AM3	✓5800	581	2253		58,56	9270			T.B. 0°
	9	3							50B 5.8 W.T.
	8	5				9426			
	7	7					7429		
	6	9							
	5	591							
	4	3							
	3	5							
	2	7							
	1	9							
	✓5790	601	2259						
	9	3							
	8	5							
	7	7							
	6	9			T/C				LSP 5786 LF# 610
	5	611					10418		FSP 5785 FF# 611
	4	3					A		
	3	5							
	2	7					7430		
	1	9							
5A3	✓5780	621	2305			9270			
	9	3							
	8	5				9426			
	7	7							
	6	9							
	5	631							
	4	3							
	3	5							
	2	7							
	1	9							
	5770	641	2311						
	9	3			T/C				LSP 5769 LF# 644
	8	5					10414		FSP 5768 FF# 645
	7	7					B		
	6	9							
	5	651					7431		
	4	3							
	3	5							
	2	7							
	1	9							
	✓5760	661	2316			9280			
	9	3							
	8	5				9429			
	7	7							
	6	9							
	5	671							
	4	3							
	5753	675							

DATE: 11-6-75

PAGE 7 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC CONT RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30 in.^{3} of guns 1690 / 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5852	477		N/E	60,62,60,		10409	13D	SPEED 700-700 RPM
	1	9			62,60,58,		A		HEADING 233
	5850	481	2224		54,58.				T.B. 0°
	9	3							SOB 5.8 WT
	8	5							
	7	7							
	6	9					7426		
	5	491							
	4	3							
	3	5							
	2	7							
	1	9							
A03	5840	501	2230			9300			
	9	3							
	8	5				9235			
	7	7			T/C				LSP 5837 LF# 506
	6	9			T/C		10410		FSP 5836 FF# 507
	5	511					B		
	4	3							
	3	5					7427		
	2	7							
	1	9							
	5830	521	2235						
	9	3							
	8	5							
	7	7							
	6	9							
	5	531							
	4	3							
	3	5							
	2	7							
	1	9							
A43	5820	541	2241		T/C	9275			LSP 5820 LF# 542
	9	3			T/C		10411		FSP 5819 FF# 543
	8	5				9228	A		
	7	7							
	6	9					7428		
	5	551							
	4	3							
	3	5							
	2	7							
	1	9							
	5810	561	2247						
	9	3							
	8	5							
	7	7							
	6	9							SHORT FILE - F# 576
	5	571							
	4	3			T/C				LSP 5803 LF# 576
	5803	575			T/C		10412		FSP 5802 FF# 577

DATE: 11-6-75

PAGE 6 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 51

Client 1665-75 Type instrument DFS III Offset distance 1140

Area ATLANTIC COAST Record filter 6-14/124 Group interval 328/164

State OFF SHORE EAST COAST Sample rate 2ms Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5902	377		N/E	60,62,60,		10406	13-D	SPEED RPM 700-700
	1	9			62,54,56,		B		HEADING 233°
283	5900	381	2156		58,54.	9384			T.B. 0°
	9	3							SOB 5.7 WT
	8	5				2461			
	7	7					7423		
	6	9							
	5	391							
	4	3							
	3	5							
	2	7							
	1	9							
	5890	401							
	9	3							
	8	5			T/C				LSP 5884 LF# 406
	7	7					10407		FSP 5897 FF# 407
	6	9					A		
	5	411							
	4	3							
	3	5					7424		
	2	7							
	1	9							
323	5880	421	2207			9360			
	9	3							
	8	5				2854			
	7	7							
	6	9							
	5	431							
	4	3							
	3	5							SHORT FILE - FF# 440
	2	7							
	1	9			T/C				LSP 5871 LF# 440
	5870	441	2202		T/C		10408		FSP 5870 FF# 441
	9	3					B		
	8	5							
	7	7					7425		
	6	9							
	5	451							
	4	3							
	3	5							
	2	7							SHOOTING WITH
	1	9							1690³ IN.
363	5860	461	2214			9324			
	9	3							
	8	5				2443			
	7	7							
	6	9							
	5	471							
	4	3			T/C				LSP 5854 LF# 474
	5853	475					10409		FSP 5853 FF# 475

DATE: 11-6-75

PAGE 5 of _____

506-3-68

digicon inc. # 511

OBSERVERS MARINE REPORT

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area ~~ATLANTIC~~ CONT. RISE Record filter 8-18/124 Group interval 328/164

State OFFSHORE EAST COAST Sample rate 2 MS Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	5952	277		N/E	60,62,60,		10403	13-0	SPEED 700-700 RPM
	1	9			62,60,58,		'A'		HEADING 230°
	5950	281	2128		60,56.				T.B. 3° PORT
	9	3							SOB 5.7 WT
	8	5					7420		
	7	7							
	6	9							
	5	291							
	4	3							
	3	5							
	2	7							
	1	9							SHORT FILE - F# 304
203	5940	301	2133			9450			
	9	3			T/C	2481			LSP 5939 LF# 304
	8	5					10404		FSP 5938 FF# 305
	7	7					'B'		
	6	9							
	5	311							
	4	3					7421		
	3	5							
	2	7							
	1	9							
	5930	321	2139						
	9	3							
	8	5							
	7	7							
	6	9							
	5	331							
	4	3							
	3	5							
	2	7			T/C				LSP 5922 LF# 339
	1	9					10405		FSP 5921 FF# 339
243	5920	341	2144			9420	'A'		
	9	3							
	8	5				2472			
	7	7					7422		
	6	9							
	5	351							
	4	3							
	3	5							
	2	7							
	1	9							
	5910	361	2150						
	9	3							
	8	5							
	7	7							SHORT FILE - F# 372
	6	9							
	5	371			T/C				LSP 5905 LF# 372
	4	3					10406		FSP 5904 FF# 373
	5903	375					B		

DATE: 11-6-75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client	USGS-75	Type instrument	DFS-III	Offset distance	1140'
Area	Atlantic Cont. Rise	Record filter	5-18-124	Group interval	328/164
State	Offshore East Coast	Sample rate	2ms.	Fold coverage	36
Observer	MILLER	gun depth	30'	in.^{3} of guns	1700

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	6002	177	2100	N/E	54,60,58,	9540	10400	13-D	SPEED- 700-700 RPM
	1	9			60,60,54,		B		HEADING. 233
83	6000	181	2101		58,54.				YB 7° PORT
	9	3				2909M	7539		SOB- 5.7 WT
	8	5							
	7	7							REEL# 10400 'B' SHOT
	6	9						*	AT 11 SEC RECORD
	5	191							LENGTH
	4	3							
	3	5							
	2	7							SHORT FILE - F#202
	1	9							
	5990	201			T/C				LSP 5990 LF#202
	9	3					10401		FSP 5989 FF#203
	8	5					A		
	7	7							
	6	9					7418		
	5	211							
	4	3							
	3	5							
	2	7							
	1	9							
123	5980	221	2111			9500			
	9	3							
	8	5				2896			
	7	7							
	6	9							
	5	231							
	4	3							
	3	5			T/C				LSP 5973 LF#236
	2	7					10402		FSP 5972 FF#237
	1	9					B		
	5970	241	2117						
	9	3					7419		
	8	5							
	7	7							
	6	9							
	5	251							
	4	3							
	3	5							
	2	7							
	1	9							
	5960	261	2122			9490			
	9	3							
	8	5				2893			
	7	7							
	6	9			T/C				LSP 5956 LF#270
	5	271					10403		FSP 5955 FF#271
	4	3					'A'		
	5953	275							

DATE: 11-6-75

PAGE 3 of

506-3-68