digicon inc. # 511

OBSERVERS MARINE REPORT

Client USGS-75 Type instrument DFS-III Offset distance 1140'

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS. Sample rate 9MS. Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700^3

Line-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	9963	119	1859	SW	40,50,57,		19615	13-H	SPD- 775-800 RPM
39 ↘	4	121			48,40,45,	2696"	"A"		HDG- 058°
	5	3			40,45				TD- ~~AA~~ 6° STB
	6	5					7765		SOB- 6.0 WT
	7	7							
	8	9			T/C				LSP# 9964, LF# 122
	9	131					19616		FSP# 9965 FF# 123
	✓ 9970	3	1903				"B"		
	1	5					7766		
	2	7							
	3	9							
	4	141							
	5	3							
	6	5							
	7	7							
	8	9							
	9	151							
III	9980	3				9410			
	1 ↘	5				2670			LSP# 9981, LF# 156
	2	7					19617		FSP# 9982, FF# 157
	3	9					"A"		
	4	161							
	5	3					8316		
	6	5							
	7	7							
	8	9							
	9	171							
	✓ 9990	3	1917						
	1	5							
	2	7							
	3	9							
	4	181							
	5	3							
	6	5							
	7	7							
	8 ↘	9			T/C				LSP# 9998, LF# 190
	9	191					19618		FSP# 9999, FF# 191
151	✓ 10,000	3	1924			8960	"B"		
	1	5				2732			
	2	7					1317		
	3	9							
	4	201							
	5	3							
	6	5							
	7	7							
	8	9							
	9	211							
	✓ 10,010	3	1929						
	1	5							
	2	217							

DATE: 10-15-75

OBSERVERS MARINE REPORT

digicon inc. # 511

USGS-75 Type instrument DFS-III Offset distance 1140

GEORGES BANK Record filter 8/18/124 Group interval 328/124

MASS Sample rate 2 ms. Fold coverage 36

Observer MILLER gun depth 30 in.^{3} of guns 1700^3

Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,013	219		SW	40, 51, 51		19618	13-H	SPD-800-775-RPM
	4	221			48, 40, 45		"B"		HDG- 055°
	5	3			40, 40				TB- 0° STB
	6	5					8317		SOB - 6.4 WT
	7	7							
	8	9			T/C				LSP# 10,015, LF# 224
	9	231					19619		FSP# 10,016, FF# 325
191	10,020	3	1935			8910	"A"		
	1	5				7716			
	2	7					8318		
	3	9							
	4	241							
	5	3							
	6	5							
	7	7							
	8	9							
	9	251							
	10,030	3	1941						
	1	5							
	2	7			T/C				LSP# 10,032, LF# 258
	3	9					19620		FSP# 10,033, FF# 259
	4	261					"B"		
	5	3							
	6	5					8319		
	7	7							
	8	9							
	9	271							
231	10,040	3	1947			8780			
	1	5				2677			
	2	7							
	3	9							
	4	281							
	5	3							
	6	5							
	7	7							
	8	9							
	9	291			T/C				LSP# 10,049, LF# 292
	10,050	3	1954				19621		FSP# 10,050, FF# 293
	1	5					"A"		
	2	7							
	3	9					8320		
	4	301							
	5	3							
	6	5							
	7	7							
	8	9							
	9	311							
271	10,060	3	1959			8880			
	1	5				2707			
	2	7							

DATE: 10-15-75

digicon inc. # 511

OBSERVERS MARINE REPORT

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS. Sample rate 2 MS Fold coverage 36

Observer MILLER gun depth 30 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,067	319		SW	41,56,59		19621	13-H	SPD-800-RPM-775
	9	321			60,54,18,		"A"		HDG 055°
	5	3			45,45				TB- 0°
	6	5					8320		SOB- 5.9 WT
	7	7							
	8	9			T/C				LSP# 10,066 LF# 326
	9	331					19622		FSP# 10,067, FF# 327
	10,070	7	2005				"B"		
	1	5							
	2	7					8321		
	3	9							
	4	341							
	5	7							
	6	5							
	7	7							
	8	9							
	9	351							
311	10,080	3	2011			8680			
	1	5				2146			
	2	7							
	3	9			T/C				LSP# 10,083, LF# 360
	4	361					19623		FSP# 10,084, FF# 361
	5	3					"A"		
	6	5							
	7	7					8315		
	8	9							
	9	371							
	10,090	3	2017						
	1	5							
	2	7							
	3	9							
	4	381							
	5	3							
	6	5							
	7	7							
	8	9							
	9	391							
351	10,100	3	2023		T/C	8520			LSP# 10,100, LF# 394
	1	5				2598	19624		FSP# 10,101, FF# 395
	2	7					"B"		
	3	9							
	4	401					7767		ANOTHER SEISMIC CREW IN AREA
	5	3							
	6	5							
	7	7							
	8	9							
	9	411							
	10,110	3	2029						
	1	5							
	10,112	417							

DATE: 10-15-75

PAGE 32 of _____

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140'

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS Sample rate 2 MS Fold coverage 36

Observer MILLER gun depth 30' in.³ of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,113	419		SW	41,56,57		19624	13-14	SPD- 800-775 RPM
	4	421			58,55,52		"B"		HDG- 055°
	5	3			40,40				TB- 0°
	6	5					7767		S.O.B. 5,9 WT
	7	7							
	8	9			T/C				CSP# 10,117, CF# 428
	9	431					19625		FSP# 10,118, FF# 429
391	✓10,120	3	2035			8440	"A"		
	1	5				2573			
	2	7					7768		
	3	9							
	4	441							
	5	3							
	6	5							
	7	7							
	8	9							
	9	451							
	✓10,130	3	2041						
	1	5							
	2	7							
	3	9							
	4	461			T/C				CSP# 10,134, CF# 462
	5	3					19626		FSP# 10,135, FF# 463
	6	5					"B"		
	7	7							
	8	9					7769		
	9	471							
491	✓10,140	3	2047			8320			
	1	5				2537			
	2	7							
	3	9							
	4	481							
	5	3							
	6	5							
	7	7							
	8	9							
	9	491							
	✓10,150	3	2052						
	1	5			T/C				CSP# 10,151, CF# 496
	2	7					19627		FSP# 10,152, FF# 497
	3	9					"A"		
	4	501							
	5	3					7770		
	6	5							
	7	7							
	8	9							
	9	511							
471	✓10,160	3	2058			8270			
	1	5				2521			
	10,162	517							

DATE: 10-15-75

PAGE 22 of _____

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS Sample rate 2 MS. Fold coverage 36

Observer MILLER gun depth 70 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,163	519		SW	41, 54, 58,		19627	13-H	SPD- 800-775 RPM
	4	521			59, 51, 58,		"A"		HDG- 058°
	5	3			45, 45				TB- 0°
	6	5					7770		SOB- 6,1 wt
	7	7							
✓	8	9			T/C				CSP# 10,168, CF# 530
	9	531					19628		FSP# 10,169, FF# 531
	10,170	3	2104				"B"		
	1	5							
	2	7					7771		
	3	9							
	4	541							
	5	3							
	6	5							
	7	7							
	8	9							
	9	551							
511	✓ 10,180	3	2109			8460			
	1	5				2579			
	2	7							
	3	9							
	4	561							
✓	5	3			T/C				CSP# 10,185, CF# 564
	6	5					19629		FSP# 10,186, FF# 565
	7	7					"A"		
	8	9							
	9	571					7772		
	✓ 10,190	3	2115						
	1	5							
	2	7							
	3	9							
	4	581							
	5	3							
	6	5							
	7	7							
	8	9							
	9	591							
551	✓ 10,200	3	2120			8660			
	1	5				2640			
✓	2	7			T/C				CSP# 10,202, CF# 598
	3	9					19630		FSP# 10,203, FF# 599
	4	601					"B"		
	5	3					7773		
	6	5							
	7	7							
	8	9							
	9	611							
	✓ 10,210	3	2125						
	1	5							
	10,212	617							

DATE: 10-15-75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140'

Area GEORGE'S BANK Record filter 8/18/174 Group interval 328/164

State MASS. Sample rate 2.0S. Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,213	619		SW	41,57 57		19630	13-H	SPD- 800,785 RPM
	4	621			58 49 58,		"B"		HDG- 056°
	5	3			48,42				TB- 0°
	6	5					7773		SOB- 6,2 WJ
	7	7							
	8	9							
	9	631			T/C				CSP# 10,219, CF# 632
511	✓ 10,220	3	2131			8200	19631		FSP# 10,220, FF# 633
	1	5				2652	"A"		
	2	7							
	3	9					7774		
	4	641							
	5	3							
	6	5							
	7	7							
	8	9							
	9	651							
	✓ 10,230	3	2136						
	1	5							
	2	7							
	3	9							
	4	661							
	5	3							
	6	5			T/C				CSP# 10,236, CF# 666
	7	667					19632		FSP# 10,237, FF# 667
	8	9					"B"		
	9	671							
	✓ 10,240	3	2142				7775		
	1	5							
	2	7							
	3	9							
	4	681							
	5	3							
	6	5							
	7	7							
	8	9							
	9	691							
	✓ 10,250	3	2148						
	1	5							
	2	7							
	3	9			T/C				CSP# 10,253, CF# 700
	4	701					19633		FSP# 10,254, FF# 701
	5	3					"A"		
	6	5							
	7	7					7776		
	8	9							
	9	711							
671	✓ 10,260	3	2153			8700			
	1	5				2652			
	10,262	717							

DATE: 10-15-75

PAGE 35 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS. Sample rate 2 ms. Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,263	719		SW	45,60,59		19633	13-H	SPD- 800- RPM-775
	4	721			57,48,57,		"A"		HDG- 055°
	5	3			42,41				TB- 2" PT
	6	5					7776		SOB- 6.0 WT
	7	7							
	8	9							
	9	731							
✓	10,270	3			T/C				CSP# 10,270, LF# 724
	1	735					19634		FSP# 10,271, FF# 725 (735)
	2	7					"B"		
	3	9							
	4	741					8322		
	5	3							
	6	5							
	7	7							
	8	9							
	9	751							
711	✓ 10,280	3	2203			9380			
	1	5				2160			
	2	7							
	3	9							
	4	761							
	5	3							
	6	5							
✓	7	7			T/C				CSP# 10,287, LF# 768
	8	769					19635		FSP# 10,288, FF# 769
	9	771					"A"		
	✓ 10,290	3	2209						
	1	5					8323		
	2	7							
	3	9							
	4	781							
	5	3							
	6	5							
	7	7							
	8	9							
	9	791							
731	✓ 10,300	3	2214			8600			
	1	5				2622			
	2	7							
	3	9							
✓	4	801			T/C				CSP# 10,304, LF# 802
	5	3					19636		FSP# 10,305, FF# 803
	6	5					"B"		
	7	7							
	8	9					8324		
	9	811							
✓	10,310	3	2219						
	1	5							
	10,312	817							

DATE: 10-15-75 PAGE 26 of

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-TTT Offset distance 1140'

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS. Sample rate 2 MS. Fold coverage 36

Observer MILLER gun depth 30 in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,313	8 919		SW			19636	13-H	SPD- RPM
	4	921					"B"		HDG-
	5	3							TB-
	6	5							S.O.B- WT
	7	7					8324		
	8	9							
	9	931							
891	✓ 10,320	3	2224			8700			
	↓ 1	5			T/C	2652			CSP# 10,321, CF# 936
	2	837			T/C		19637		FSP# 10,322, FF# 937
	3	9					"A"		837
	4	941							
	5	3					8325		
	6	5							
	7	7							
	8	9							
	9	951							
	✓ 10,330	3	2229						
	1	5							
	2	7							
	3	9							
	4	961							
	5	3							
	6	5							
	7	7							
	↓ 8	9			T/C				CSP# 10,338, CF# 970
	9	871					19638		FSP# 10,339, FF# 971
891	✓ 10,340	3	2235			8740	"B"		871
	1	5				2665			
	2	7							
	3	9					8326		
	4	981							
	5	3							
	6	5							
	7	7							
	8	9							
	9	991							
	✓ 10,350	3	2240						
	1	5							
	2	7							
	3	9							
	4	001							
	↓ 5	3			T/C				LSP# 10,355, CF# 004
	6	5			T/C		19639		FSP# 10,356, FF# 005
	7	7					"A"		905
	8	9							
	9	011					8327		
871	✓ 10,360	3	2245			9810			
	1	5				2991			
	10,362	017							

DATE: 10-15-75

PAGE 37 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140'

Area GEORGES BANK Record filter 8/18/124 Group interval 328/164

State MASS. Sample rate 2 MS. Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,363	019		SW	40, 50, 54,		19639	13-H	SPD- 800-775 RPM
	4	021			51, 48, 56,		"A"		HDG- 057°
	5	3			41, 42				TB - 60°
	6	5							SOB - 5,5 WT
	7	7					6329		
	8	9							
	9	031							
	✓ 10,370	3	2250						
	1	5							
	2	7			T/C				LSP# 10,372, LF# 038
	3	9					19640		FSP# 10,373, FF# 039
	4	041					"B"		939
	5	3							
	6	5					6326		
	7	7							
	8	9							
	9	051							
911	✓ 10,380	3	2256			9810			
	1	5				2991			
	2	7							
	3	9							
	4	061							
	5	3							
	6	5							
	7	7							
	8	9							
	9	071			T/C				LSP# 10,384, LF# 072
	✓ 10,390	3	2301				19641		FSP# 10,390, FF# 073
	1	5					"A"		923
	2	7							
	3	9					6329		
	4	081							
	5	3							
	6	5							
	7	7							
	8	9							
	9	091							
951	✓ 10,400	3	2306			8500			
	1	5				2991			
	2	7							
	3	9							
	4	101							007
	5	3			T/C				LSP# 10,406, LF# 107 006
	6	5			T/C		19642		FSP# 10,407, FF# 108 007
	7	7			F/C		B		~~LSP# 10,407, LF# 108~~
	8	9			F/C		14642		~~FSP# 10,408, LF# 109~~
	9	111					4B"		
	✓ 10,410	3	2311				8330		
	1	5							
	10,417	117							

DATE: 10-15-75

PAGE 38 of _____

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140'

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS. Sample rate 2 MS Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,413	119		SW	40,52,55,		19642	13-11	SPD- 800-775 RPM
	4	121			51,47,55,		"B"		HDG- 052
	5	3			44,43				TB- 2° PT
	6	5							SOB- 5,7 WT
	7	7							
	8	9					8330		
	9	131							
991	✓ 10,420	3	2314			8960			
	1	5				2732			
	2	7							
	3	9			T/				LSP# 10,423, LF# 140
	4	141			T/C		19643		FSP# 10,424, FF# 141
	5	3					"A"		
	6	5							
	7	7					8334		
	8	9							
	9	151							
	✓ 10,430	3	2322						
	1	5							
	2	7							
	3	9							
	4	161							
	5	7							
	6	5							
	7	7							
	8	9							
	9	171							
1031	✓ 10,440	3	2327		T/	9060			LSP# 10,440, LF# 174 074
	1	5			T/C	2766	19644		FSP# 10,441, FF# 175
	2	7					"B"		075
	3	9							
	4	181					8336		
	5	3							
	6	5							
	7	7							
	8	9							
	9	191							
	✓ 10,450	3	2332						
	1	5							
	2	7							
	3	9							
	4	201							
	5	3							
	6	5							
	7	7			T/				LSP# 10,457, LF# 208 108
	8	9			T/C		19645		FSP# 10,458, FF# 209 109
1071	9	211					"A"		
~~1071~~	✓ 10,460	3	2337			9180	7777		
	1	5				2799			
	10462	217							

DATE: 10-15-75

PAGE 39 of _____

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140'

Area GEORGE'S BANK Record filter 8/18/124 Group interval 378/144

State MASS. Sample rate 2 MS. Fold coverage 36

Observer MILLER gun depth 30' in.^{3} of guns 1700^3

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,467	219		SW	40, 51, 58,		19645	13-H	SPD- 800-775-RPM
	4	221			50, 40, 45,		"A"		HDG- 059°
	5	3			40, 40				TB- 0°
	6	5					7777		SOB- 59 WT
	7	7							
	8	9							
	9	231							SHOOTING AT ~~1120~~
	✓10,470	3	2342						
	1	5							
	2	7							
	3	9							
	4	241			T/C				LSP# 10,474 LF# 242
	5	3					19646		FSP# 10,475, FF# 243 143
	6	5					"B"		
	7	7							
	8	9					8333		
	9	251							
Hell	✓10,480	3	2347			9210			
	1	5				9164			
	2	7							
	3	9							
	4	261							
	5	3							
	6	5							
	7	7							
	8	9							
	9	271							
	✓10,490	3	2352						
	1	5			T/C				LSP# 10,491, LF# 276
	2	7	(177)				19647		FSP# 10,492, FF# 277 177
	3	9					"D"		
	4	281							
	5	3					8334		
	6	5							
	7	7							
	10,498	289	2357						LSP# 10,498, LF# 290 190
					END OF DAY				

DATE: 10-15-75

PAGE 40 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS-III Offset distance 1140

Area GEORGE'S BANK Record filter 8/18/124 Group interval 328/164

State MASS. Sample rate 2 MS. Fold coverage 36

Observer KIND gun depth 30' in.³ of guns 1420³

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
1151	10,499	291		SW	43,55,5548,		19647	13-H	SPD-800-775RPM
1151	✓10,500	193	2358		48,54,43,40	9190	"A"		HDG 055°
	1	195							TB-3° PORT
	2	297					9334		SOB- 5.9 WT
	3	9							
	4	301							THEY CHANGE MACHINES AT
	5	[redacted]3							[redacted] NOW GOES
	6	5							[redacted] 298 ... etc.
	7	7							[redacted]
	8	9			T/C				LSP# 10,508, LF# 310
	9	311					19648		FSP# 10,509, FF# 311
	10,510	3	0002				"B"		[redacted]
	1	5							
	2	7					7778		
	3	9							
	4	321							
	5	3							
	6	5							
	7	7							
	8	9							
1191	9	331							
1191	✓ 10,520	3	0007			9120'			
	1	5				1710			
	2	7							
	3	9							
	4	341					"B"		[redacted]
	5	[redacted]3			T/C		19648		LSP-10,525 LF-344
	6	5					19649		FSP-10,526 FF-345
	7	7					"A"		[redacted]
	8	9							
	9	351					8335		
	✓ 10,530	[redacted]3	0012						
	1	5							
	2	7							
	3	9							
	4	361							
	5	[redacted]3							
	6	5							
	7	7							
	8	9							
	9	371							
1231	10,540	[redacted]1	0017			8880'			
	1	5				2704	"A"		[redacted]
	2	7			T/C		19649		LSP-10,542 LF-378
	3	9					19650		FSP-10,543 FF-379
	4	381					"B"		[redacted]
	5	[redacted]3							
	6	5					7779		
	7	7							
	10,548	389							

DATE: 10-16-75

PAGE 1 of

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS 75 | Type instrument DFS III | Offset distance 1140

Area Georges Bank | Record filter 8/18/124 | Group interval 328/164

State Mass | Sample rate 2MS | Fold coverage 36

Observer KIDD | gun depth 30' | in.³ of guns 1420³

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,549	391		SW	43,55,53,49		19650	13-4	SPD - 800 - 775 RPM
	10,550	3	0021		43,54,44,41		'B'		HDG - 054°
	1	5							TB - 0°
	2	7							SOB - 5.9 W.T.
	3	9					7779		
	4	401							
	5	3							
	6	5							
	7	7							
	8	9					'B'		
	9	411			T/C		19650		LSP - 10,559 LF - 412
1231	10,560	3	0026			8640'	19651		FSP - 10,560 FF - 413
	1	5				2634	'A'		
	2	7							
	3	9					8336		
	4	421							
	5	[redacted]3							
	6	5							
	7	7							
	8	9							
	9	431							
	10,570	3	0031						
	1	5							
	2	7							
	3	9							
	4	441							
	5	3					'A'		
	6	5			T/C		19651		LSP - 10,576 LF - 446
	7	7					19652		FSP - 10,577 FF - 447
	8	9					'B'		
	9	451					7231		
1311	10,580	3	0036			8410'			
	1	5				2564			
	2	7							
	3	9							
	4	461							
	5	[redacted]3							
	6	5							
	7	7							
	8	9							
	9	471							
	10,590	3	0041						
	1	5							
	2	7					'B'		
	3	9			T/C		19652		LSP - 10,593 LF - 480
	4	481					19653		FSP - 10,594 FF - 481
	5	3					'A'		
	6	5					7780		
	7	7							
	10,598	489							

DATE: 16 Oct

digicon inc. # 511

OBSERVERS MARINE REPORT

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS. Fold coverage 36

Observer KIDD gun depth 30' in.³ of guns 1420

Re-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,599	491		SW	~~48~~,52,55,55,		19653	13-H	SPEED-800-775 RPM
1361	✓10,600	~~513~~ 3	0046		48,53,4,43	8140'	'A'		HEADING-053°
	1	5				2482			T.B.-0°
	2	7							S.O.B.-6.1 W.T.
	3	9							
	4	501					~~7490~~		
	5	~~513~~ 3							
	6	5							
	7	7							
	8	9							
	9	511					'A'		~~#14~~
	✓10,610	3	0051		T/C		19653		LSP-10,610 LF-514
	1	5					19654		FSP-10,611 FF-515
	2	7					'B'		~~#15~~
	3	9							
	4	521					8357		
	5	3							
	6	5							
	7	7							
	8	9							
1391	9	531							
~~1411~~	✓10,620	~~[redacted]~~ 3	0056			9075'			
	1	5				2462			
	2	7							
	3	9							
	4	541							
	5	~~[redacted]~~ 3							
	6	5					'B'		~~#17~~
	7	7			T/C		19654		LSP-10,627 LF-548
	8	9					19655		FSP-10,628 FF-549
	9	551					'A'		~~#19~~
	✓10,630	3	0100				8336		
	1	5							
	2	7							
	3	9							
	4	561							
	5	3							
	6	5							
	7	7							
	8	9							
1431	9	571							
~~1451~~	✓10,640	3	0105			8090'			
	1	5				2466			
	2	7							
	3	9					'A'		~~#22~~
	4	581			T/C		19655		LSP-10,644 LF-582
	5	3					19656		FSP-10,645 FF-583
	6	5					'B'		~~#23~~
	7	7					8339		
	10,648	589							

DATE: 10/16/75

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 | Type instrument DFS III | Offset distance 1140'

Area GEORGE'S BANK | Record filter 8-18-124 | Group interval 328/164

State MASS. | Sample rate 2MS | Fold coverage 36

Observer KIDD | gun depth 30' | in.³ of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,649	591		SW	43,55,55,54		19656	13-H	SPEED-800-775 RPM
	10,650	3			43,54,43,41		'B'		HEADING-050°
	1	5	0110						T.B.-0°
	2	7							S.O.B.-6.4 W.T.
	3	9					4339		
	4	601							SHOOTING 1500 IN.³
	5	3							
	6	5							
	7	7							
	8	9							
1471	9	611							
1471	10,660	3	0115			8130	'B'		
	1	5			T/C	2479	19656		LSP-10,661 LF-616
	2	7					19657		FSP-10,662 FF-617
	3	9					'A'		
	4	621							
	5	3					15009		
	6	5							
	7	7							
	8	9							
	9	631							
	10,670	3	0120						SHOOTING 1580 IN.³
	1	5							
	2	7							
	3	9							
	4	641							
	5	3							
	6	5							
	7	7					'A'		
	8	9			T/C		19657		LSP-10,678 LF-650
	9	651					19658		FSP-10,679 FF-651
1511	10,680	3	0125			8300	'B'		
	1	5				2530			
	2	7					8340		
	3	9							
	4	661							
	5	3							
	6	5							
	7	7							
	8	9							
	9	671							
	10,690	3	0130						
	1	5							
	2	7							
	3	9							
	4	681					'B'		
	5	3			T/C		19658		LSP-10,695 LF-684
	6	5					19659		FSP-10,696 FF-685
	7	7					'A'		
	19698	689					8341		

DATE: 10/16/75

PAGE 4 of _____

506-3-68

digicon inc. # 511

OBSERVERS MARINE REPORT

Vessel USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS. Fold coverage 36

Observer KIDD gun depth 30' in.^{3} of guns 1580

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,699	691		SW	40,54,55,52		19659	12-H	SPEED-800-775 RPM
1551	10,700	3	0135		43,52,41,42	8670'	'A'		HEADING-056°
	1	5				2643			T.B.-0°
	2	7							S.O.B.-6.5 W.T.
	3	9					8341		
	4	701							
	5	3							
	6	5							
	7	7							
	8	9							
	9	711							
	10,710	3	0140						
	1	5					'A'		
	2	7			T/C		19659		LSP-10,712 LF-718
	3	9					19660		FSP-10,713 FF-719
	4	721					'B'		
	5	3							
	6	5					8342		
	7	7							
	8	9							
	9	731							
1591	10,720	3	0145			8910'			
	1	5				2716			
	2	7							
	3	9							
	4	741							
	5	3							
	6	5							
	7	7							
	8	9					'B'		
	9	751			T/C		19660		LSP-10,729 LF-752
	10,730	3	0150				19661		FSP-10,730 FF-753
	1	5					'A'		
	2	7							
	3	9					8343		
	4	761							
	5	3							
	6	5							
	7	7							
	8	9							
	9	771							
1631	10,740	3	0155			9150'			
	1	5				2730			
	2	7							
	3	9							
	4	781							
	5	3					'A'		
	6	5			T/C		19661		LSP-10,746 LF-786
	7	7					19662		FSP-10,747 FF-787
	10,748	789					'B'		

DATE: 10/16/75

digicon inc. # 511

OBSERVERS MARINE REPORT

Client	USGS-75	Type instrument	DFS III	Offset distance	1140'		
Area	GEORGE'S BANK	Record filter	8-18-124	Group interval	328/164		
State	MASS.	Sample rate	2 MS.	Fold coverage	36		
Observer	KIDD	gun depth	30'	in.^{3} of guns	1580		

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,749	791		SW	41,51,49,50,		19662	13-H	SPEED-800-775 RPM
	10,750	3	0200		42,51,41,40		'B'		HEADING-054°
	1	5							T.B.-0°
	2	7							S.O.B.-6.8 W.T.
	3	9							
	4	801					8344		
	5	3							
	6	5							
	7	7							
	8	9							
	9	811							
164	10,760	3	0204			9330'			
	1	5				2745			
	2	7					'B'		
	3	9			T/C		19662		FSP-10,763 LF-820
	4	821					19663		FSP-10,764 FF-821
	5	3					'A'		
	6	5							
	7	7					8345		
	8	9							
	9	831							
	10,770	3	0209						
	1	5							
	2	7							
	3	9							
	4	841							
	5	3							
	6	5							
	7	7							
	8	9							
All	9	851					'A'		
164	10,780	3	0214		T/C	10,040'	19663		FSP-10,780 LF-854
	1	5				3061	19664		FSP-10,781 FF-855
	2	7					'B'		
	3	9							
	4	861					8346		
	5	3							
	6	5							
	7	7							
	8	9							
	9	871							
	10,790	3	0219						
	1	5							
	2	7							
	3	9							
	4	881					'B'		
	5	3					19664		FSP-10,797 LF-888
	6	5			T				FSP-10,798 FF-889
	7	7			C		19665		
	10,798	889					'A'		

DATE: 10/16/75

PAGE 6 of

506-3-68

digicon inc. # 511

OBSERVERS MARINE REPORT

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2ms. Fold coverage 36

Observer KIDD gun depth 30' in.³ of guns 1580

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,799	891		SW	44,55,54,52,		19665	13 H	SPEED-800-775 RPM
1951	10,800	3	0224		46,54,43,40	10,000'	'A'		HEADING-058°
	1	5				3049			T.B.-0°
	2	7							S.O.B.-6.8 W.T.
	3	9					7761		
	4	901							
	5	3							300 IN.³ OFF-LINE
	6	5							NOW SHOOTING 1540 IN.³
	7	7							
	8	9							
	9	911							
	10,810	3	0229						
	1	5							
	2	7							
	3	9					'A'		
	4	921			T/C		19665		LSP-10,814 LF-922
	5	3					19666		FSP-10,815 FF-923
	6	5					'B'		
	7	7							
	8	9					8347		
	9	931							
1791	10,820	3	0234			9240'			
	1	5				2817			
	2	7							
	3	9							
	4	941							
	5	3							
	6	5							
	7	7							
	8	9							
	9	951							
	10,830	3	0238				'B'		
	1	5			T/C		19666		LSP-10,831 LF-956
	2	7					19667		FSP-10,832 FF-957
	3	9					'A'		
	4	961							
	5	3					7782		
	6	5							
	7	7							
	8	9							
	9	971							
1831	10,840	3	0243			9190'			
	1	5				2802			300 IN.³ ON-LINE
	2	7							NOW SHOOTING 1420 IN.³
	3	9							
	4	981					'A'		LSP-10,848 LF-990
	5	3					19667		FSP-10,849 FF-991
	6	5			T/C		19668		
	7	7					'B'		
	10,848	989							

DATE: 10/16/75

PAGE 7 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS. Fold coverage 36

Observer KIDD gun depth 30' in.^{3} of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,849	991		SW	42,55,55,41,		19668	13H	SPEED - 800-775 RPM
	10,850	[redacted]3	0248		42,53,41,41		'B'		HEADING - 051°
	1	5							T.B. - 0°
	2	7							S.O.B. - 6.6
	3	9							
	4	001					7783		
	5	3							
	6	5							
	7	7							
	8	9							
	9	011							
R71	10,860	3	0252			9480'			
	1	5				2890			
	2	7							
	3	9							
	4	021					'B'		[redacted]
	5	3			T/C		19668		FSP - 10,865 LF - 024
	6	5					19669		FSP - 10,866 FF - 025
	7	7					'A'		
	8	9							
	9	031							
	10,870	[redacted]3	0257				7769		
	1	5							
	2	7							
	3	9							
	4	041							
	5	3							
	6	5							
	7	7							
	8	9							
	9	051							
1911	10,880	3	0302			9800'			
	1	5				2988	'A'		[redacted]
	2	7			T/C		19669		LSP - 10,882 LF - 058
	3	9					19670		FSP - 10,883 FF - 059
	4	061					'B'		
	5	3							
	6	5					8348		
	7	7							
	8	9							
	9	071							
	10,890	3	0306						
	1	5							
	2	7							
	3	9							
	4	081							
	5	[redacted]3							
	6	5							
	7	7							
	10,898	089							

DATE: 10/16/75

PAGE 8 of _____

106-3-68

digicon inc. # 511

OBSERVERS MARINE REPORT

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS. Fold coverage 36

Observer KIDD gun depth 30' in.³ of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,899	091		SW	46,54,55,53,		19670	13H	SPEED - 800 - 775 RPM
1951	10,900	3	0311		44,51,40,42	9636'	'B'		HEADING - 052°
	1	5			T/	2934			T.B. - 0°
	2	7			C.		8340		S.O.B. - 6.9 W.T.
	3	9							
	4	101					19671		LSP - 10,899 LF - 092
	5	[redacted]3					'A'		FSP - 10,900 FF - 093
	6	5							[redacted]
	7	7					7785		
	8	9							
	9	111							
	10,910	[redacted]3	0315						
	1	5							
	2	7							
	3	9							
	4	121							
	5	3					'A'		[redacted]
	6	5			T/		19671		LSP - 10,916 LF - 126
	7	7			C		19672		FSP - 10,917 FF - 127
	8	9					'B'		[redacted]
	9	131							
1991	10,920	3	0320			9750'	8349		
	1	5				2773			
	2	7							
	3	9							
	4	141							
	5	3							
	6	5							
	7	7							
	8	9							
	9	151							
	10,930	3	0324						
	1	5							
	2	7					'B'		
	3	9			T/		19672		LSP - 10,933 LF - 160
	4	161			C		19673		FSP - 10,934 FF - 161
	5	3					'A'		[redacted]
	6	5							
	7	7					8350		
	8	9							
	9	171							
2031	10,940	3	0329			9770'			
	1	5				2979			
	2	7							
	3	9							
	4	181							
	5	3							
	6	5							
	7	7							
	10,948	189							

DATE: 10/16/75

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS. Fold coverage 36

Observer KIDD gun depth 30' in.^{3} of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,949	191		SW	42,54,55,50,		19673	13H	SPEED-800-775 RPM
	10,950	3	0334		41,48,40,40		'A'		HEADING-050°
	1	5			T/				T.B.-0°
	2	7					8350		S.O.B.-6.7 W.T.
	3	9			/C				
	4	201							LSP-10,950 LF-194
	5	3					19674		FSP-10,951 FF-195
	6	5					'B'		
	7	7							
	8	9					7786		
	9	211							
2071	10,960	3	0338			9990'			
	1	5				3046			
	2	7							
	3	9							
	4	221							
	5	[redacted]3							
	6	5					'B'		
	7	7			T/		19674		LSP-10,967 LF-228
	8	9			/C		19675		FSP-10,968 FF-229
	9	231					'A'		
	10,970	3	0343						
	1	5					7787		
	2	7							
	3	9							
	4	241							
	5	[redacted]3							
	6	5							
	7	7							
	8	9							
	9	251							
2111	10,980	3	0347			9960'			
	1	5				3037			
	2	7							
	3	9					'A'		[redacted]
	4	261			T/		19675		LSP-10,984 LF-262
	5	3			/C		19676		FSP-10,985 FF-263
	6	5					'B'		
	7	7							
	8	9					7788		
	9	271							
	10,990	3	0352						
	1	5							
	2	7							
	3	9							
	4	281							
	5	3							
	6	5							
	7	7							
	10,998	289							

DATE: 10/16/75

PAGE 16 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 | Type instrument DFS III | Offset distance 1140'

Area GEORGE'S BANK | Record filter 8-18-124 | Group interval 328/164

State MASS. | Sample rate 2ms. | Fold coverage 36

Observer KIDD | gun depth 30' | in.³ of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	10,999	291		SW	42,53,54,49		19676	13H	SPEED - 800 - 775 RPM
2151 ✓	11,000	3	0356		42,50,44,40	10,020'	'B'		HEADING - 044°
✓	1	5				3055			T.B. - 0°
	2	7			T/C		7788		S.O.B. - 6.6 W.T.
	3	9							
	4	301							LSP-11,001 LF-296
	5	3					19677		FSP-11,002 FF-297
	6	5					'A'		
	7	7							
	8	9					7789		
	9	311							
✓	11,010	3	0401						
	1	5							
	2	7							
	3	9							
	4	321							
	5	3							
	6	5							
	7	7					'A'		~~290~~
✓	8	9			T/C		19677		LSP-11,018 LF-330
	9	331			T/C		19678		FSP-11,019 FF-331
2191 ✓	11,020	~~333~~	0405			10,060'	'B'		~~331~~
	1	5				3067			
	2	7					7790		
	3	9							
	4	341							
	5	3							
	6	5							
	7	7							
	8	9							
	9	351							
✓	11,020	3	0410						
	1	5							
	2	7							
	3	9							
	4	361					'B'		
✓	5	3			T/C		19678		LSP-11,035 LF-364
	6	5			T/C		19679		FSP-11,036 FF-365
	7	7					'A'		
	8	9							
	9	371					7791		
2231 ✓	11,040	3	0414			10,095'			
	1	5				3078			
	2	7							
	3	9							
	4	381							
	5	3							
	6	5							
	7	7							
	11,048	389							

DATE: 10/16/75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS Fold coverage 36

Observer KIDD gun depth 30' in.^{3} of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#Idir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	11,049	391		SW	40,50,54,52,		19679	13H	SPEED-800-775 RPM
✓	11,050	3	0419		45,51,40,41		'A'		HEADING-044°
	1	5							T.B.-3° PORT
	2	7					7791		S.O.B.-7.1 W.T.
	3	9			T/C				
	4	401							LSP-11,052 LF-398
	5	3					19680		FSP-11,053 FF-399
	6	5					'B'		
	7	7							PARITY-FILE 398
	8	9					7792		
	9	411							
2271	✓ 11,060	3	0423			10,160'			
	1	5				3098			
	2	7							
	3	9							
	4	421							
	5	3							
	6	5							
	7	7							
	8	9					'B'		
	9	431			T/C		19680		LSP-11,069 LF-432
	✓ 11,070	3	0428				19681		FSP-11,070 FF-433
	1	5					'A'		
	2	7							
	3	9					7793		
	4	441							
	5	3							
	6	5							
	7	7							
	8	9							
	9	451							
2311	✓ 11,080	3	0432			10,215'			
	1	5				3114			
	2	7							
	3	9							
	4	461							
	5	3					'A'		
	6	5			T/C		19681		LSP-11,086 LF-466
	7	7					19682		FSP-11,087 FF-467
	8	9					'B'		
	9	471							
	✓ 11,090	3	0437				7794		
	1	5							
	2	7							
	3	9							
	4	481							
	5	3							
	6	5							
	7	7							
	11,098	489							

DATE: 10/16/75

PAGE 12 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS Fold coverage 36

Observer KIDD gun depth 30' in.^{3} of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	11,099	491		SW	40,51,51,51,		19682	12H	SPEED-800-775 RPM
2351	11,100	3	0441		43,53,40,41	10,225'	'B'		HEADING-044°
	1	5				3117			T.B.-0°
	2	7					7794		S.O.B.-7.0 W.T.
	3	9			T/C				
	4	501							LSP-11,103 LF-500
	5	3					19683		FSP-11,104 FF-501
	6	5					'A'		
	7	7							
	8	9					7795		
	9	511							
	11,110	3	0446						
	1	5							
	2	7							
	3	9							
	4	521							
	5	3							
	6	5							
	7	7							
	8	9							
	9	531					'A'		
2391	11,120	3	0451		T/C	10,140'	19683		LSP-11,120 LF-534
	1	5				3091	19684		FSP-11,121 FF-535
	2	7					'B'		
	3	9							
	4	541					7796		
	5	3							
	6	5							
	7	7							
	8	9							
	9	551							
	11,130	3	0455						
	1	5							
	2	7							
	3	9							
	4	561							
	5	3							
	6	5					'B'		
	7	7			T/C		19684		LSP-11,137 LF-568
	8	9					19685		FSP-11,138 FF-569
	9	571					'A'		
2431	11,140	3	0500			10,100'			PARITY-FILE 569 & 570
	1	5				3079	7797		PARITY-FILE 572
	2	7							
	3	9							
	4	581							
	5	3							
	6	5							
	7	7							
	11,148	589							

DATE: 10/16/75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 | Type instrument DFS III | Offset distance 1140'

Area GEORGES BANK | Record filter 8-18-124 | Group interval 328/164

State MASS. | Sample rate 2MS | Fold coverage 36

Observer KIDD | gun depth 30' | in.³ of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	11,149	591		SW	41,54,55,55		19685	13H	SPEED - 800-775 RPM
	11,150	3	0505		47,54,42,41		'A'		HEADING - 045°
	1	5					7797		T.B. - 0°
	2	7							S.O.B. - 7.2 W.T.
	3	9					'A'		
	4	601			T/C		19685		LSP-11,154 LF-602
	5	3					19686		FSP-11,155 FF-603
	6	5					'B'		
	7	7							
	8	9					7798		
	9	611							
2971	11,160	3	0510			10,110'			
	1	5				3082			
	2	7							
	3	9							
	4	621							
	5	3							
	6	5							
	7	7							
	8	9							
	9	631							
	11,170	3	0515				'B'		
	1	5			T/C		19686		LSP-11,171 LF-636
	2	7					19687		FSP-11,172 FF-637
	3	9					'A'		
	4	641							FILES 637-643 HAVE
	5	3					7799		REEL 19688 RECORDED
	6	5							ON HEADER.
	7	7							
	8	9							
	9	651							
3511	11,180	3	0519			10,220'			
	1	5				3116			
	2	7							
	3	9							
	4	661							
	5	3							
	6	5							
	7	7					'A'		
	8	9			T/C		19687		LSP-11,188 LF-670
	9	671					19688		FSP-11,189 FF-671
	11,190	3	0524				'B'		
	1	5							
	2	7					7800		
	3	9							
	4	681							
	5	3							
	6	5							
	7	7							
	11,198	689							

DATE: 10/16/75

PAGE 14 of _____

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2MS. Fold coverage 36

Observer KIDD gun depth 30' in.^{3} of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	11,199	691		SW	42,54,55,54		19688	13H	SPEED-800-775 RPM
2551	11,200	3	0529		50,52,42,43	10,200'	'B'		HEADING-044°
	1	5				3110			T.B.-0°
	2	7					7700		S.O.B.-7.0 W.T.
	3	9							
	4	701					B		
	5	3			T/C		19688		LSP-11,205 LF-704
	6	5					19689		FSP-11,206 FF-705
	7	7					'A'		
	8	9							PARITY-FILE 704
	9	711					7801		
	11,210	3	0534						
	1	5							
	2	7							
	3	9							
	4	721							
	5	3							
	6	5							
	7	7							
	8	9							
	9	731							
2591	11,220	3	0539			10,140'			
	1	5				3091	'A'		
	2	7			T/C		19689		LSP-11,222 LF-738
	3	9					19690		FSP-11,223 FF-739
	4	741					'B'		
	5	3							
	6	5					7802		
	7	7							
	8	9							
	9	751							
	11,230	3	0543						
	1	5							
	2	7							
	3	9							
	4	761							
	5	3							
	6	5							
	7	7							FILE 772 - SHORT FILE
	8	9					'B'		
	9	771			T/C		19690		LSP-11,239 LF-772
2631	11,240	3	0548			10,185'	19691		FSP-11,240 FF-773
	1	5				3105	'A'		
	2	7							PARITY-FILE 773
	3	9					7803		
	4	781							
	5	3							
	6	5							
	7	7							
	11,248	789							

DATE: 10/16/75

506-3-68

OBSERVERS MARINE REPORT

digicon inc. # 511

Client USGS-75 Type instrument DFS III Offset distance 1140'

Area GEORGE'S BANK Record filter 8-18-124 Group interval 328/164

State MASS. Sample rate 2 MS. Fold coverage 36

Observer KIDD gun depth 30' in.^{3} of guns 1420

Pre-Plot	Shotpoint	File No.	Time	#1 dir.	Cable Depth	W.D.	Reel No.	Line No.	Remarks
	11,249	791		SW			19691	13H	SPEED - 800 - 775 RPM
	11,250	3	0553				'A'		HEADING - 048°
	1	5							T.B. - 0°
	2	7							S.O.B - 6.8 W.T.
	3	9					7803		
	4	801							
	5	3					'A'		
	6	5			T/C		19691		LSP - 11,256 LF - 806
	7	7					19692		FSP - 11,257 FF - 807
	8	9					'B'		
	9	811							
267	11,260	3	0558			10,115'			
	1	5				3084	7804		
	2	7							
	3	9							
	4	821							
	5	3							
	6	5							
	7	7							
	8	9							
	9	831							
	11,270	3	0603						
	1	5							
	2	7					'B'		
	3	9			T/C		19692		LSP - 11,273 LF - 840
	4	841					19693		FSP - 11,274 FF - 841
	5	3				3049	'A'		
270	11,276	845	0606			10,000'	7805		LSP - 11,276 LF - 846

E.O.L.

E.O.T.

LINE COMPLETE

DATE: 10/16/75

PAGE 16 of

506-3-68